Woods Hole Oceanographic Institution



THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY

by

S. Tarbell, M. Chaffee,
A. Williams and R. Payne

August 1980

TECHNICAL REPORT

Prepared for the Office of Naval Research under Contract N00014-76-C-0197; NR 083-400 and for the National Science Foundation under Grant OCE 77-19403.

Approved for public release; distribution unlimited.

WOODS HOLE, MASSACHUSETTS 02543

WHOI-79-88

THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY

by

S. Tarbell, M. Chaffee, A. Williams,
and R. Payne

WOODS HOLE OCEANOGRAPHIC INSTITUTION
Woods Hole, Massachusetts 02543

August 1980

TECHNICAL REPORT

Prepared for the Office of Naval Research under Contract N00014-76-C-0197; NR 083-400 and for the National Science Foundation under Grant OCE 77-19403.

Approved for Distribution _____

Valentine Worthington, Chairman
Department of Physical Oceanography

ABSTRACT

General information about mooring locations, durations and data gathered by the Moored Array Project (also known as Buoy Group) between late 1963 and 1978 is listed. Also included is a comprehensive list of scientific and technical publications written by the Buoy Group staff.

TABLE OF CONTENTS

ACKNOWLEDGMENTS

This report has been a cooperative effort for a number of years. The early charts were compiled and drafted by Margaret Chaffee. The table of available data is mostly the work of Phyllis Hayes, a summer student and the bibliography was compiled by Audrey Williams.

Many people have contributed special time and effort in the area of documentation. Among them are Nick Fofonoff, Ferris Webster, Robert Heinmiller, Raymond Pollard, George Tupper, Jim McCullough, and Gordon Volkmann. Many more have contributed to the most basic level of documentation, the careful daily records kept by the mooring, instrument and data processing sections. It is this solid base of unglamorous paper work that supports the effort of the scientific staff and makes possible this report, the distillation of everyone's continuous effort.

The Early Years

In 1959 a long-range program of oceanographic environmental research was outlined and submitted to the Office of Naval Research from the Woods Hole Oceanographic Institution. Among the recommendations were the use of fixed and drifting instrumented buoys to measure the distribution and variability of ocean currents. The specific projects were developed further in a formal proposal to the Office of Naval Research in 1960. The general objectives were "to achieve a greater understanding of the 'climatic' qualities of the circulation of the oceans". The major specific effort was to "be devoted to the development of suitable unmanned equipment for the collection of data pertinent to the prediction problem and an experimental line of stations through the Gulf Stream to be set up to evaluate these techniques and collect essential data on the time variations of this major current system".

The W.H.O.I. Buoy Group, set up initially under the guidance of Dr. W. S. Richardson, designed and built the prototype moorings, current meters and other instruments. The first batch of 100 current meters plus wind recorders were assembled at W.H.O.I. during Spring 1961 for deployment at 12 mooring sites between Cape Cod and Bermuda.

The program encountered serious problems from the outset. Loss rates were unacceptably high, ranging from 40 to 90% of the instruments set for periods of two to three months. Of the records recovered, most were seriously contaminated by high levels of high-frequency noise from mooring motion.

Although the instruments and moorings were redesigned for redeployment in 1962, the modifications were inadequate to meet the conditions (largely unknown) encountered at sea. The Bermuda buoy line was discontinued in Spring 1962. The outlook for long-term moored array experiments appeared bleak. However, experimentation and redesign continued. Film records recovered in 1962 were analyzed manually to identify sampling and recording problems and to expose the various modes of mooring motion that degraded the records. In 1963, the program emphasis was shifted to engineering and

development. Current meters were redesigned with sampling rates that matched the wide-band signals seen from moorings. Records from these instruments proved to be machine-readable and quickly exposed the real structure of the signal spectrum. Realistic specifications could now be set for the next generation of current meters. (A more detailed discussion is available in Fofonoff, 1968.)

Solving the current meter sampling problem did not eliminate the high loss rate of instruments at sea (35% for exposure periods of two weeks or more during 1965-67). Improvements continued to be slow and uncertain until reliable acoustic releases were developed and an effective back-up recovery system was designed. Development of mooring techniques has been described by Heinmiller (1975, 1976a, b). The ability to conduct post-mortems on mooring failures led to a rapid improvement in durability and resistance to corrosion and fatigue of mooring components. In 1968 recoveries of better than 90% were attained, eliminating a major constraint on application of moored buoys for scientific use. A rapid expansion in number and scope of scientific experiments followed starting in 1969.

The present report catalogues the experiments carried out, the data collected, and the resulting scientific papers and technical reports during the period from 1963 to 1979. The evolution of moored buoy techniques is apparent in the maps and listings included. The continued support of the Office of Naval Research has been essential to the development of moored buoy techniques, especially during the 60's when the scientific returns seemed at times so meager compared to the investments.

Instruments

The overriding goal of the Buoy Group, from the beginning, has been to make accurate observations of ocean currents on an accurate time base. Over the years, the data treatment and recording methods within the current meters have changed radically while the sensors, the Savonius rotor and vane, have stayed very nearly like the original models. Also, other variables, such as temperature, differential temperature, and pressure have been added to the observations recorded.

Table 1 contains a very brief summary of the instrument developments which we will comment on here.

The first current meters were manufactured by Geodyne, Inc. These recorded their data on movie film and used mechanical clocks for the time base. Transferring the data to magnetic tape for digital processing was difficult and not particularly reliable so it was hailed as a great advance when Geodyne brought out the Model 850. This uses basically the same instrument but recorded on magnetic tape in endless loop cartridges. Both the film recording and Model 850 current meter used burst sampling recording, giving the investigators a measure of the high frequency content in ocean currents, but the magnetic tape increased the data storage capacity as well as the reliability. Replacing the mechanical clocks with quartz crystal oscillators improved the accuracy and reliability of the time by a remarkable amount.

In 1971, the first prototypes of the Vector Averaging Current Meter (VACM) were deployed. This instrument, conceived and designed at W.H.O.I., used the vane and Savonius rotor for sensors but vector averaged the data nearly continuously and recorded digitally on magnetic tape cassettes. Vector averaging effectively removed the aliasing problem and the recording techniques developed increased the data capacity of the current meters markedly. A combination of up-to-date electronics and very careful maintenance and servicing yielded a remarkably reliable instrument.

Water temperature has been recorded in all VACMs by means of thermistors. An accuracy of .01°C is achieved routinely (Payne et al., 1976). Other variables have been added to the observations as the need arose. The requirement for small scale temperature gradients prompted the development of the differential temperature (DT) circuits for the Internal Wave experiment (IWEX). The need for monitoring mooring behavior gave rise to the measurement of pressure in the VACM. The multiplexing circuit was developed at the same time to allow the recording of several variables besides current without increasing the number of circuit boards and therefore the size and power requirements of the instrument.

The Model 850 has continued to yield quite satisfactory data and all of our Model 850s are in active use. Substantial improvements have been made to the electronics resulting in improved reliability (Valdes, 1977). The ability to measure temperature has been added to all the Model 850s.

During the past 3 or 4 years the Buoy Group has come to expect a rather high level of performance from its instruments, order of 90% data return from the VACMs and only slightly less from the Model 850s. Recently two moorings were recovered after an 18 month deployment with excellent data return.

Instruments from other institutions have been deployed on Buoy Group moorings. The best example is probably the temperature-pressure recorder (T/P) developed at M.I.T.'s Draper Laboratories under John Dahlen. The T/P was developed for use on the MODE moorings and gave the Buoy Group its first quantitative information on vertical mooring motion.

CALENDAR OF EVENTS

1963 The data gathered was used to determine the effectiveness and limitations of the instrument (film recording current meter made by the Geodyne Corporation) and the mooring system. Data quality is marginal in all cases due to the state of the art at that time. Data quality problems include light struck film, blurring between channels, film transport uneven, and uneven light intensity causing channels to be misread on machine reading.

1964 Solving instrument and engineering problems was the principal thrust of the project. Removing the large external fin and damping the vane follower were just two of the instrument modifications. Our present system of naming moorings and data files was initiated and previously set moorings and data series re-named to conform to the new procedure.

1965 The first good two month time series was recovered. Instrument changes included a magnetic switch turn-on (from a mercury switch) and double ended (vane one end, rotor other end) to single ended current meters.

1966 A few of the instruments were modified to record on magnetic tape instead of on film.

1967 The conversion to magnetic tape recording instruments was continued. Mooring work was suspended pending results of experimental mooring types.

1968 Finished converting from film to magnetic tape recording instruments. Larger, faster computer system installed (Sigma 7). All data series converted to the Maltais Format (Maltais, 1969) on the new computer. The back-up recovery system (Berteaux and Heinmiller, 1969) was to be used on all moorings.

1969 The first crystal clocks were installed, replacing the less accurate mechanical clocks.

1970 The first intermediate moorings (Heinmiller and Walden, 1973) were set. Directional inaccuracies in vane follower and northern bias were measured and corrected. The increase in mooring and instrument reliability started a trend to set moorings in arrays.

CALENDAR OF EVENTS (cont.)

1971 Prototypes of the Vector Averaging Current Meter (VACM) were used successfully. A few of the Model 850 instruments were modified to include a temperature sensor. The first mooring with an intended duration of 1 year was set. The MODE/POLYMODE experiments began with MODE 0, Array 1.

1972 The 1 year mooring was recovered (388 days). The modification of the Model 850 to include temperature was continued and calibration techniques were devised for the thermistors. The VACMs were modified to correct a design flaw. Compass, vane values were lost if the rotor had not turned 1/8th of a turn. The modification forced a count of one in the rotor. MODE was continued with Arrays 2 and 3.

1973 Modified VACMs that recorded differential temperature were used in IWEX. MODE 1, set in the spring, was the largest array set by the Buoy Group. It had 16 moorings and over 200 instruments. Two VACM problems were discovered: chemical deposition in rotor and vane bearings and a rotor drop-out problem caused by a drifting diode. Modifications to eliminate the problems were started.

1974 The various modifications of the VACM were continued. POLYMODE Array 1 was set.

1975 A program to update the circuitry of the Model 850 clocks to bring them up to standards was started (Valdes, 1977). POLYMODE Array 2, Setting 1 was deployed and recovered and Array 2, Setting 2 was deployed.

1976 Two VACMs were modified to add pressure in a multiplexing mode. POLYMODE, Array 2, Setting 2 was recovered and Setting 3 was set. INDEX moorings were deployed in the Indian Ocean and recovered.

1977 POLYMODE, Array 2, Setting 3 was recovered. POLYMODE, Array 3, clusters A and B were deployed.

1978 POLYMODE, Array 3, clusters A and B were recovered and two site moorings were deployed. JASIN was set and recovered. A 15 month LDE array was deployed.

Table 1 shows the chronological order of the introduction of some of the technological improvements made in instruments and moorings as well as some of the major experiments the Buoy Group has been involved in. Mooring numbers are for the mooring set nearest the end of the year above it.

Events	Calendar Years
	1963,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79
Mooring Numbers	141 - 193 - 261 - 321 - 421 - 522 - 586 - 638 -
Nominal Mooring Duration	[7 days][- - Two months - -][6 months][9-15 mo.
	* Back up recovery system in use.
	* Intermediate moorings
	* First 1 year mooring
	* use of MIT T/Ps
Current Meters, Film	[Film Recording]
Model 850	[- - -Magnetic tape recording - -
VACM	[- Vector Averaging - -
	* 850 Temperature mod.
	* VACM DT mod. and
	*pressure.
Clocks	[Mechanical clocks -]
	[- Crystal Clocks - - - -
Major Experiments	
Long term site D	++++++++++++++++++++++++++++++
Along 70° W.	++++++++++++++++
Gulf Stream	++ +++ + ++
MODE,POLYMODE	++++++++++++++++++++++++++
IWEX	+
INDEX	+
JASIN	+
SCOR WG 21	+ + +
Local Dynamics Ex.	++++++
Calendar Years	1963,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79

References

Berteaux, H. O. and R. Heinmiller, 1969. Back-up recovery systems of deep-sea moorings. W.H.O.I. Technical Report WHOI 69-7.

Fofonoff, N. P., 1968. A summary report on current measurements from moored buoys, 1959-1965. W.H.O.I. Technical Report WHOI 68-30.

Heinmiller, R. H., Jr., 1975. Mooring operations of the Woods Hole Buoy Group for the MID-OCEAN DYNAMICS EXPERIMENT. W.H.O.I. Technical Report WHOI 75-42.

Heinmiller, R. H., Jr., 1976a. The Woods Hole Buoy Project moorings, 1960 through 1974. W.H.O.I. Technical Report WHOI 76-53.

Heinmiller, R. H., Jr., 1976b. Mooring operations techniques of the Buoy Project at the Woods Hole Oceanographic Institution. W.H.O.I. Technical Report WHOI 76-96.

Heinmiller, R. H. and R. G. Walden, 1973. Details of Woods Hole moorings. W.H.O.I. Technical Report WHOI 73-71.

Maltais, J. A., 1969. A nine channel digital magnetic tape format for storing oceanographic data. W.H.O.I. Technical Report WHOI 69-55.

Payne, R. E., A. L. Bradshaw, J. P. Dean and K. E. Schleicher, 1976. Accuracy of temperature measurements with the VACM. W.H.O.I. Technical Report WHOI 76-94.

Valdes, J. R., 1977. COS/MOS 850 current meter report. W.H.O.I. Technical Report WHOI 77-30.

SECTION A CHARTS AND GRAPHS

The charts and graphs in this section show the position, duration and 3 digit mooring number of each mooring set in the Atlantic in that year. Use the following legend for the calendar year displays:

Mooring numbers

038 Surface Mooring

159 Subsurface, Intermediate or Bottom Mooring

Depths of Instruments (meters)

1234 Depth of current meter

1234 Depth of non current meter instrument

1234 Digitizer depth

1234 Lost instrument

A dashed line means lost or adrift

R. A. means recovered adrift

Note that data from moorings before 107 were of very poor quality and were not archived.

Davis Strait
110
109
108



1963


Misc. lat's & long's
(see 1963 map)
079 1500,2500.
080 1500,2500.
155 64 Lost
088 9,24,40.
089 9,24,40.
090 9,24,40. Lost
091 9,24,40. R.A.
092 9,24,40.
093 9,24,40 Lost
095 9,24,40. Lost
096 9,24,40.
097 9,24,40. Lost
098 9,24,40.
099A 13.
099B 13.
099C 13. R.A.
Slope
137 16.
138 16. Lost
106 0,50,100,500,1000,2000,3000,4000, 5000. Lost
100 50,100,500,1000,2000,3000,4000. R.A.
101 0,56,100,500,1000,2000,3000,4000.
EQUALANT
No. 1 111 30,80,130,155,405. R.A.
2 112 30,80,155,405.
3 113 30,80,130,155,405.
4 114 700,1700,3200,4700. Lost
5 115 30,80,155,405.
6 116 30,80,155,405.
7 117 30,80,155,405.
8 118 30,80,155,405.
9 119 30,80,155,405.
10 120 30,80,130,155,405.
11 121 30,80,130,155,405,1405,2405. Lost
12 122 30,80,130,155,405.
13 123 30,80,155,405.
14 124 30,80,155,405.
15 125 1,30,80,155,405.
16 126 30,80,155,405.
17 127 30,80,155,405.
18 128 30,80,155,405.
19 129 30,80,155,405.
20 130 30,80,155,405.
21 131 1,30,80,155,405.
22 132 30,80,155,405.
23 133 1,80,250,405,905,1905.
24 134 80,155,405,905,1905.
25 135 80,155,405,905,1905.
26 136 80,155,405,905,1905,2405.
Equatorial Atlantic
Davis Strait
108 0,50,150,250.
109 0,50,150,250,350.
110 0,50,150,250.
148 1 Lost
149 1 Lost
150 None Lost
60,70,570,580,1230,1240,1990,2000.
139
60,70,570,580,1230,1240,1990,2000,2990,3000.
140
60,61,63,215,1216,1218,2220,2221,2233.
141 R.A.
151 None Lost
Bermuda
Shelf
107 250,1250,1260,1310,1510,2010,2020.
094 2,2
Buzzards Bay
Wave Tower
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC

1963


N. Atlantic
153
154
85°
80°
75°
70°
60°
Bermuda
146
147
152
158
159
160
161
162
172
173
144
145
UNITED
STATES
40°
35°
168,169
170,171
BERMUDA
166
167
165
30°
25°
164
163
CUBA
20°
15°
CENTRAL
AMERICA
142 A,B
143
10°
SOUTH
AMERICA
85°
75°
70°
65°

1964


142A 3,10.
142B 10
Aruba
143 11,33,55.
144 1,9,32,50
East of Cape Cod
145 24,40,53
146 60,60,560,1310,2070.
147 1,2.
North Atlantic
153 1000,2000,2500,2750,2750,3000.
154 2000,2500,3000.
158 0.
159 10,110,260,260,760,1360.
160 60,260,260,760,1360. R.A.
161 374,494,944,1594.
162 364,365.
163 192,692
164 192,692 R.A.
23°–24°N
67°–68°W
165 55,56,620,3240.
166 55,56,617. R.A.
167 55,56,620,740,3240. R.A.
28°–30°N
68°–69°W
Bermuda
152 192 Lost
172 None Lost
173 None
168 0 Lost
169 1,6,508,1509,3510. Lost
170 6,7,507,1508,3509.
171 6,7,507. Lost
North of Bermuda
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC

1964


Site D
174
175
178
179
180
181
182
183
184
185
187
188
189
190
191
85°
80°
75°
70°
60°
40°
35°
30°
25°
20°
15°
10°
65°
177
D
UNITED STATES
BERMUDA
186
CUBA
176
CENTRAL AMERICA
SOUTH AMERICA

1965


174 0. Lost
175 110,500,1000,2500.
178 Aborted.
179 64,438,940,1942.
180 100,500,1000.
181 0,0,0
11,411,911,1911.
182 Lost
183 90,100.
184 10,410,911,1912.
185 None Lost
187 30,407,902,1890. Lost
188 0,7,87.
189 6,7,413,914,1916.
190 0.
191 100,500,1000,2000. R.A.
177 65,75. R.A.
176 15,25,275,825,1325.
186 40,214,520,800.
Site 'D'
Vineyard Sound
Windward Passage
Blake Plateau
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC

1965


85°
80°
75°
70°
60°
Site D
193
197
198
200
201
202
203
208
209
210
211
212
213
214
215
216
196
40°
D
F 192
G 204,217
H 205,218
J 194,195,199,206,
207,219.
UNITED
STATES
35°
BERMUDA
30°
25°
CUBA
20°
15°
CENTRAL
AMERICA
10°
SOUTH
AMERICA
85°
75°
70°
65°

1966


1966
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC
Site 'D'
Site 'F'
Site 'G'
Site 'H'
Site 'J'
Noman's
R.A.
None
Lost
Lost
Lost
Lost
Lost
Lost
Lost
3270
4095.
4170.
3710.
4086.
89,491,993,1995.
100,500,1000,2000.
0,6,98,1000.
0,11,513,915.
0,10,55,157,309,311.
0,10,50,190,590.
100,503,1005,2007.
0,7,50,100,500.
90,492,994,1996,2064.
0,10,50,100,500,1000.
90,92,500,1000,2000.
0,10,100,500,1000,1002,2000.
0,502,1004.
102,504,1006,2008.
0,10,52,104,506,1008.
20,50,98,100,200,500,4000.
0,20,500,4000.
0,6,50,500,1000,2000,4000.
0,7,50,100,500,1000,2000,4000.
0,7,50,100,500,502,1000,2000,4000.
2.
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219


227
228
Denmark Straits
229
230
85°
80°
75°
70°
60°
Site D
215
220
231
232
233
241
242
243
248
249
250
251
252
253
254
255
258
259
260, 261
257
239
240
D
244
G 222,234,245
H 235
J 224,236
L 247,256
M 225,237,246
P 226,238
40°
35°
30°
25°
20°
15°
10°
UNITED STATES
BERMUDA
CUBA
CENTRAL AMERICA
SOUTH AMERICA
85°
75°
70°
65°

1967


221 553,655,656,708,760,761,788,815,816.
223 238,291,292,318,345,346. Lost
227 265,317,318,370,371,398,425,426. Lost
228 370,422,423,475,476,503,530,531 Lost
229 408,409,511,563,615,616,643,670,671. Lost
230 453,555,556,658,685,686.
Denmark Straits
220 95,105,106,506,1007,2012.
231 0,10,11,501.
215 102,504,1006,2008. R.A. 6 Aug. 1969.
232 2,11,111,200,500. Lost
233 100,102,500,1000,2000. Lost
241 0,10.
242 0,1,13,115,207,509.
243 45,52,54,456,958,2000.
Site 'D'
248 Aborted
249 125,477,479,481,484,488.
250 493,494,497,501,504.
251 151,501,502,505,509,512.
219 2.
Site 'J'
224 2,14,2015. Lost
236 10. Lost
252 109,110,120,124,128,132.
253 0,10.
222 3780 Lost
234 10. Lost
Site 'G'
254 102,114,116,120,124.
255 None
258 2,?.
259 0,12,2577.
260 2,14,516,1018,1520,2591.
261 2,14,1516.
245 3785 Lost
Site 'L'
235 10. Lost
Site 'H'
247 None Lost
256 None
225 0,2,13,514.
Site 'M'
237 0,10,102,604. Lost.
246 4157 Lost
238 0,10,12,500,1000.
Site 'P'
226 0,12,13,515,1017.
239 10,30,45 Shelf
240 0,10,1000,2000. Slope
244 0,10,1010,2510
257 0,12. Gulf of Maine
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC
1967


Site D
262 285
263 286
264 287
265 288
266
267
268
269
271
272
273
274
275
277
278
279
280
283
284
Alvin Recovery
276,281,282
D
UNITED STATES
BERMUDA
CUBA
CENTRAL AMERICA
SOUTH AMERICA
85°
80°
75°
70°
60°
65°
40°
35°
30°
25°
20°
15°
10°

1968


JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC
1968
262 2,14.
263 0,2,2383,2385.
264 0,2,13,1513,2613.
265 2575.
266 1,13,663,1163,1663,1665,2686,2688.
267 0,1,13.
268 2538.
269 0,1,13,1513,2556,2654.
270 None
271 0,2,14,515,1015,1515,1519,2665,2667.
272 0,12,22,29,32,42.
273 0,1,11,515,519.
274 2,13,55,107.
275 0,2,10,1512,2500,2590.
277 75.
278 2,2012,2390,2467.
279 0,0,10,1512,2561,2665.
280 0,0,9,51,103.
283 490,492,502,510,512,522,532.
284 2,14,56,57,108.
285 12,513,516,1515.
286 0,2,13,1513,2428 Lost
287 2582.
288 0
276 2.
Slope
Alvin Recovery
281 None
282 None
Site 'D'


85°
80°
75°
70°
60°
Site D
290 317
291 318
292
293
294
40° 295
296
297
298
299
300
301
302
35° 303
308
309
310
311
316
321
D
312
Gulf Stream 307
306
305
304
289
Mediterranean
UNITED STATES
L 313,314,315,319, 320.
BERMUDA
40°
35°
30°
25°
20°
15°
10°
CUBA
CENTRAL AMERICA
SOUTH AMERICA
85°
75°
70°
65°
10°

1969


289 123,225,727,1229,1731,2233.
290 0,10,12,512,515.
Mediterranean
291 2581,2583.
292 19,56,108,508,2008.
293 2576.
294 1514,1516,1541,1566,1591,1616,1641.
295 2593.
296 11,47,48,49,99,2075,2275.
297 Wire test.
298 0,2,14,2566.
299 13,51,52,53,107,2083,2283.
300 2,13,2561.
Site 'D'
301 0,2,13,15,517,518
284 2,14,56,57,108.
302 2590.
303 None
287 2582.
308 11,13,514,2561.
288 0.
309 0,2,13,14,56,108,1005,1692,2565.
310 200,532,1044,2066.
311 0,1,1,10,50,100,101,200.
316 16.
317 0,11,13,53,105,207,1000.
Site 'L'
313 0,12,13.
318 10,50,100,206,1008.
314 0,11,12,2000,4872.
Fishbite test.
315L
315 U found adrift 15 Aug. 1970
319 2,10,12,512,2212,4839.
320 0,2,4,2005,5260.
312 3988.
304 4287.
Gulf Stream
305 4227.
306 4169.
307 4082.
Vineyard Sound
321 10.
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC
1969


Slope Site L
338 323
345 334
346 336
347 341
348 342
349 344
354
355
356
85°
80°
75°
70°
60°
40°
35°
30°
25°
20°
15°
10°
65°
337
340
338
D
322,339,358
363
368
362
367
326
361
359
327
365,364
366
360
J
343,353,357
L
BERMUDA
324
333
325
335
329
328
330
CUBA
CENTRAL AMERICA
SOUTH AMERICA
332
331

1970


322 0,11,21,31,43,2080,2562.
Site 'D'
339 0,10,12,32,52,72,2550.
1466,1467,1964,1976,2495,2647.
358
Site 'J'
343 2261,2263,3185,4115,4412.
353 4121.
2056,2057,3058,3066,4074,4391.
357
320 0,2,4,2005,5260.
334 2,14,15,1017,2019,4326,5233,5328.
323 2,13,515,1017,2018,2020,4205,5236,5333.
336 NONE
341 0,5249.
Site 'L'
342 No depths.
Recovered adrift
344 2,13,14,5248.
354 5284,5333.
355 5239.
333 3880.
Bermuda
335 1312,1313,2314,2346,2347,4298.
Documentation lost = 324 = 325
2,412,2413,5247.
356 Lost
331 224,426.
Caribbean
332 422,624.
337 None
Vineyard Sound
Slope
338 0,10,12,32,52,72,2167,2168.
340 0,12,32,52,62,72,2620.
345 1504,1505,1960,2434,2495.
326 3999,4101.
346 2163.
327 4204,4215
N-S line
347 776.
328 4254.
70° West
348 975,982.
329 4247.
349 846,933,941.
330 4240,4250.
350 888,990.
351 2052.
352 2394.
359 3325.
3697,4019,4020.
360
361 = Launches
Gulf Stream
362 = Aborted
363 3914.
364 4712.
3933,4255.
365
366 4164.
367 3790.
Lost
368 3750.
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC

1970


85°
80°
75°
70°
60°
40°
35°
30°
25°
20°
15°
10°
Site D
Site J
Site L
Kuroshio
358
377
378
379
396
397
398
418
419
420
MODE-0
406
407
408
409
410
411
412
413
414
357
382
400
403
421
Eq. Pacific
372
373
374
375
376
354
381
401
404
405
384
385
386
387
Kelvin Seamount
394
393
392
391
390
389
388
D
J
L
BERMUDA
MODE-0 Area
Antilles Ridge
417
416
415
369
370
371
CUBA
CENTRAL AMERICA
SOUTH AMERICA
65°

1971


Site 'L'
Grand Banks
Site 'D'
Gulf Stream
Slope
MODE-0
Equatorial Pacific
Site 'J'
Antilles Ridge
Kuroshio
Antilles Ridge
Kelvin Seamount
354 5284, 5333
381 0, 3, 415, 2415, 5178, 5258.
383 4538.
358 1466, 1467, 1964, 1976, 2495, 2647
377 2, 8, 10, 12, 13, 21, 22.
378 0, 2, 8, 10, 12, 13.
379 0, 3, 15, 107, 509, 1011, 2555.
401 2, 5255
404 5270
405 2, 423.
398 2, 3, 12, 204, 1006, 2006, 2508, 2539.
396 0, 3, 12, 27.
397 0, 3, 12, 1014, 2518.
418 500, 512, 513, 565, 617, 618.
419 489, 490, 542, 594, 592.
420 0, 2, 54, 206, 1008, 2063, 2525, 2527.
359 3325.
360 3697, 4019, 4020.
363 3914.
364 4712
365 3933.
366 4255.
395 0, 3, 12, 1014, 2318
399 0, 1, 2, 9, 1011.
402 3, 12, 1014.
406 0, 2, 514, 816, 1518, 1620, 4003, 4202, 4203.
407 514, 1516.
408 1503, 4008.
409 1522, 4028, 4029.
410 1504, 4008.
411 1476, 3981, 3982.
412 1502, 1503, 4005, 4006.
413 None
414 None
380 13, 15, 47, 49, 430, 770, 1360, 1490, 1515, 1538, 2650, 4024, 4025, 4050.
372 150 LOST
373 10, 102, 2004.
374 10, 102, 107, 4341.
375 100, 3100.
376 3693. LOST
357 2056, 2057, 3058, 3066, 4074, 4391.
400 2037, 2038, 3017, 4003, 4004. 4425.
382 2072, 2073, 3041, 4019.
403 2, 3, 15, 546, 2550, 2570, 2590, 2610, 4000, 4400, 4420,
421 2000, 3990.
384 3423
385 1059
386 908. LOST
387 2086.
369 5616, 5801.
370 5201, 5385.
371 5309.
415 5352.
416 5290.
417 5276.
388 4805
389 4796.
390 4800
391 4731
392 4670.
393 4610
394 4580.
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC

1971


Slope
422
423
436
449
450
458
459
462
465
466
478
479
MODE-0
424
425
430
431
432
433
434
435
451
452
453
454
455
469
470
471
472
473
474
Gulfstream
437
438
439
440
441
442
443
444
445
446
447
448
Site D
428
429
460
461
463
464
467
468
475
476
477
85°
80°
75°
70°
60°
Gulfstream
D
40°
35°
Muir
457
456
BERMUDA
MODE
Area
30°
Antilles Ridge
417
416
415
25°
CUBA
20°
CENTRAL
AMERICA
15°
10°
SOUTH
AMERICA
85°
75°
70°
65°

1972


415 5352
416 5290
417 5276
Antilles Ridge
404 5270
405 2,423
Site L
422 1027, 2495
423 1017, 2001
436 None
Slope
449 1049, 2540.
450 1014, 2008
458 1963, 2163.
Caribbean
426 1704, 1746.
427 1741, 1791.
459 2607.
462 32, 38, 59, 84, 460.
406 0, 2, 514, 816, 1518, 1620, 4003, 4202, 4203.
465 985, 2487.
466 983, 1980
407 514, 1516, 4001, 4002.
408 1503, 4008.
478 991, 1991.
409 1522, 4028, 4029.
Muir Seamount
456 2015, 2016, 2898.
479 1009, 2028
410 1504, 4008.
457 2915, 4719. Lost
411 1476, 3981, 3982.
3514, 4101, 5368, 5379.
412 1502, 1503, 4005, 4006.
537, 539, 542, 546, 1057, 1564, 2065, 2068, 2518, 3504, 3507,
469 5427.
424 2, 1519, 4074, 5131, 5132.
470 5427.
430 3975, 5119.
MODE
471 5427.
431 1461, 3955
472 5427.
425 0, 0, 1519 Lost
432 Aborted
473 368, 370, 1371, 1385, 3900.
433 1488, 1990.
474 581, 583, 1595, 4105.
434 1468, 3970.
453, 1454, 1466, 3968.
435
451 13, 515, 4191, 5187.
452 559, 561, 762, 1563, 2075, 4181.
453 2, 514, 1516, 2016, 3970, 4075, 5023, 5148.
454 0, 2, 514, 4207, 5210.
455 0, 514, 1516, 4208, 5342.
514, 1016, 1516, 2086, 2521.
428
429 0, 2, 52, 197, 962, 1998, 2347, 2534, 2536.
460 2364, 2564.
420 0, 2, 54, 206, 1008, 2063, 2525, 2527.
Site 'D'
461 2567 Lost
0, 2, 45, 47, 48, 49, 53, 197, 198, 199, 203, 501, 999, 1000, 1001, 1005.
463
159, 161, 163, 164, 168, 457, 1002, 1003, 1007, 2535, 2536.
464
467 Aborted
468 1010, 2012, 2364, 2564.
475 Test
476 Test
194, 200, 1003, 2002, 2552.
477
Gulf Stream
437 5217.
438 5161.
439 5152.
440 5159
441 4600, 5159.
442 4597, 5156
443 4597, 5156.
444 4594, 5153.
445 5124.
446 3989.
447 3422.
448 2758.
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC

1972


MODE-0
473
474
MODE-1
480 499
481 500
482 501
483
484
485
486
487
488
489
493
494
495
496
497
498
MODE Area
502
503
521
522
IWEX Site
510
511
512
513
514
515,A,B,C
516
Site D
492
506
507
508
509
517
D
490 Slope
491, 492
Muir Seamount
518
520
519
BERMUDA
MODE Area
IWEX
CUBA
504
505
Windward
Passage
CENTRAL
AMERICA
SOUTH
AMERICA
85°
80°
75°
70°
60°
65°
40°
35°
30°
25°
20°
15°
10°

1973


MODE AREA
MODE - 0
MODE - 1
473 368,370,1371,1385,3900.
474 581,583,1595,4105.
480 (25) Stolen
481 499,501,599,602,800,803,1002,1202,1496,1997,2495,2996,3000,3501,4006 (1)
482 497,598,796,1000,1496,3000,4000,5134. (8)
483 499,601,799,802,1498,2998,3994,5093. (15)
484 513,615,813,816,1512,3009,4009. (16)
485 509,611,809,1010,1210,1507,2008,2510,3001,4007,4399,5317. (11)
486 492,594,792,1490,2985,3986,5372. (12)
487 Aborted
488 507,609,807,1505,3000,4000,5227. (13)
489 507,609,807,1505,3000,4001,5342. (14)
493 491,593,791,992,1489,2994,4000,5349. (16)
494 492,594,792,993,1490,2994,3998,5349. (4)
495 496,598,796,997,1494,2994,3991,5376. (10)
496 Aborted
497 482,584,782,983,1183,1480,1981,2479,2987,3488,3987,4384,5191,5194. (9)
498 498,600,798,999,1496,2995,3991. (4)
499 498,600,798,999,1496,2996,3993. (3)
500 494,596,794,995,1492,2990,3986. (2)
501 492,594,792,993,1490,2987,3986,5282. (7)
502 516,1524,4015.
503 494,1501,3999.
477 194,200,1003,2002,2552.
Site D
4009,4408,5358,5361.
MODE-1 mooring no.
Windward Passage
504 1045,1048,1247,1456,1459.
1050,1053,1252,1461,1464.
505
510
511 Lost
512
513
514
No Instrumentation
IWEX
604,606,611,640,731,1009,1014,1015,1023,1024,1533,2050,3047.
515-A
606,607,611,640,731,1009,1015,1023,2050,3047,5127.
515-B
604,606,607,640,731,1009,1015,1023,2050,3047,5127.
515-C
516 38,39,84,101,126.
508,605,802,999,1506,2007,2509,3510,4011,4014,4414,5166
521
491,592,789,990,1497,1998,2495,3497,3998,4001,4402,5361
522
490 999,2011.
491 205,1019,2030,2550.
492 1006,2019.
Slope
506 187,988,1995.
507 197,491,999,2006,2505.
2649,2653,2657,2661,2665,2669,2673,2677,2681,2685.
508 179,980,1987.
509 191,193,197,2615.
517 5 Dec 74
2140,5182.
518 2089,2988.
519 2131,3023,3027.
520
Muir Seamount
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC
1973


85°
80°
75°
70°
60°
40°
35°
30°
25°
20°
15°
10°
65°
D
527
526
541
528
531
530
Gulf
533
532
Stream
534
535
537
536
550
549
BERMUDA
548
POLYMODE
Array 1
MODE Area
540
538
521
522
539
543
544
547
545
546
CUBA
504
505
Windward
Passage
CENTRAL
AMERICA
SOUTH
AMERICA

1974


504 1045, 1048, 1247, 1456, 1459.
505 1050, 1053, 1252, 1461, 1464.
Windward Passage
506 187, 988, 1995
507 197, 491, 999, 2006, 2505.
509 179, 980, 1987.
Site D
518 2140, 5182,
519 2089, 2988.
520 2131, 3023, 3027.
Muir Seamount
521 508, 605, 802, 999, 1506, 2007, 2509, 3510, 4011, 4014, 4414, 5166.
522 491, 592, 789, 990, 1497, 1998, 2495, 3497, 3998, 4001, 4402, 5361.
MODE Area
517 → see 1973
Site D
523 181, 983, 1991, 1993.
524 197, 198, 202, 496, 1005, 2013, 2512.
525 195, 997, 2005.
526 2006, 2810,
527 1977, 2781.
528 2327, 2329.
529 2483, 3283.
530 2816, 2818
531 2923, 2925, 3724.
532 3211, 3213.
533 3182, 3981.
534 3337, 4138.
535 3451, 3453.
536 3466, 4267.
537 3461, 3463, 4262.
Gulf Stream
541 1295.
538 511, 612, 809, 1006, 1500, 2001, 2508, 3509, 5389, 4001, 4394, 5355.
539 492, 494, 1494, 1891, 2076, 2964, 3807, 4755, 4756.
540 509, 610, 807, 1004, 1511, 2012, 2512, 3509, 4008, 4011, 4409, 5167.
MODE Area
542 495, 796, 996, 1499, 1999, 3499, 4000, 4003.
543 502, 802, 1002, 2002, 4003, 4006.
544 519, 819, 1019, 2019, 4021, 4024.
545 496, 796, 996, 1996, 1999, 4004, 4007.
546 498, 798, 998, 1398, 1998, 3004, 4011, 4014, 5006.
547 496, 796, 996, 1996, 4000, 4003, 4997.
548 500, 800, 1000, 1971, 2001, 4001, 5450.
549 502, 802, 1002, 2002, 4002.
550 2001, 2501, 4003
POLYMODE Array 1
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUG
SEPT
OCT
NOV
DEC
1974


GREENLAND
60°
55°
GIBBS
FRACTURE
ZONE
571
572
570
50°
45°
40°
35°
45°
40°
35°
30°
586
585
569
552
560,573
561,574
562,575
563,576
564,575
POLYMODE
Array 2
558,579
583, 557
559,578
568,584
565,582
566,581
556
555
554
BERMUDA
553
567,580
MIDATLANTIC RIDGE
80°
75°
70°
65°
60°
55°
50°
45°

1975


542
543
544 ..... LOST
545
546
547
548
549
550 ..... LOST
551 SITE J
552 1747 H SITE D
BERMUDA
553 306, 506, 725, 1005, 1505
554 314, 514, 733, 1013, 1513
555 316, 516, 736, 766, 1016, 1516, 4016
CENTER OF EDDY 556 1329, 4424
POLYMODE ARRAY 2 SET 1
1 557 600, 799, 1000, 1200, 1499, 2000, 2501, 3001, 3500, 4001, 4501, 5001
2 558 608, 807, 808, 1008, 1506, 1507, 3007, 3008, 4007, 4008, 5008
4 559 596, 797, 997*, 1497, 3999
12 560 3992, 3994
11 561 3982, 4181
10 562 4000, 4200
9 563 3999, 4000
8 564 590, 790, 990, 1410, 3992
3 565 646, 846, 1046, 1546, 3045, 4046, 5046
5 566 604, 805, 1005, 1505, 4006
7 567 628, 828, 1028, 1528, 4030
6 568 599, 800, 1000, 1500, 4001
605, 806, 1008, 1210, 1492, 1996
2500, 3009, 3509, 3993, 4497, 5001
583
590, 792, 994, 1497, 2992, 4000, 5001
579
577, 779, 980, 1483, 3985
578
4001, 4002
573
3995, 4195
574
3993, 4193
575
3997, 3998
576
588, 790, 991, 1495, 3995
577
588, 790, 991, 1495, 2988, 3996, 4996
582
587, 789, 990, 1494, 3995
581
587, 789, 990, 1494, 3995
580
592, 795, 996, 1499, 4000
584
POLYMODE ARRAY 2 SET 2
ALVIN DIVE 569 2841, 2934
GIBBS FRACTURE ZONE
570 4227
571 1007, 2538, 2835
572 997, 2528, 3060, 3359
ENGINEERING 585
SHELF 586 325
1975
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUGUST
SEPT
OCT
NOV
DEC
JAN


45°
40°
35°
80°
75°
70°
65°
60°
55°
587
588
591
590
586
589
NEW YORK BIGHT
POLYMODE
Array 2
602
603
604
605
606
607
599
608
601
598
608
600
610
611
BERMUDA
614
612
613


AFRICA
INDIAN
OCEAN
5°
0°
5°
10°
35°
40°
40°
50°
55°
595
593
594,597
596

1976


553
554
555
BERMUDA
(1) 583
(2) 579
(4) 578
(12) 573
(11) 574
(10) 575
(9) 576
(8) 577
(3) 582
(5) 581
(7) 580
(6) 584
POLYMODE ARRAY 2 SET 2
605, 805, 1005, 1206, 1506, 2006, 2506, 3005, 3505, 4005, 4505, 5006
608
599, 799, 999, 1498, 2999, 3999, 4999
600
603, 803, 1003, 1503, 4003
601
3993, 3994
602
3996
603
4002, 4202
604
4003, 4004, 5240, 5241
605
614, 814, 1014, 1513, 4013
606
600, 800, 1000, 1500, 3000, 4000, 5002, 5006, 5007
609
601, 801, 1001, 1501, 4001
611
603, 803, 804, 953, 1003, 1503, 2002, 2503, 4003
612
600, 800, 1000, 1500, 4000
598
(15) 3997
599
(13) 647, 1048, 1548, 4047
607
(14) 598, 999, 1498, 3998
610
POLYMODE ARRAY 2 SET 3
GIBBS FRACTURE ZONE
570
571
572
ENGINEERING
585
SHELF
586
NEW YORK BIGHT
587 145, 295
588 305, 2005
589 1995
590 302
591 300
ST. CROIX 592 95, 98, 144, 193, 243, 292, 950 (POSITION NOT PLOTTED)
INDIAN OCEAN
593 203, 501, 1500, 3545
594 201, 501, 1500, 2508, 3544
595 202, 500, 1500, 3542, 4549
596 252, 551, 1550, 3595
597 201, 501, 1500, 2508, 3544
1976
SOUTH POLYMODE AREA
ENGINEERING 613
SEDIMENT TRAPS 614
365, 366, 398, 998, 2797
3598, 4799, 5367, 5518, 5519
JAN
FEB
MARCH
APRIL
MAY
JUNE
JULY
AUGUST
SEPT
OCT
NOV
DEC
JAN


Western
Boundary
undercurrent
616
620
618,619
617
BERMUDA
635
633,634
Island trapped
waves
615
621,622
Bottom mixed
layer
629
631
630
628
632
623
624
625
626
627
Cluster A
Cluster B
POLYMODE ARRAY 3
MID ATLANTIC RIDGE
80
75°
70°
65°
60
55°
50°
45°
40°


636
Western
Boundary
sill
637
MID ATLANTIC RIDGE
SOUTH AMERICA
5°
0°
5°
50°
45°
40°
35°
30°
25°
20°
15°

1977


1977
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC
615
599, 771, 773, 778, 819, 824, 826, 999
INTERNAL WAVE
WESTERN BOUNDARY UNDERCURRENT
616
1995, 2796
617
601, 2002, 3602
618
2002, 3003, 3802
619
LOST
620
1958, 2958, 4987
78-05
BOTTOM MIXED LAYER EXP.
621
5368, 5388, 5398, 5408, 5418, 5428, 5438
622
5418
POLYMODE CLUSTER B (ARRAY 3)
623
128, 1426, 3927
624
529, 1528, 4028
625
198, 1488, 3990
626
215, 1514, 4015
627
206, 1505, 3407
POLYMODE CLUSTER A (ARRAY 3)
628
505, 1489, 3994
629
203, 1500, 4006
630
200, 1498
631
212, 1510, 4016
632
190, 1488, 3993
78 MAY 27
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
POLYMODE ARRAY 2 SET 3
ISLAND TRAPPED WAVES
633
611, 911, 1211, 1511
78-12-07
634
542, 842
78-12-16
635
524, 824
78-12-17
WESTERN BOUNDARY SILL
636
4256, 4356, 4406, 4446
78-12-05
637
4104, 4204, 4254, 4294
78-12-05


JASIN
650
LDE
X 654
POLYMODE (ARRAY 3)
cluster A site
cluster B site
60°
50°
40°
30°
20°
10°
80°
70°
60°
50°
40°
30°
20°
10°
0-2000m
2000-4000m
4000-6000m
6000-8000m
8000-10000m
LAND

1978


1978
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC
650
ENGINEERING MOORING
JASIN
651
652
653
79
15, 17, 79, 83
79, 82, 85, 91, 94, 97, 100, 103, 106, 109, 112, 115, 118, 121, 124, 185, 200, 210, 295, 300, 310, 1000
WBUC
616
617
618
619
620
LOST
AIR DEPLOYED MOORING
654
POLYMODE CLUSTER B
623
624
625
626
627
649
POLYMODE CLUSTER B SITE MOORING
216, 516, 866, 1517, 2818, 3417, 4018
79-X-20
POLYMODE CLUSTER A
628
629
630
631
632
648
POLYMODE CLUSTER A SITE MOORING
178, 478, 828, 1479, 2779, 3478, 3978
79-X-20
ISLAND TRAPPED WAVES
633
634
635
WESTERN BOUNDARY SILL
636
637
LOCAL DYNAMICS EXPERIMENT
638
639
640
641
642
643
644
645
646
647
501, 602, 701
498, 599, 822
245, 370, 494, 595, 695, 820, 920, 1044, 1270, 1995, 2995, 5250, 5332
494, 595, 695, 819
502, 603, 703
510, 611, 710, 834
543, 644, 743
LOST
492, 593, 693, 817
477, 578, 677
79-07-23

SECTION B LIST OF ALL RECOVERED DATA

A list by year and mooring number of all data recorded and archived by the Data Processing section of the Moored Array Project.

Description of Heading - There are two formatted lines, a mooring line and an instrument data line.

EXAMPLE OF PAGE HEADING

```
*MOORING - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
*NO.*TYPE*DEPTH*LATITUDE*  LONG. *DAYS*  SET      /RECOVERED *REPORT* COMMENTS
   *DATA - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
   * NO. *DEPTH*INSTR.* SAMPLING *DAYS*DATA START* VARIABLES*REPORT* COMMENTS
-------------------------------------------------------------------------------
```

*Mooring -	Moorings are numbered chronologically. There are a few exceptions in the early years when documentation was more casual.
Type	Usually SURface, SUBsurface, INTermediate, BoTtoM, SPEcial (see comments) or TRI-mooring
Depth	Water depth or instrument depth in meters.
Latitude Long.*	Position.
Days	Mooring days on station or instrument recorded days. As instruments were turned on some time before setting and turned off after retrieval, the data days may be longer than the mooring days. A zero means less than a day. A ? means unknown.
Set/Recovered	Year-month-day mooring was set or retrieved.
Report	Numbered W.H.O.I. Technical Report describing the data. Letters instead of numbers mean report in preparation.
Comments	Comments, location designation (Site D) or experiment name.

List of Sites on 70° 00'W

Site D 39° 20'N

Site F 38° 30'N

Site G 38° 00'N

Site H 37° 30'N

Site J 36° 00'N

Site L 34° 00'N

Site M 33° 00'N

Site P 30° 00'N

List of Experiment Acronyms

MODE Mid-Ocean Dynamics Experiment

SCOR UNESCO Working Group on continuous current velocity measurements

IWEX Internal Wave Experiment

POLYMODE
International experiment aimed at understanding the role of large scale eddies in ocean circulation

INDEX Indian Ocean Experiment

JASIN Joint Air-Sea Interaction

*Data - *No.* Mooring number plus instrument position number, counting from the top of the mooring line.

Instr. Instrument series and instrument serial number

G- Film recording instrument G-code

H- Film recording instruments H-Code

T- Prototype tape recording instruments

M- Model 850 tape recording instruments

D- Digitizing instrument

DT- VACM modified to measure temperature difference

VACM- Vector Averaging Current Meter

W- Wind recorder

TP- Draper Lab temperature depth recorder

Sampling There are two modes of sampling measured in seconds: continuous or interval. Continuous series have samples evenly spaced in time (e.g., 5 or 900 seconds). Interval series are burst sampled. Bursts of data (usually 15-24 samples) were taken at a specified rate (5 or 5.27 seconds). Then wait until the next recording cycle (frequently 900 or 3600 seconds (15 minutes, 1 hour)). Thus 5.27/1800 is burst sampled data with consecutive bursts of 5.27 second samples every half hour (1800 seconds).

A 5 second sampling rate indicates a mechanical clock; the 5.27 rate a crystal clock. An E following a number means the film was read and keypunched manually (eyeballed).

Model 850 and VACM Sampling Times Conversion

Seconds	Minutes	or hours	or days
112.5	1 7/8		
225	3 3/4		
450	7 1/2		
900	15		
1800	30	1/2	
3600	60	1	
7200		2	
86400		24	1

T/P Sampling Times Conversion

960	16	
1920	32	
86400		1

Data Start Year-month-day of first recorded data which may include laboratory or shipboard data.

Variables The first initial of each variable. For a current meter:

C = Compass
E = East component
V = Vane
N = North component
D = Direction
P = Pressure
S = Speed
R = Rotor speed (scalar speed)
T = Time
B = Bearing (compass + vane + magnetic variation)

A second T = Temperature

A third T = either temperature or TDIF (Temperature Difference)

For a temperature/pressure (T/P) recorder;

T = Temperature or time
P = Pressure or pressure difference
D = Depth
C = Corrected temperature

GLOSSARY

ALVIN	W.H.O.I. research submarine
Compound Mooring	A mooring that uses a combination of wire rope (in the fishbite zone) and synthetic rope.
Switch Channels	Model 850 tape cartridges have two channels. At the end of recording on one channel the instrument should switch and write on the second channel. At the end of channel 2 it should stop.
Rotor 1 Bit Modification	A VACM modification to cause vane and compass readings to be recorded even when there are no rotor counts in the recording interval.
Faking Box	A short lived system for rapid deployment of mooring.
COS/MOS	Refers to COmplimentary-Symmetry/Metal-Oxide-Semiconductor circuitry used in upgrading of Model 850 current meter. See Valdes(WHOI 77-30).
Sea Spider Mooring	Three legged mooring with single subsurface float. Early attempt at extra stable mooring.

******
1963
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
107	SUR	2390	39 24.7N	71 01.3W	1	63- VII-23/63- VII-24		
1073		1260	G-156	.5	1	63- VII-23	CVDST	65-44
1075		1510	G-287	.5	0	63- VII-23	CVDST	65-44
1076		2010	G-136	.5	0	63- VII-23	CVDST	65-44
1077		2020	G-275	.5	0	63- VII-23	CVDST	65-44
108	SUR	375	78 25.0N	73 08.0W	2	63- VII-28/63- VII-30		
1081		50	G-273	600E	0	63- VII-28	CVDST	
1083		250	294	784E	2	63- VII-28	CVDST	
109	SUR	500	78 27.0N	73 4E.0W	2	63- VII-28/63- VII-30		
1092		150	265	784E	2	63- VII-28	CVDST	
1093		250	290	815E	2	63- VII-28	CVDST	
1094		350	G-100	6150E	2	63- VII-28	CVDST	
110	SUR	375	78 28.0N	74 14.0W	2	63- VII-28/63- VII-30		
1102		150	G-137	600E	0	63- VII-28	CVDST	
1103		250	295A	706E	2	63- VII-28	CVDST	
111	SUR	3621	0 58.0N	34 55.0W	28	63- II -15/63-III-15		EQUATORIAL
1114		405	323	6000E	27	63- II -15	CVDST	
112	SUR	4905	0 00.0N	34 58.0W	59	63- II -16/63- IV-15		EQUATORIAL
1122		80	213	6000E	59	63- II -16	CVDST	
1123		155	278	6000E	59	63- II -16	CVDST	
1124		405	265	6000E	59	63- II -16	CVDST	
113	SUR	2290	1 00.5S	34 58.0W	59	63- II -16/63- IV-15		EQUATORIAL
114	SUR	?	0 00.0	33 45.0W	?	63- II -17/ LOST		EQUATORIAL

115 SUR	?	1 32.0N	27 20.0W	6	63- II -19/63- II-25	EQUATORIAL
1152	80	281	642E	5	63- II -19 CVDST	
1154	405	294	684E	5	63- II -19 CVDST	
116 SUR	??	0 28.0N	27 32.0W	6	63- II -19/63- II-25	EQUATORIAL
1161	30	320	600E	5	63- II -19 CVDST	
1162	80	295	660E	5	63- II -19 CVDST	
117 SUR	?	0 00.0N	27 30.0W	6	63- II -20/63- II-26	EQUATORIAL
1171	30	268	600E	6	63- II -20 CVDST	
1172	80	299	666E	6	63- II -20 CVDST	
1173	155	303	600E	6	63- II -20 CVDST	
1174	405	296	624E	3	63- II -20 CVDST	
118 SUR	?	0 32.0S	27 27.0W	6	63- II -20/63- II-26	EQUATORIAL
1181	30	235	600E	6	63- II -20 CVDST	
1182	80	214	684E	5	63- II -20 CVDST	
1183	155	239	624E	6	63- II -20 CVDST	
1184	405	273	600E	4	63- II -20 CVDST	
119 SUR	?	1 34.0S	27 32.0W	6	63- II -21/63- II-27	EQUATORIAL
1191	30	326	606E	5	63- II -21 CVDST	
1192	80	297	600E	6	63- II -21 CVDST	
1193	155	210	624E	3	63- II -21 CVDST	
1194	155	204	642E	5	63- II -21 CVDST	
120 SUR	?	0 54.0S	25 00.0W	47	63- II -22/63- IV-10	EQUATORIAL
121 SUR	?	0 01.0N	25 00.0W	?	63- II -22/ LOST	EQUATORIAL
122 SUR	?	01 01.0N	25 00.0W	?	63- II -23/RECOVERED ADRIFT	EQUATORIAL
123 SUR	4490	1 29.0S	32 31.0W	5	63- III-08/63-III-13	EQUATORIAL
1231	30	204A	600E	2	63- III-08 CVDST	
1232	80	326A	600E	4	63- III-08 CVDST	
1234	405	214A	660E	3	63- III-08 CVDST	

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.		*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START	* VARIABLES	*REPORT* COMMENTS
124	SUR	?	0 28.0S	32 28.0W	5	63- III-08/63-III-13		EQUATORIAL
1241		30	297A	600E	5	63- III-08	CVDST	
1242		80	303A	624E	4	63- III-09	CVDST	
1243		155	G-135A	600E	5	63- III-08	CVDST	
1244		405	296A	612E	4	63- III-08	CVDST	
125	SUR	?	0 01.0N	32 25.0W	5	63- VI -08/63- VI-13		EQUATORIAL
1252		80	273A	600E	5	63- VI -08	CVDST	
1254		405	239A	510E	5	63- III-08	CVDST	
126	SUR	?	0 28.0N	32 28.0W	6	63- III-09/63-III-14		EQUATORIAL
1261		30	299A	456E	5	63- III-09	CVDST	
1262		80	281A	564E	5	63- III-10	CVDST	
1263		155	327A	546E	5	63- III-08	CVDST	
127	SUR	?	1 30.0N	32 35.0W	6	63- III-09/63-III-14		EQUATORIAL
1271		30	320A	492E	5	63- III-09	CVDST	
1272		80	301	696E	5	63- III-09	CVDST	
1274		405	294A	600E	2	63- III-12	CVDST	
128	SUR	?	1 28.0N	29 59.0W	5	63- III-15/63-III-20		EQUATORIAL
1281		30	294B	540E	5	63- III-15	CVDST	
1282		80	296B	528E	4	63- III-15	CVDST	
1283		155	299B	516E	5	63- III-15	CVDST	
1284		405	301	522E	5	63- III-15	CVDST	
129	SUR	?	0 31.0N	29 58.0W	5	63- III-16/63-III-21		EQUATORIAL
1291		30	235B	678E	5	63- III-16	CVDST	
1292		80	G-135B	618E	5	63- III-16	CVDST	
1293		155	303B	600E	5	63- III-16	CVDST	
1294		405	297B	702E	3	63- III-16	CVDST	

130 SUR	?	0 01.0S	29 59.0W	5	63- III-16/63-III-21		EQUATORIAL
1301	30	214B	600E	5	63- III-16 CVDST		
1302	80	326B	708E	5	63- III-16 CVDST		
1303	155	295B	648E	5	63- III-16 CVDST		
1304	405	204B	.468E	0	63- III-16 CVDST		
131 SUR	?	0 32.0S	29 57.0W	6	63- III-16/63-III-22		EQUATORIAL
1312	155	320B	630E	5	63- III-16 CVDST		
1313	405	281B	624E	5	63- III-16 CVDST		
1314	80	327B	498E	5	63- III-16 CVDST		
132 SUR	?	1 30.0S	30 02.0W	6	63- III-17/63-III-22		EQUATORIAL
1321	30	210B	660E	5	63- III-17 CVDST		
1322	80	273B	624E	5	63- III-17 CVDST		
1323	155	268B	630E	5	63- III-17 CVDST		
1324	405	239B	498E	5	63- III-17 CVDST		
133 SUR	?	3 00.0S	29 34.0W	16	63- III-24/63- IV-08		EQUATORIAL
134 SUR	?	2 59.0S	30 40.0W	16	63- III-24/63- IV-08		EQUATORIAL
135 SUR	?	2 59.5S	31 52.0W	14	63- III-25/63- IV-07		EQUATORIAL
1355	1905	296	200E	1	63- III-25 CVDST		
136 SUR	?	3 00.0S	33 00.0W	14	63- III-25/63- IV-07		EQUATORIAL
137 SUB	?	41 26.3N	70 46.5W	4	63- XI -08/63- XI-12	VINEYARD SOUND	
1371	16	H-514	6000E	3	63- XI -08 CVDST		
138 SUB	?	41 26.3N	76 46.5W	?	63- XI -08/ LOST	VINEYARD SOUND	

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	*SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS
139	SUR	?	32 07.5N	64 32.0W	6	63- XI -26/63-XII-02		BERMUDA
1391	60	H-525	1	1	63- XI -26	ENDST	65-44	
1392	70	H-527	1	1	63- XI -26	ENDST	65-44	
1393	570	H-517	1	1	63- XI -26	ENDST	65-44	
1394	580	H-533	1	1	63- XI -26	ENDST	65-44	
1395	1230	H-530	1	1	63- XI -26	ENDST	65-44	
1396	1240	H-526	1	0	63- XI -26	ENDST	65-44	
1397	1988	H-524	300E	1	63- XI -26	ENDST	65-44	
1398	2000	H-528	1	1	63- XI -26	ENDST	65-44	
140	SUR	?	32 05.2N	64 33.7W	6	63- XI -26/63-XII-02		BERMUDA-FLOAT RECOVERED ADRIFT
1401	60	H-532	.989	1	63- XI -26	ENDST	65-44	
1402	70	H-534	1	1	63- XI -26	ENDST	65-44	
1403	570	H-531	1	1	63- XI -26	ENDST	65-44	
1404	580	H-522	1	1	63- XI -26	ENDST	65-44	
141	SUR	2560	32 12.7N	64 32.8W	4	63- XII-06/63-XII-10		BERMUDA-RECOVERED ADRIFT
1411	60	H-531	1	1	63- XII-06	ENDST	66-60	
1412	61	H-514	5	3	63- XII-06	ENDST	66-60	
1413	63	H-534	1	1	63- XII-06	ENDST	66-60	

******
1964
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING		*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
142	SPE	59	12 35.1N	70 04.8W	1	64- II -24/64- II-25		INSTRUMENT MOUNTED ON TOWER
1423		10	H-536	.5	0	64- II -24	ENDST	
143	SUR	66	12 34.9N	70 04.8W	12	64- II -12/64- II-24		
144	SUR	49	41 41.6N	69 46.4W	5	64- I -08/64- I-12		
1441		8	G-136	1	1	64- I -08	CVDST	
1442		30	H-308	5	4	64- I -08	ENDST	
145	SUB	57	41 42.6N	69 47.5W	4	64- I -08/64- I -12		
1451		24	H-304	5	4	64- I -08	ENDST	
1452		40	H-311	5	3	64- I -08	ENDST	
146	SUR	2396	32 13.2N	64 36.2W	2	64- II -16/64- II-18		BERMUDA
1461		60	H-514	4	2	64- II -16	ENDST	66-60
1462		61	H-522	1	1	64- II -16	ENDST	66-60
1463		560	H-518	1	1	64- II -16	ENDST	66-60
147	SUR	2268	32 11.0N	64 38.0W	2	64- II -25/64- II-27		BERMUDA
1471		226	H-532	.99	1	64- II -25 .	ENDST	66-60
148	SUR	1800	32 15.0N	64 38.0W	?	63-VIII-18/ LOST		ENGINEERING MOORING
149	SUR	2000	32 16.0N	64 36.0W	?	63-VIII-19/ LOST		ENGINEERING MOORING
150	SUR	20	32 20.0N	64 40.0W	?	63-VIII-19/ LOST		ENGINEERING MOORING
151	SUR	2000	32 15.0N	64 35.0W	?	63- XI -01/ LOST		ENGINEERING MOORING
152	SUR	2160	32 22.0N	64 03.0W	?	64- II -03/ LOST		ENGINEERING MOORING
153	SUR	3140	52 47.0N	35 38.0W	6	64- IV -07/64- IV-13		
1531		1000	H-545	1	1	64- IV -07	ENDST	67-66
1532		2000	H-549	1	1	64- IV -07	ENDST	67-66
1533		2500	H-550	1	1	64- IV -07	ENDST	67-66
1534		2750	H-546	1	1	64- IV -07	ENDST	67-66
1535		2750	H-542	1	1	64- IV -07	ENDST	67-66
1536		3000	H-540	1	1	64- IV -07	ENDST	67-66

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
154	SUR	3274	52 50.0N	35 38.0W	1	64- IV -08/64- IV-09		
1541		2000	H-543	1	0	64- IV -08	ENDST	67-66
1542		2500	H-548	1	0	64- IV -08	ENDST	67-66
1543		3000	H-544	1	0	64- IV -08	ENDST	67-66
155	SUR	4577	36 15.2N	67 50.7W	?	63- VII-16/ LOST		
156	SUR	?	UNKNOWN	UNKNOWN	29	62- IV -22/62- V -20		
157	SUR	2610	10 MILES	E.OF BDA.	7	62- XII-15/ LOST		BERMUDA
158	SUR	2615	32 13.1N	64 34.1W	7	64- V -08/64- V -15		BERMUDA
1581			W-125	600	66	64- V -08	ENDST	66-60
159	SUB	2140	32 14.8N	64 35.1W	6	64- V -10/64- V -16		BERMUDA
1591		260	H-522	1	1	64- V -10	ENDST	66-60
160	SUR	2103	32 14.6N	64 36.3W	6	64- V -10/64- V -16		BERMUDA
1603		260	H-518	1	1	64- V -10	ENDST	66-60
161	SUB	2286	32 15.4N	64 31.8W	3	64- V -11/64- V -14		BERMUDA
1612		494	H-534	1	1	64- V -11	ENDST	66-60
1614		1594	H-524	1	1	64- V -11	ENDST	66-60
162	SPE	2140	32 17.0N	64 37.2W	3	64- V -12/64- V -15		MULTIPLE FLOATS
163	SUR	5700	23 42.0N	67 50.0W	5	64- VII-21/64-VII-26		
1631		192	H-533	1200E	4	64- VII-21	ENDST	67-66
1632		692	H-538	1200E	4	64- VII-21	ENDST	67-66
164	SUR	5790	23 50.5N	67 49.0W	5	64- VII-21/64-VII-26		
1641		192	H-534	1200E	4	64- VII-21	ENDST	67-66
1642		692	H-539	1200E	4	64- VII-21	ENDST	67-66

165 SUR	5290	28 50.0N	68 49.0W	7	64- VII-28/64-VIII-04			
1651	55	H-534	1200E	7	64- VII-28	ENDST	67-66	
1652	56	H-524	240E	2	64- VII-28	ENDST	67-66	
1653	620	H-539	1200E	6	64- VII-28	ENDST	67-66	
1654	3240	H-538	1200E	4	64- VII-28	ENDST	67-66	
166 SUR	5200	29 11.3N	68 21.0W	7	64- VII-29/64-VIII-04			
1661	55	H-522	1200E	3	64- VII-29	ENDST		
1662	56	H-532	1200E	2	64- VII-29	ENDST		
1663	617	H-533	1200E	4	64- VII-29	ENDST		
167 SUR	5200	29 39.5N	67 54.0W	7	64- VII-29/64-VIII-05			
1671	55	H-518	1200E	3	64- VII-29	ENDST		
1672	56	H-549	240E	1	64- VII-29	ENDST		
168 SUR	4701	33 59.0N	63 57.0W		64- IX -01/64- XI-??			
1681		W-125	18000E	62	64- IX -01	ENDST		
169 SUB	4664	33 56.0N	63 57.0W	?	64- IX -01/ LOST			
170 SUR	4655	33 59.0N	63 50.0W	0	64- IX -02/64- IX-02			WIRE BROKE AT KINK IN LINE
171 SUB	4660	33 52.0N	63 49.0W	?	64- IX -05/ LOST			
172 SUR	1000	32 18.0N	64 37.0W	?	64- IX -15/ LOST			
173 SUR	2000	32 15.0N	64 35.0W	0	64- IX -23/64- IX-23			CABLE PARTED DURING LAUNCH

******
1965
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
174	SUR	2584	39 18.6N	69 56.2W	?	65- I -28/ LOST		
175	SUB	2561	39 23.2N	70 02.7W	30	65- I -29/65- II-28		MOORING LOST SITE D
1754		2032	H-518	900E	14	65- I -29 ST		ON STATION 14 DAYS,VANE STUCK
176	SUB	1550	20 16.0N	73 40.0W	0	65- II -04/65- II-04		LINE PARTED DURING LAUNCH
1762		275	H-550	5/3600	0	65- II -04 ENDST		
177	SUB	30	41 29.0N	70 43.0W	6	65- II -05/65- II-10		WASHED ASHORE VINEYARD
1771		15	H-664	1200E	5	65- II -05 ENDST	70-40	
178	SUB	2594	39 20.0N	70 00.0W	0	65- II -24/65- II-24		ACOUSTIC RELEASE FIRED ON DECK
179	SUB	2580	39 20.7N	69 58.9W	24	65- II -28/65-III-24		'D'
1791		64	H-662	5/900	19	65- II -28 ENDST	70-40	
1793		940	H-534	5/900	19	65- II -28 ENDST	70-40	
1794		1942	H-660	5/1200	19	65- II -28 ENDST	70-40	STUCK COMPASS
180	SUB	2602	39 20.0N	70 00.2W	35	65- III-23/65- IV-27		'D'
1801		144	H-284	5/900	34	65- III-23 ENDST	70-40	
1803		123	H-137	18000E	34	65- III-23 ENDST	70-40	
181	SUR	2560	39 21.7N	69 58.9W	168	65- IV -21/65- X -06		SEQUENTIAL NOT SIMULTANEOUS
1811			W-123	18000E	40	65- IV -21 ENDST	70-40	WIND MEASUREMENTS
1812			W-126	18000E	22	65- VI -24 ENDST	70-40	
1813			W-123	600E	47	65-VIII-20 ENDST	70-40	

182 SUB	2610	39 19.1N	70 01.2W	?	65- IV -21/ LOST			'D'
183 SUR	2618	39 21.3N	70 02.1W	2	65- V -04/65- V -06		TEST OF TELEMETRY SYSTEM,NO DATA	
1832	123	H-284	900E	1	65- V -04	ENDST	BAD DIRECTIONS	
184 SUB	2600	39 19.6N	70 02.5W	56	65- VI -24/65-VIII-19			
1841	120	H-664	5/900	47	65- VI -24	ENDST	70-40	
1842	514	H-284	5/900	51	65- VI -24	ENDST	70-40	
1844	2026	H-137	5/900	50	65- VI -24	ENDST	70-40	
185 SUR	2600	39 20.6N	70 04.0W	?	65- VI -24/ LOST		TEST OF 24 METER SPAR BUOY	
186 TRI	803	30 15.0N	78 40.0W	15	65-VIII-04/65-VIII-19		TEST OF 'SEA-SPIDER' MOORING	
1861	40	H-539	5/1800	14	65-VIII-04	ENDST	70-40	
187 SUB	2600	39 19.3N	69 59.7W	?	65-VIII-04/ LOST			SITE D
188 SUR	2615	39 20.5N	69 59.0W	54	65- X -06/65- XI-29			SITE D
1881		W-126	600E	19	65- X -06	ENDST	70-40	
1882	7	H-542	5/900	48	65- X -06	ENDST	70-40	
1883	88	H-539	5/900	49	65- X -06	ENDST	70-40	
189 SUB	2607	39 20.0N	69 57.0W	56	65- X -06/65- XI-01			SITE D
1891	98	H-545	5/900	52	65- X -06	ENDST	70-40	
1892	99	H-137	900E	44	65- X -06	ENDST	70-40	
1894	1001	H-548	5/900	36	65- X -06	ENDST	70-40	
1895	2002	H-284	5/900	50	65- X -06	ENDST	70-40	
190 SUR	2602	39 20.4N	69 57.3W	142	65- XI -30/66- IV-21			SITE D
1901		W-123	1200E	21	65- XI -30	ENDST	COMPASS STICKY,SPEED BIASED	
191 SUB	2632	39 19.3N	70 04.0W	101	65- XI -30/66-III-11			SITE D
1911	167	H-304	5/900	52	65- XI -30	ENDST	70-40	

******
1966
******

*MOORING *NO. *TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET	/RECOVERED	*REPORT	COMMENTS
*DATA * NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS
192 BTM	3300	38 28.8N	70 00.5W	43	66- I -05	/66- II-17		SITE F
1921	3270	H-305	5/900	42	66- I -05	ENDST	71-50	
193 SUB	2604	39 19.0N	70 00.0W	137	66- II -07	/66- VI-24		SITE D
1932	492	H-550	5/900	49	66- II -07	ENDST	71-50	
1933	994	H-302	5/900	50	66- II -07	ENDST	71-50	
1934	1997	H-542	900E	45	66- II -07	ST		COMPASS, VANE BOTH STUCK
194 SUR	4491	36 04.3N	70 04.8W	1	66- II -18	/66- II-19		SITE J
1941	20	H-539	1	1	66- II -18	ENDST		FILM TRANSPORT PROBLEMS
1942	50	H-545	900E	1	66- II -18	ENDST		
1943	101	H-137	900E	1	66- II -18	ST		DIRECTION DATA UNREADABLE
1945	200	T-104	5	1	66- II -18	CVDST		PROTOTYPE MAGNETIC TAPE INSTRU.
1947	4016	H-518	900E	1	66- II -18	ENDST		
195 SUR	4500	35 59.0N	69 58.0W	67	66- II -18	/66- IV-26		SITE J
1951		W-126	600E	67	66- II -18	ENDST	71-50	
196 TRI	37	41 09.6N	70 41.8W	2	66- IV -15	/66- IV-17		SURFACE TRIMOORING
1961		W-123	600F	3	66- IV -15	ENDST		
1962		W-161	.5	0	66- IV -16	ENDST	71-50	
197 SUB	2595	39 23.0N	70 02.0W	1	66- IV -20	/66- IV-21		ABORTED MOORING, LINE PARTED
198 SUR	2586	39 22.5N	69 58.0W	33	66- IV -20	/66- V -23		SITE D
1981		W-159	.5/900	34	66- IV -20	ENDST	71-50	
1982	6	H-788	5/900	31	66- IV -20	ENDST	71-50	

199 SUR	4500	35 57.0N	70 02.8W	26	66- IV -22/66- V -18				SITE J
1992	6	H-304	5/900	26	66- IV -22	ENDST	71-50		
1994	500	H-792	5/900	26	66- IV -22	ENDST	71-50		
1995	1000	H-137	5/900	26	66- IV -22	ENDST	71-50		
200 SUB	2595	39 21.2N	69 58.6W	?	66- IV -27/ LOST				SITE D
201 SUR	2608	39 20.5N	69 58.5W	2	66- V -18/66- V -20				SITE D
2013	50	H-518	1	1	66- V -18	ENDST			
2014	150	H-284	1	1	66- V -18	ENDST		VANE FOLLOWER STUCK	
2015	300	H-664	900E	1	66- V -18	ENDST			
202 SUR	2560	39 20.5N	69 53.5W	46	66- VI -24/66-VIII-09				SITE D
2021		W-123	.5/600	46	66- VI -24	ENDST	71-50		
203 SUB	2540	39 22.3N	69 55.0W	67	66- VI -24/66-VIII-30				SITE D
2031	104	M-110	5/900	25	66- VI -24	ENDST	71-50		
2032	502	M-112	5/900	24	66- VI -24	ENDST	71-50		
2034	2004	M-113	5/900	25	66- VI -24	ENDST	71-50		
204 SUB	4125	38 01.0N	70 01.0W	?	66- IV -22/ LOST				SITE G
205 BTM	4200	37 31.5N	70 00.0W	44	66- VI -27/66-VIII-10				SITE H
2051	4168	H-137	5/900	43	66- VI -27	ENDST	71-50		
206 SUR	4340	35 59.0N	69 59.3W	?	66- IV -28/ LOST				SITE J
207 SUR	4360	36 03.3N	70 00.7W	?	66-VIII-11/ LOST				SITE J
208 SUR	2570	39 18.4N	69 55.0W	2	66-VIII-30/66- IX-01				SITE D
2081		W-123	1	1	66-VIII-30	ENDST	71-50		
209 SUR	2599	38 18.0N	69 55.0W	?	66-VIII-30/ LOST				SITE D
210 SUB	2605	36 19.0N	69 56.0W	38	66-VIII-30/66- X -07				SITE D
2101	85	M-135	5/900	37	66-VIII-30	ENDST		ROTOR,VANE HAVE PROBLEMS	
2102	487	M-138	5/900	37	66-VIII-30	ENDST		ONLY 9 DAYS OF SPEED DATA	
2103	989	M-132	5/900	37	66-VIII-30	ENDST			
2105	2059	M-123	5/900	38	66-VIII-30	ENDST		ROTOR,VANE HAVE PROBLEMS	

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE* LONG.	*DAYS*	SET /RECOVERED	*REPORT*	COMMENTS	
*DATA * NO.		*DEPTH	*INSTR.* SAMPLING	*DAYS	*DATA START* VARIABLES	*REPORT*	COMMENTS	
211	SUR	2533	39 19.7N 69 54.7W	60	66- X -04/66-XII-03			SITE D
2111			W-126 .5/900	44	66- X -04 ENDST	71-50		
2112		10	M-145 5/900	0	66- X -04 ENDST	71-50	BATTERY LEAKED	
212	SUB	2493	39 20.0N 69 51.5W	60	66- X -08/66-XII-07			SITE D
2121		50	M-125 5/900	59	66- X -08 ENDST	71-50		
2123		450	M-127 5/900	18	66- X -08 ENDST	71-50	VANE LOST	
2124		950	M-122 5/900	59	66- X -08 ENDST	71-50		
2125		1950	M-129 5/900	41	66- X -08 ENDST	71-50		
213	SUR	2574	39 10.0N 70 00.0W	?	66- X -07/66-XII-17		RECOVERED ADRIFT	SITE D
214	SUR	2557	39 19.9N 70 01.1W	2	66- XII-07/66-XII-08		EQUIPMENT TESTS	SITE D
2141			W-163 .5/900	0	66- XII-07 ENDST			
215	SUB	2570	39 17.5N 70 05.0W		66- XII-15/69-VIII-06		RECOVERED ADRIFT	SITE D
2151		120	M-143 5/900	18	66- XII-15 ENDST	71-50	TIME BASE QUESTIONABLE	
216	SUR	2561	39 18.5N 70 01.2W	2	66- XII-07/66-XII-08			SITE D
2161			X-100 600E	0	66- XII-07 CVDST			
2162		10	M-146 5/900	1	66- XII-07 ENDST			
2163		52	M-149 5/900	1	66- XII-07 ENDST			
2164		104	M-119 5/900	1	66- XII-07 ENDST			
2165		506	M-142 5/900	1	66- XII-07 ENDST		COMPASS BIT PROBLEMS	
217	BTM	3743	37 59.0N 70 01.0W	?	66- XII-04/ LOST			SITE G
218	BTM	4030	37 30.0N 70 00.0W	?	66- XII-05/ LOST			SITE H
219	SUR	4413	36 04.2N 69 54.7W	74	66- XII-05/67- II-17		ENGINEERING MOORING	SITE J

******
1967
******

*MOORING NO.	*TYPE DATA NO.	*DEPTH	*LATITUDE* INSTR.	LONG.	*DAYS* SAMPLING	SET /RECOVERED *DAYS*	*DATA START*	VARIABLES	*REPORT*	COMMENTS
220	SUB	2620	39 17.9N	70 05.6W	58	67- II -26	67- IV-26			SITE D
	2203	106	H-868	5/900	44	67- II -26	ENDST		74-4	
	2204	511	M-129	5/900	45	67- II -26	ENDST		74-4	
	2205	1013	M-149	5/900	47	67- II -26	ENDST		74-4	
	2206	2020	M-159	5/900	46	67- II -26	ENDST		74-4	
221	SUB	835	65 42.4N	28 01.2W	34	67- II -02	67-III-08			DENMARK STRAITS
	2214	706	H-842	5/600	33	67- II -02	ENDST			NO RECOVERABLE ROTOR VALUES
	2215	760	H-836	5/600	33	67- II -02	ENDST		74-4	
	2217	788	H-833	5/600	33	67- II -02	ENDST			NO RECOVERABLE ROTOR VALUES
	2218	814	H-844	5/600	38	67- II -02	ENDST			NO RECOVERABLE ROTOR VALUES
222	RTM	3804	37 59.0N	69 58.0W	?	67- II -25	LOST			SITE G
223	SUB	365	65 37.8N	28 59.3W	?	67- II -15	LOST			DENMARK STRAITS
224	SUR	4379	36 05.3N	69 53.0W	?	67- II -17	LOST			SITE J
225	SUR	5416	33 00.5N	69 56.5W	210	67- II -19	67- IX-25			RECOVERED ADRIFT SITE M
	2251		W-126	.5/900	51	67- II -19	ENDST		74-4	
226	SUR	5240	29 59.9N	69 57.2W	1	67- II -20	67- II-21			EXPLORATORY SITE P MEASUREMENTS
	2261		W-163	900E	0	67- II -21	ENDST			
	2262	12	H-870	900E	0	67- II -21	ENDST			
	2264	515	H-867	900E	0	67- II -21	ENDST			
227	SUB	445	65 44.9N	28 41.0W	?	67- II -02	LOST			DENMARK STRAITS
228	SUB	550	65 51.8N	28 27.0W	?	67- II -02	LOST			DENMARK STRAITS
229	SUB	690	65 45.6N	28 12.0W	?	67- II -02	LOST			DENMARK STRAITS

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
230	SUB	705	65 40.6N	27 47.2W	42	67- II -03/67-III-17		DENMARK STRAITS
2301		453	H-838	5/600	40	67- II -03	ENDST	NO RECOVERABLE ROTOR VALUES
2304		657	H-841	5/600	38	67- II -03	ENDST	ROTOR VALUES QUESTIONABLE
231	SUR	2605	39 20.0N	70 00.0W	1	67- IV -27/67- IV-27		SITE D
2311			W-164	1	0	67- IV -27	ENDST	
2312		12	H-137	1	0	67- IV -27	ENDST	
2313		16	D-173	2	0	67- IV -27	CVDSTRTTT	
232	SUR	2590	39 18.9N	70 03.0W	?	67- IV -26/	LOST	SITE D
233	SUR	2590	39 17.8N	70 00.6W	?	67- IV -27/	LOST	SITE D
234	BTM	3829	38 01.6N	69 59.8W	?	67- IV -25/	LOST	SITE G
235	BTM	4180	37 31.1N	69 56.0W	?	67- IV -25/	LOST	SITE H
236	SUR	4517	36 06.2N	69 58.7W	?	67- IV -24/	LOST	SITE J
237	SUR	5416	32 55.6N	69 55.5W	?	67- IV -21/	LOST	SITE M
2371			W-165	2	2	67- IV -21	ENDST	INSTRUMENT REMOVED AFTER SET
238	SUR	5434	30 03.2N	70 01.8W	61	67- IV -22/67- VI-22		SITE P
2381			W-166	3600	37	67- IV -22	ENT	LOST BASIC DATA
2382		10	H-877	900	60	67- IV -22	ENDST	'SAME' DUE TO TAPE ERRORS
239	SUB	102	40 10.6N	70 00.7W	9	67- VI -17/67- VI-26		SHELF
2391		27	D-175	2.5	0	67- VI -17	CVDSTRTTT 74-4	COMPASS, VANE PROBLEMS
2393		67	M-135	5	8	67- VI -17	ENDST 74-4	DIRECTIONS UNRELIABLE AFTER JUNE 21
240	SUR	2183	39 37.2N	69 58.9W	9	67- VI -17/67- VI-26		SLOPE
2401			W-175	5	8	67- VI -17	ENDST	SPEED QUESTIONABLE
2402		14	D-172	2.5	1	67- VI -17	CVDSTRTTT	NOT GOOD -- TOO MANY ERRORS
2404		2021	M-145	5	4	67- VI -17	ENDST	BAD COMPASS VALUES
241	SUR	2614	39 17.7N	69 58.2W	1	67- VI -18/67- VI-18		SITE D
2411			W-164	1	0	67- VI -18	ENDST	1 HOUR OF CONTINOUS GOOD DATA
2412		10	X-660	1	0	67- VI -18	CVDST	1 HOUR OF CONTINOUS GOOD DATA

242 SUR	2590	39 18.1N	69 55.0W	51	67- VI -19/67-VIII-08				SITE D
2421		W-174	900E	50	67- VI -19	ENDST	74-4		
2425	207	M-127	900	41	67- VI -19	ENDST		BASIC VERSION LOST	
2426	509	M-119	5/900	23	67- VI -19	ENDST	74-4		
243 SUB	2625	39 17.6N	70 02.6W	52	67- VI -19/67-VIII-08				SITE D
2433	57	M-869	5/900	26	67- VI -19	ENDST	74-4		
2434	428	M-169	5/900	44	67- VI -19	ENDST	74-4		
2435	930	M-175	5/900	47	67- VI -19	ENDST	74-4		
2436	1990	M-177	900	44	67- VI -19	ENDST		BASIC VERSION LOST	
244 SUR	2576	38 58.6N	70 02.7W	9	67- VI -18/67- VI-26				SLOPE
2442	14	D-174	2.5	8	67- VI -18	CVDSTRTIT		NO USEABLE SPEED,TEMPERATURE	
2443	1014	M-174	5	8	67- VI -18	ENDST		VANE ELECTRONIC PROBLEMS	
2444	2517	M-124	5	5	67- VI -18	ENDST		DRIFTING TIME BASE	
245 BTM	3515	38 03.1N	70 00.2W		67- VI -19/ LOST			RELEASE FIRED--BOUYANCY FAILURE	
246 BTM	4187	37 31.7N	67 48.0W		67- VI -25/ LOST				SITE H
247 SUR	5369	34 03.8N	69 56.2W		67- VI -23/ LOST				SITE L
248 SUB	2600	39 19.0N	69 57.5W	0	67- VII-07/67-VII-07			MOORING ABORTED, CABLE PARTED	
249 SUB	2600	39 18.5N	69 56.8W	8	67- VII-16/67-VII-24				SCOR WG 21
2491	478	M-129	5	0	67- VII-16	ENDST	*	3 HAURS OF DATA	
2492		B-65	300	7	67- VII-16	CVDST	*		
2494	486	TSM733	300	7	67- VII-16	ENDST	*		
2495	516	H-879	150E	7	67- VII-16	ENDST	*		
250 SUB	2600	39 17.8N	69 58.0W	8	67- VII-16/67-VII-24				SCOR WG 21
2501	493	M-179	5	7	67- VII-17	ENDST	*		
2502	494	B-69	300	7	67- VII-17	CVDST	*		
2503	497	PL-377	300	7	67- VII-16	ENDST	*		
2504	501	T-734	299	7	67- VII-17	CVDST	*		
2505	504	H-878	300E	7	67- VII-17	ENDST	*		
251 SUB	2595	39 17.1N	69 57.2W	7	67- VII-17/67-VII-24				SCOR WG 21
2511	501	M-173	5	7	67- VII-17	ENDST	*	COMPASS,VANE NOT GOOD	
2512	502	B-64	300	7	67- VII-17	DST	*		
2514	509	TSM-53	300	7	67- VII-17	ENDST	*		
2515	512	H-877	150E	7	67- VII-17	ENDST	*		

* UNESCO TECHNICAL PAPER IN MARINE SCIENCE NUMBER 11.

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED		*REPORT*	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT*	COMMENTS
252	SUB	2582	39 22.1N	70 01.9W	9	67-VIII-08/67-VIII-16			SITE D
2521		109	X-660	1	1	67-VIII-08	CVDST		NO USEABLE DATA
253	SUR	2582	39 21.9N	70 02.2W	8	67-VIII-08/67-VIII-16			SITE D
2531			W-164	1	1	67-VIII-08	ENDST		SHORT BUT GOOD
2532		12	H-137	1	1	67-VIII-08	ENDST		SHORT BUT GOOD
254	SUB	2620	39 21.0N	70 03.4W	7	67- X -03/67- X -10			SITE D
2542		106	D-172	900E	5	67- X -03	TTTT		
2543		97	H-868	5	6	67- X -03	ENDST	74-4	
2544		101	H-878	5	7	67- X -03	ENDST	74-4	
2545		105	H-873	900E	7	67- X -03	ENDST		
255	SUR	2630	39 18.2N	70 03.7W	2	67- X -06/67- X -07			ENGINEERING MOORING SITE D
256	SUR	5364	34 04.0N	69 56.1W	54	67-VIII-11/67- X -04			ENGINEERING MOORING SITE L
257	SUR	91	42 59.6N	70 25.9W	1	67- VII-28/67-VII-29			FOR VICE-PRESIDENT HUMPHRY
2571			W-173	.5	0	67- VII-28	ENDST		
2572		12	H-137	.5	0	67- VII-28	ENDST		
258	SUR	2569	39 19.7N	70 00.8W	1	67- X -08/67- X -09			ENGINEERING MOORING SITE D
259	SUR	2600	39 19.7N	70 01.3W	5	67- XII-07/67-XII-12			
2592		12	H-878	.5	0	67- XII-10	ENDST		TIME SERIES IN 8 PIECES
260	SUR	2614	39 16.8N	70 00.1W	2	67- XII-08/67-XII-10			SITE D
2602		12	H-873	.5	0	67- XII-08	ENDST		SHORT BUT GOOD
2603		516	X-660	1	0	67- XII-08	CVDST		ROTOR MODIFIED
261	SUR	2575	39 16.3N	70 01.4W	1	67- XII-10/67-XII-11			ENGINEERING MOORING SITE D
2612		14	H-873		0	67- XII-10	ENDST		

******
1968
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
262	SUR	2680	39 10.2N	70 02.1W	1	68- II -24	68- II-24	TEST OF BACK-UP RECOVERY SYSTEM
263	SUR	2678	39 08.2N	69 58.8W	51	68- IV -19	68- VI-10	2 MONTH TEST OF NYLON MOORING
264	SUR	2680	39 09.3N	70 01.8W	51	68- IV -20	68- VI-09	2 MONTH TEST OF WIRE MOORING
2641			W-101X	5/900	23	68- IV -20	ENDST 74-52	
2643		11	M-172	5/900	23	68- IV -20	ENDST	
265	BTM	2670	39 11.4N	69 56.7W	52	68- IV -24	68- VI-15	SITE D
2651		2578	H-877	900	51	68- IV -24	ENDST 74-52	
266	SUR	2710	39 09.2N	70 03.3W	2	68- VI -08	68- VI-10	TEST OF LAUNCH TENSION 'D'
267	SUR	2663	39 11.4N	70 04.2W	75	68- VI -09	68-VIII-23	SITE D
2673		11	M-170	5/900	47	68- VI -09	ENDST	COMPASS STICKY,NO ROTOR VALUES
268	BTM	2658	39 09.7N	69 51.7W	104	68- VI -14	68- IX-26	SITE D
2681		2558	M-175	5/1800	103	68- VI -14	ENDST 74-52	
269	SUR	2679	39 09.6N	70 01.6W	69	68- VI -15	68-VIII-23	SITE D
2691			W-101X	5/900	47	68- VI -15	ENDST	
2693		11	M-174	5/900	23	68- VI -15	ENDST	NO ROTOR VALUES
270	BTM	2730	39 07.0N	69 54.6W	5	68- IV -19	68- IV-24	TEST OF SYNTACTIC FOAM BUOYANCY
271	SUR	2683	39 08.3N	70 02.4W	6	68-VIII-14	68-VIII-20	ENGINEERING MOORING SITE D
2713		12	M-142	5	5	68-VIII-14	ENDST	SHORT BUT GOOD

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE* LONG.	*DAYS*	SET /RECOVERED	*REPORT*	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START* VARIABLES	*REPORT* COMMENTS
272 SUR		2705	39 09.1N 70 05.7W	7	68-VIII-15/68-VIII-21		CURRENT AND TEMPERATURE SHEAR
2721			W125-X 5	7	68-VIII-15 ENDST	74-52	
2722		10	M-177 5	7	68-VIII-15 ENDST	74-52	
2723		20	M-124 5	4	68-VIII-15 ENDST	74-52	
2724		29	D-172 5	1	68-VIII-15 CVDSTTTT		NO ROTOR VALUES
2726		40	M-122 5	7	68-VIII-15 ENDST	74-52	
273 SUR		2794	39 06.3N 70 02.6W	1	68-VIII-20/68-VIII-21		TEST OF ENGINEERING INSTRUMENTS
2735		519	M-159 5	1	68-VIII-20 ENDST		COMPASS PROBLEMS
274 SUR		2685	39 10.2N 70 04.2W	41	68-VIII-22/68- X -02		SITE D
2742		14	M-172 5/900	41	68-VIII-22 ENDST	74-52	
2743		54	M-173 5/900	41	68-VIII-22 ENDST	74-52	
2744		105	M-135 5/900	41	68-VIII-22 ENDST	74-52	
275 SUR		2677	39 09.5N 70 01.3W	35	68-VIII-24/68- IX-27		ENGINEERING WIRE TEST
2751			W-174 900E	34	68-VIII-24 ENDST	74-52	
276 SUR		1812	39 52.3N 69 12.8W	83	68-VIII-25/68- XI-16		FOR 'ALVIN' INSPECTION-ALVIN LOST
277 SUB		2600	39 08.2N 70 02.9W	4	68- IX -26/68- IX-30		TO TEST POSITIONING ABILITY
278 SUR		2675	39 08.6N 69 39.3W	2	68- IX -26/68- IX-28		ENGINEERING MOORING
279 SUR		2685	39 08.8N 70 01.5W	71	68- X -01/68-XII-11		TEST OF COMPOUND MOORING
2791			W-101X 5/900	63	68- X -01 ENDST	74-52	ANEMOMETER BLEW AWAY
280 SUR		2685	39 10.0N 70 02.8W	70	68- X -02/68-XII-11		SITE D
2801			W-125X 5/900	48	68- X -02 ENDST	74-52	
2803		12	M-122 5/900	57	68- X -02 ENDST	74-52	
2804		53	M-142 5/900	64	68- X -02 ENDST		COMPASS STUCK
2805		104	M-159 5/900	63	68- X -02 ENDST	74-52	
281 SUR		1374	39 53.6N 69 13.6W	31	68- X -23/69- XI-22		RANGE AND BEARING MARKERS FOR
282 SUR		1610	39 50.8N 69 13.6W	31	68- X -23/69- XI-22		'ALVIN' RECOVERY
283 SUB		2675	39 10.2N 70 04.6W	8	68- XII-10/68-XII-18		CURRENT SHEAR EXPERIMENT
2833		501	M-177 5	8	68- XII-10 ENDST	74-52	
2836		521	M-195 5	8	68- XII-10 ENDST		COMPASS STUCK, VANE STICKY
2837		531	M-196 5	8	68- XII-10 ENDST	74-52	

284 SUR	2690	39 09.8N	70 03.6W	120	68- XII-19/69- IV-17				SITE D
2842	12	M-173	5/1800	119	68- XII-19	ENDST	74-52		
2843	54	M-145	5	81	68- XII-19	ENDST	74-52		
285 SUR	2670	39 10.5N	70 03.0W	1	68- XII-18/68-XII-19			TEST OF ENGINEERING INSTRUMENTS	
2852	515	M-170	5	3	68- XII-16	ENDST		SHORT BUT GOOD	
286 SUR	2674	39 12.2N	70 04.0W	?	68- XII-19/ LOST			DRIFTING--SIGHTED APRIL 69 AT 39 31.0N, 46 31.0W	
287 BTM	2680	39 10.7N	70 02.1W	171	68- XII-19/69- VI-08				SITE D
2871	2580	M-175	5/1800	42	68- XII-19	ENDST	74-52		
288 SUR	2678	39 09.4N	70 00.5W	120	68- XII-19/69- IV-17				SITE D

******
1969
******

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE*	LONG.	*DAYS*	SET /RECOVERED	*REPORT*	COMMENTS
*DATA * NO.		*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START	* VARIABLES	*REPORT* COMMENTS
289	SUB	2833	38 01.0N	04 59.9E	49	69- I -22/69-III-12		MEDITERRANIAN SEA
2892		211	M-209	5/900	49	69- I -22	ENDST	76-40 TO MEASURE VERTICAL DISTRIBUTION
2893		713	M-205	5/900	40	69- I -22	ENDST	76-40 OF INERTIAL DISTURBANCES ON THE
2894		1215	M-206	5/900	49	69- I -22	ENDST	76-40 SOUTH SIDE OF AN ENCLOSED BASIN.
2895		1717	M-210	5/900	49	69- I -22	ENDST	76-40
2896		2219	M-211	5/900	49	69- I -22	ENDST	76-40
290	SUR	2682	39 10.9N	70 02.5W	8	69- IV -16/69- IV-24		ENGINEERING MOORING SITE D
2903		16	M-151	5	8	69- IV -16	ENDST	76-40
2905		521	M-198	5	8	69- IV -16	ENDST	76-40
291	BTM	2682	39 08.7N	70 02.5W	8	69- IV -16/69- IV-24		SYNTATIC FOAM FLOAT TEST
2911		2581	M-209	5	7	69- IV -16	ENDST	76-40
2912		2670	M-211	5	8	69- IV -16	ENDST	PROGRESSIVE ROTOR FAILURE
292	SUR	2686	39 08.4N	69 56.5W	2	69- IV -16/69- IV-18		RECOVERED- MOORING ADRIFT
2921		19	M-210	5/1800	2	69- IV -16	ENDST	RESET AS MOORING 296
2922		66	M-214	5/1800	2	69- IV -16	ENDST	
2923		120	M-213	5/1800	2	69- IV -16	ENDST	
2925		2339	M-203	5/1800	2	69- IV -16	ENDST	
293	BTM	2678	39 09.7N	70 02.6W	7	69- IV -16/69- IV-23		SITE D
294	SUB	2674	39 10.3N	70 00.0W	9	69- IV -17/69- IV-26		TO MEASURE CURRENT SHEAR
2941		1512	M-142	5.27/900	8	69- IV -17	ENDST	76-40 CRYSTAL (NOT MECHANICAL) CLOCK
2942		1514	M-122	5	8	69- IV -17	ENDST	76-40 COMPASS, VANE MISSING BITS
2943		1539	M-204	5	1	69- IV -17	ENDST	76-40
2944		1564	M-159	5	8	69- IV -17	ENDST	76-40
2945		1598	M-127	5	8	69- IV -17	ENDST	76-40
2946		1614	M-170	5	8	69- IV -17	ENDST	76-40

295 BTM	2690	39 10.1N	70 04.3W	3	69- IV -23/69- IV-26			ENGINEERING MOORING SITE D
296 SUR	2674	39 10.5N	70 01.8W	2	69- IV -24/69- IV-25			LINE DAMAGED WHILE SETTING 297
2961	13	M-213	5/900	2	69- IV -24	ENDST		RESET AS MOORING 299
2962	51	M-214	5/900	2	69- IV -24	ENDST		
2965	107	M-203	5/900	2	69- IV -24	ENDST		
2966	2310	M-210	5/900	2	69- IV -24	ENDST		
297 SUR	2672	39 10.3N	70 01.8W	1	69- IV -25/69- IV-26			MOORING 297 DRIFTED ACROSS 296 WHILE IT WAS BEING SET
298 SUR	2675	39 09.1N	69 59.0W	108	69- IV -26/69-VIII-12			4 MONTH WIRE TEST SITE D
2981		W-125X	5/1800	109	69- IV -25	ENDST	76-40	
2983	14	M-205	5/1800	110	69- IV -25	ENDST	76-40	
299 SUR	2696	39 09.0N	70 03.6W	16	69- IV -29/69- V -15			RECOVERED ADRIFT SITE D
2991	13	M-203	5/900	30	69- IV -28	ENDST	76-40	
2992	51	M-214	5/900	30	69- IV -28	ENDST	76-40	
2995	107	M-213	5/900	30	69- IV -28	ENDST	76-40	
2296	2372	M-210	5/900	29	69- IV -28	ENDST	76-40	
300 SUR	2680	39 09.6N	70 01.2W	105	69- IV -29/69-VIII-12			4 MONTH WIRE TEST SITE D
301 SUR	2680	39 09.9N	69 56.0W	4	69- VI -07/69- VI-11			ENGINEERING INSTRUMENT TEST
3011		W-169X	5	4	69- VI -07	ENDST	76-41	
3014	16	M-198	5	4	69- VI -07	ENDST	76-41	
302 BTM	2685	39 05.9N	69 59.5W	126	69- VI -07/69- X -11			4 MONTH BOTTOM MOORING 'D'
3021	2586	M-159	5/1800	125	69- VI -07	ENDST	76-41	
303 BTM	2692	39 07.6N	70 03.2W	1	69- VI -08/69- VI-09			TEST OF GLASS BALL BUOY

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	DATA START	VARIABLES	*REPORT COMMENTS
304	BTM	4486	36 23.4N	70 00.2W	62	69- VI -12/69-VIII-14		CURRENTS UNDER GULF STREAM
3041		4227	M-122	5/1800	62	69- VI -12	ENDST 76-41	
305	BTM	4426	36 43.0N	70 00.3W	62	69- VI -12/69-VIII-14		CURRENTS UNDER GULF STREAM
3051		4227	M-127	5/1800	62	69- VI -12	ENDST 76-41	
306	BTM	4368	37 00.0N	70 00.0W	62	69- VI -12/69-VIII-14		CURRENTS UNDER GULF STREAM
307	BTM	4281	37 20.0N	70 01.0W	62	69- VI -12/69-VIII-14		CURRENTS UNDER GULF STREAM
3071		4084	M-209	5/1800	16	69- VI -12	ENDST	CHANGED RECORDING MODES AFTER 16 DAYS
308	SUR	2682	39 09.6N	69 52.9W	120	69- VI -13/69- X -11		TEST OF TORQUE BALANCED WIRE
3082		15	M-170	5/1800	85	69- VI -13	ENDST	SPORATIC ROTOR FAILURE
309	SUR	2678	39 09.0N	70 00.2W	69	69- VI -13/69-VIII-11		SITE D
3091			W-101X	5/900	59	69- VI -13	ENDST 76-41	
3093		13	M-203	5/900	59	69- VI -13	ENDST	
3095		56	M-214	5/900	59	69- VI -13	ENDST	
3096		108	M-213	5/900	59	69- VI -13	ENDST	
310	SUB	2683	39 10.0N	70 02.2W	147	69-VIII-10/70- I -04		SITE D
3101		200	M-142	5.27/1800	36	69-VIII-10	ENDST 76-41	
3102		532	M-175	5/1800	62	69-VIII-10	ENDST 76-41	
3103		1044	M-215	5/1800	118	69-VIII-10	ENDST 76-41	
3104		2066	M-204	5/1800	119	69-VIII-11	ENDST 76-41	
311	SUR	2685	39 11.2N	70 04.9W	56	69-VIII-10/69- X -06		TOP 50M STOLEN SEPT. 11
3115		56	M-191	5/1800	58	69-VIII-10	ENDST	ROTOR VALUES MOSTLY ZEROS
3116		108	M-206	5/1800	57	69-VIII-11	ENDST 76-41	
3118		210	M-220	5.27/1800	57	69-VIII-11	ENDST	
312	BTM	4088	37 55.4N	70 00.0W	1	69-VIII-13/69-VIII-13		GULF STREAM BOTTOM MOORING
3121		3988	M-129	5	0	69-VIII-13	ENDST	

313 SUR	5368	33 59.2N	70 02.5W	2	69-VIII-17/69-VIII-19			TELEMETRY TEST AT SITE L
314 SUR	5368	34 02.7N	70 02.0W	51	69-VIII-18/69- X -08			2 MONTH WIRE TEST AT SITE L
3141		W-169X	5/900	51	69-VIII-18	ENDST	76-41	
3143	14	M-198	5/900	51	69-VIII-18	ENDST	76-41	
315 SUR	5368	34 01.0N	65 58.3W	51	69-VIII-18/69- X -08			TEST OF ARMORED NYLON, SITE L
316 SUR	2692	39 06.3N	70 01.9W	92	69- X -04/70- I -04			2 MONTHS TELEMETRY TEST
317 SUR	2681	39 12.0N	70 02.8W	91	69- X -06/70- I -05			SITE D
3171		W-101X	5.27/900	56	69- X -06	ENDST	76-41	
3173	13	M-122	5.27/900	62	69- X -06	ENDST	76-41	
3174	53	M-212	5.27/900	59	69- X -06	ENDST	76-41	
3175	105	M-213	5.27/900	58	69- X -06	ENDST	76-41	
3176	207	M-203	5.27/900	58	69- X -06	ENDST	76-41	
318 SUR	2545	39 19.7N	70 02.8W	92	69- X -06/70- I -05			SITE D
3181	12	M-209	5.27/900	59	69- X -06	ENDST	76-41	
3183	104	M-127	5.27/900	63	69- X -06	ENDST		BAD VANE VALUES
319 SUR	5370	33 58.0N	70 01.0W	2	69- X -07/69- X -09			MOORING DYNAMICS TEST 'L'
3193	14	M-210	5	2	69- X -07	ENDST		
320 SUR	5370	34 01.0N	70 04.0W	143	69- X -10/70-III-02			2 MONTH WIRE ROPE EVALUATION
321 SUB	27	41 30.4N	70 39.0W	14	69- XI -26/69-XII-10			SEWER OUTFALL-FALMOUTH
3211	10	M-220	5.27/225	14	69- XI -26	ENDST		

******
1970
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES *REPORT	COMMENTS
322	SUR	2690	39 07.8N	69 57.5W	55	70- I -04	70- II-28	LOST LOWER PART OF MOORING
3221			W-169X	5.27/900	61	70- I -04	ENDST	BAD VANE VALUES
3222		11	M-191	5/900	56	70- I -04	ENDST	ROTOR FAILS AFTER 3 DAYS
323	SUR	5365	33 58.5N	69 58.5W	125	70- I -08	70- V -13	BUOY FREE, MOORING SANK-MARCH
3233		515	M-232	5/1800	86	70- I -08	ENDST 77-18	NO DATA ON CHANNEL B
3234		1017	M-226	5/1800	125	70- I -08	ENDST 77-18	
3236		2020	M-206	5/1800	85	70- I -08	ENDST 77-18	DATA ON ONE CHANNEL ONLY
3237		4205	M-227	5/1800	126	70- I -08	ENDST 77-18	
324	SUB	2921	31 50.0N	65 15.0W	1	69-VIII-15	69-VIII-16	ANCHOR DROP EXPERIMENT
325	SUB	2921	31 50.0N	65 15.0W	1	69-VIII-15	69-VIII-16	ANCHOR DROP EXPERIMENT
326	BTM	4128	37 37.0N	70 33.0W	130	70- II -28	70-VII-08	NORTH/SOUTH BOTTOM ARRAY
3261		3990	M-142	5.27/1800	131	70- II -27	ENDST 77-18	
3262		4102	M-207	5/1800	129	70- II -28	ENDST	VANE STUCK
327	BTM	4417	36 46.0N	69 59.0W	130	70- II -28	70-VII-08	NORTH/SOUTH BOTTOM ARRAY
3272		4209	M-129	5.27/1800	130	70- II -27	ENDST 77-18	
328	BTM	5356	31 01.0N	69 31.0W	124	70- III-03	70-VII-05	NORTH/SOUTH BOTTOM ARRAY
3281		4210	M-127	5.27/1800	103	70- III-01	ENDST	VANE STUCK
329	BTM	5424	31 00.0N	70 29.0W	124	70- III-03	70-VII-05	NORTH/SOUTH BOTTOM ARRAY
3291		4209	M-223	5/1800	124	70- III-03	ENDST 77-18	
330	BTM	5464	28 00.0N	69 57.0W	122	70- III-04	70-VII-04	NORTH/SOUTH BOTTOM ARRAY
3302		4205	M-225	5/1800	122	70- III-04	ENDST	VANE STUCK
331	BTM	477	11 32.2N	61 54.2W	37	70- III-12	70-IV-18	CARIBBEAN INFLOW STUDIES
3311		225	M-204	5/900	36	70- III-18	ENDST 77-18	
3312		427	M-209	5.27/900	37	70- III-12	ENDST 77-18	

MOORING NO.	TYPE	DEPTH	LATITUDE	LONG.	DAYS	SET / RECOVERED	REPORT	COMMENTS
	DATA NO.	DEPTH	INSTR.	SAMPLING	DAYS	DATA START	VARIABLES	REPORT	COMMENTS
332	BTM	675	11 39.0N	61 54.2W	37	70- III-12/70- IV-18			CARIBBEAN INFLOW STUDIES
	3321	423	M-122	5.27/900	37	70- III-12	ENDST	77-18	
	3322	625	M-215	5/900	36	70- III-22	ENDST	77-18	
AK1	SUR	5180	16 36.9N	32 50.1W	14	70- III-20/70- IV-02			SCOR WG 21
	AK11	46	B-155	900	12	70- III-20	ENDSTT	*	
	AK12	50	A-941	900	6	70- III-20	ENDST	*	
	AK13	192	LSK	900	12	70- III-20	ENDST	*	
	AK14	195	M-203	5.27/900	11	70- III-21	CVDST	*	
	AK15	200	A-8303	900	12	70- III-20	ENDST	*	
	AK16	996	P-536	900	12	70- III-20	ENDSTT	*	
	AK17	1000	A-9435	900	12	70- III-20	ENDST	*	
AK2	SUR	5190	16 30.2N	32 55.7W	14	70- III-20/70- IV-02			SCOR WG 21
	AK21	46	P-532	900	12	70- III-20	ENDSTT	*	
	AK22	50	A-3267	900	12	70- III-20	ENDST	*	
	AK23	196	B-124	900	12	70- III-20	ENDST	*	
	AK24	200	A-3323	900	3	70- III-20	ENDST	*	
	AK25	992	LSK	900	12	70- III-20	ENDST	*	
	AK26	996	B-153	900	12	70- III-20	ENDSTT	*	
	AK27	1000	A-9434	900	12	70- III-20	ENDST	*	
AK3	SUR	4990	16 35.6N	32 44.2W	14	70- III-21/70- IV-02			SCOR WG 21
	AK31	46	LSK-10	900	12	70- III-21	ENDST	*	
	AK32	50	A-9071	900	12	70- III-21	ENDST	*	
	AK34	200	A-4242	900	12	70- III-21	ENDST	*	
	AK35	204	B-156	900	12	70- III-21	ENDSTT	*	
	AK37	1003	M-213	5.27/900	12	70- III-21	CVDST	*	
AK4	SUR	5170	16 29.0N	32 46.1W	15	70- III-21/70- IV-03			SCOR WG 21
	AK41	50	A-8352	900	3	70- III-21	ENDST	*	
	AK42	53	M-212	5.27/900	12	70- III-21	CVDST	*	
	AK43	196	LSK-8	900	12	70- III-21	ENDST	*	
	AK44	200	A-8348	900	12	70- III-21	ENDST	*	
	AK45	204	P-534	900	12	70- III-21	ENDSTT	*	
	AK46	1000	A-9440	900	12	70- III-21	ENDST	*	
	AK47	1004	B-127	900	12	70- III-21	ENDST	*	

* UNECSO TECHNICAL PAPER IN MARINE SCIENCE NUMBER 17.

333 BTM	4384	32 04.8N	64 11.6W	20	70- III-27/70- IV-16			FOR ACOUSTIC PROPAGATION TEST
3331	3877	M-175	5/900	20	70- III-27	ENDST		GOOD DATA
334 SUR	5270	33 58.0N	69 56.0W	53	70- V -14/70-VII-06			SITE L
3342	14	M-238	5.27/900	54	70- V -13	ENDST	77-18	
3344	1017	M-122	5.27/900	50	70- V -13	ENDST	77-18	
3345	2019	M-191	5.27/900	54	70- V -13	ENDST	77-18	
3346	4326	M-240	5.27/900	25	70- V -13	ENDST	77-18	
335 INT	4400	32 08.0N	64 07.5W	46	70- V -17/70-VII-02			FOR ACOUSTIC PROPAGATION TEST
3351	1312	M-175	5.27/900	46	70- V -16	ENDST	77-18	
3354	2346	M-215	5.27/900	46	70- V -17	ENDST		
336 BTM	5370	33 58.5W	69 56.5W	208	70- V -14/70-XII-08			TRANSPONDER TEST
337 SUR	26	41 26.0N	70 46.0W	1	70- VI -18/70- VI-14			FOR W.H.O.I. ASSOCIATES
338 SUR	2322	39 34.5N	69 55.5W	51	70- VI -27/70-VIII-17			ARRAY WITH 339,340 SITE D
3381		W-169X	5.27/900	51	70- VI -27	ENDST	75-7	
3383	12	M-226	5.27/900	38	70- VI -27	ENDST	75-7	
3385	52	M-212	5.27/900	51	70- VI -27	ENDST	75-7	
3386	72	M-173	5.27/900	51	70- VI -27	ENDST	75-7	
3387	2167	M-203	5.27/900	51	70- VI -27	ENDST	75-7	
339 SUR	2682	39 07.6N	70 02.3W	50	70- VI -28/70-VIII-17			ARRAY WITH 338,340 SITE D
3391		W-143X	5.27/900	52	70- VI -27	ENDST	75-7	
3393	12	M-249	5.27/900	52	70- VI -27	ENDST	75-7	
3394	32	M-227	5.27/900	52	70- VI -27	ENDST	75-7	
3395	52	M-225	5.27/900	52	70- VI -27	ENDST	75-7	
3396	72	M-177	5.27/900	53	70- VI -25	ENDST	75-7	
3397	2545	M-206	5.27/900	52	70- VI -27	ENDST	75-7	
340 SUR	2754	39 07.5N	70 35.2W	51	70- VI -27/70-VIII-18			ARRAY WITH 338,339 SITE D
3401		W-101X	5.27/900	51	70- VI -27	ENDST	75-7	
3402	12	M-205	5.27/900	51	70- VI -27	ENDST	75-7	
3403	32	M-248	5.27/900	51	70- VI -27	ENDST	75-7	
3404	52	M-170	5.27/900	51	70- VI -27	ENDST	75-7	
3406	72	M-204	5.27/900	51	70- VI -27	ENDST	75-7	
3407	2620	M-213	5.27/900	51	70- VI -27	ENDST	75-7	

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT* COMMENTS
341	SUR	5365	34 01.0N	70 01.0W	44	70- VI -30	70-VIII-14	TEST OF JACKETED DACRON 'L'
342	SUR	5363	34 00.6N	70 02.5W	?	70- VI -30	70-VII -06	RECOVERED ADRIFT SITE L
343	INT	4444	35 58.0N	70 33.0W	58	70-VIII-13	70- X -08	L.F. WAVE CORR. ACROSS GULF STREAM
3432		2263	M-151	5.27/900	48	70-VIII-13	ENDST	77-18
3434		4115	M-240	5.27/900	62	70-VIII-07	ENDST	77-18
344	SUR	5365	33 59.2N	69 59.0W	58	70-VIII-14	70- X-09	WIRE,HARDWARE EVALUATION
345	INT	2527	39 28.5N	70 58.6W	51	70-VIII-18	70- X -06	WAVE CORR. ACROSS GULF STREAM
3451		1504	M-122	5.27/900	49	70-VIII-18	ENDST	77-18
346	BTM	2263	39 35.5N	70 58.0W	115	70-VIII-18	70-XII-11	WAVE MOTION ACROSS SLOPE
3461		2163	M-251	5.27/1800	121	70-VIII-07	ENDST	BAD TIME BASE
347	BTM	876	39 50.2N	70 40.5W	107	70-VIII-19	70-XII-04	WAVE MOTION ACROSS SLOPE
3471		776	M-238	5.27/1800	122	70-VIII-07	ENDST	77-18
348	BTM	977	39 50.2N	70 57.0W	48	70-VIII-19	70- X -06	INTERNAL WAVES ON THE SLOPE
3481		975	M-142	5.27/900	60	70-VIII-07	ENDST	77-18
3482		982	M-191	5.27/900	48	70-VIII-19	ENDST	77-18
349	BTM	943	39 50.6N	70 56.2W	48	70-VIII-19	70- X -06	INTERNAL WAVES ON THE SLOPE
3491		846	M-175	5.27/900	60	70-VIII-07	ENDST	77-18
3492		933	M-145	5.27/900	47	70-VIII-19	ENDST	77-18
3493		941	M-129	5.27/900	48	70-VIII-19	ENDST	VANE MECHANICALLY STUCK
350	BTM	993	39 49.6N	70 56.0W	107	70-VIII-19	70-XII-04	INTERNAL WAVES ON SLOPE
3501		888	M-223	5.27/1800	72	70-VIII-19	ENDST	77-18
3502		990	M-234	5.27/1800	89	70-VIII-19	ENDST	77-18
351	BTM	2150	39 36.6N	71 15.0W	114	70-VIII-19	70-XII-11	WAVE MOTION ACROSS SLOPE
3511		2052	M-215	5.27/1800	114	70-VIII-19	ENDST	77-18

352 BTM	2509	39 23.3N	71 01.4W	47	70-	X -06/70-XII-11		WAVE CORR. ACROSS GULF STREAM	
3521	2394	M-213	5.27/900	59	70-	X -06	ENDST	77-18	
353 BTM	4436	35 58.0N	70 35.0W	62	70-	X -08/70-XII-09		WAVE CORR. ACROSS GULF STREAM	
3531	4121	M-206	5.27/900	59	70-	X -08	ENDST	77-18	
354 BTM	5368	34 02.5N	69 59.2W	207	70-	X -09/71- V -04		6 MONTH CORROSION TEST	
3541	5284	M-255	5.27/3600	128	70-	X -09	ENDST	WATER IN INSTRUMENT, NO ROTOR	
355 SUR	5361	34 02.3N	69 54.5W	59	70-	X -09/70-XII-07		FISHBITE TEST	
356 SUR	5374	33 48.0N	70 12.0W	?	70-	XII-08/ LOST		WIRE TEST	
357 INT	4425	35 58.9N	70 36.8W	148	70-	XII-09/71- V -06		ARRAY WITH 358	SITE J
3571	2056	M-226	5.27/1800	148	70-	XII-09	ENDST	COMPASS STUCK	
3574	3066	M-212	5.27/1800	148	70-	XII-09	ENDST	77-18	
3575	4047	M-227	5.27/1800	148	70-	XII-09	ENDST	77-18	
358 INT	2680	39 07.4N	70 03.0W	137	70-	XII-11/71- IV-27		ARRAY WITH 357	SITE D
3581	1466	M-204	5.27/1800	138	70-	XII-11	ENDST	DIRECTIONS BAD	
3584	1976	M-240	5.27/1800	77	70-	XII-11	ENDST	TIME BASE BAD	
3585	2495	M-205	5.27/1800	138	70-	XII-11	ENDST	77-18	

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START VARIABLES	*REPORT	COMMENTS
359	BTM	3528	37 16.0N	71 52.0W	139	70- XII-12/71- IV-30		GULF STREAM ARRAY
3591		3325	M-122	5.27/1800	139	70- XII-12 ENDST		VANE BIT PROBLEMS
360	BTM	4230	36 23.0N	71 15.0W	141	70- XII-13/71- V -03		GULF STREAM ARRAY
3601		3697	M-191	5.27/1800	141	70- XII-12 ENDST	77-18	2 MONTHS WITH NO SPEEDS
3602		4019	M-203	5.27/1800	142	70- XII-12 ENDST	77-18	
361	BTM	3950	37 59.5N	69 27.0W	0	70- XII-14/70-XII-14		NYLON PARTED
362	BTM	3940	38 02.0N	69 24.0W	0	70- XII-14/70-XII-14		NYLON PARTED
363	BTM	4117	38 23.8N	68 18.7W	145	70- XII-14/71- V -08		GULF STREAM,CM CASE CRUSHED
364	BTM	4915	36 57.5N	67 53.2W	144	70- XII-14/71- V -07		GULF STREAM ARRAY
3641		4712	M-249	5.27/1800	148	70- XII-14 ENDST	77-18	
365	BTM	4465	36 58.8N	69 10.5W	143	70- XII-15/71- V -07		GULF STREAM ARRAY
3651		3933	M-172	5.27/1800	123	70- XII-19 ENDST		ROTOR FAILS DEC 29
3652		4255	M-175	5.27/1800	31	71- II -12 ENDST		INSTRUMENT SHORTED OUT FEB 16
366	BTM	4371	36 45.0N	70 17.0W	142	70- XII-15/71- V1-06		GULF STREAM ARRAY
367	BTM	3995	37 40.0N	70 42.0W	?	70- XII-16/ LOST		GULF STREAM ARRAY
368	BTM	3955	37 57.6N	69 27.5W	143	70- XII-16/71- V -08		GULF STREAM ARRAY
3681		3750	M-127	5.27/1800	143	70- XII-16 ENDST	77-18	

******
1971
******

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT* COMMENTS
369	BTM	5817	22 48.2N	66 28.8W	122	71- I -21/71- V -23		ANTILLES RIDGE
3691		5616	M-259	5.27/1800	122	71- I -21	ENDST	CORROSION CAUSED ROTOR FAILURE
3692		5801	M-260	5.27/1800	122	71- I -21	ENDST	ROTOR MISSING 22 DAYS IN MIDDLE
370	BTM	5402	22 14.6N	67 18.3W	121	71- I -22/71- V -23		ANTILLES RIDGE
3701		5201	M-129	5.27/1800	87	71- I -23	ENDST 77-56	SHORT-TAPE ADVANCE PROBLEMS
3702		5386	M-173	5.27/1800	121	71- I -22	ENDST	VANE STICKY
371	BTM	5325	21 16.0N	68 01.0W	118	71- I -24/71- V -22		ANTILLES RIDGE
3711		5309	M-257	5.27/1800	118	71- I -24	ENDST	ROTOR FAILS AFTER 7 DAYS
372	BTM	100	00 22.4S	160 01.8W	?	71- IV -08/ LOST		EQUATORIAL UNDERCURRENT
373	SUR	4441	1 03.5N	50 31.7W	162	71- IV -13/71- XI-22		TOROID DRIFTED,MOORING SANK MAY 7
3731		10	M-215	5.27/1800	116	71- IV -12	ENDST	NO ROTOR. RETURNED BY JAPANESE
3732		102	M-206	5.27/1800	91	71- IV -12	ENDST	DATA ON CHANNEL A ONLY
3733		2004	M-177	5.27/1800	142	71- IV -12	ENDST	NO ROTOR
374	SUR	4451	00 01.1N	149 55.1W	7	71- IV -16/71- IV-23		EQUATORIAL UNDERCURRENT
375	SUR	4647	1 03.5S	50 01.7W	155	71- IV -18/71- IX-20		EQUATORIAL UNDERCURRENT
3752		3100	M-142	5.27/1800	147	71- IV -30	ENDST 77-56	
376	BTM	2423	01 06.1N	150 00.9W	?	71- IV -25/ LOST		EQUATORIAL UNDERCURRENT

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	DATA START	VARIABLES	*REPORT COMMENTS
377	SUR	2665	39 08.0N	70 00.3W	27	71- IV -27	71- V -24	EVALUATION OF V.A.C.M.
3772		8	V-101	5.27/900	26	71- IV -28	ENDSTT 77-56	VECTOR AVERAGING CURRENT METER
3773		10	M-198	5.27/900	28	71- IV -27	ENDSTT 77-56	MODIFIED TO INCLUDE TEMPERATURE
3774		12	V-102	5.27/900	26	71- IV -27	ENDSTT 77-56	
3776		21	M-268	5.27/900	28	71- IV -27	ENDST 77-56	
378	SUR	2665	39 07.7N	69 59.6W	27	71- IV -27	71- V -24	EVALUATION OF VACM SITE D
3781			W-101X	5.27/900	29	71- IV -27	ENDST 77-56	
3783		8	V-103	5.27/900	26	71- IV -28	ENDSTT 77-56	
3784		10	M-269	5.27/900	28	71- IV -27	ENDST 77-56	
3785		12	V-104	5.27/900	26	71- IV -28	ENDSTT 77-56	
379	SUR	2662	39 08.6N	69 59.7W	91	71- IV -28	71-VII-28	SITE D
3791			W-143X	5.27/1800	90	71- IV -28	ENDST 77-56	
3793		15	M-270	5.27/1800	92	71- IV -28	ENDST 77-56	
3794		107	M-207	5.27/1800	41	71- IV -28	ENDST	INSTRUMENT MOORED UPSIDE DOWN
3795		509	M-213	5.27/1800	92	71- V -03	ENDST 77-56	
3796		1011	M-250	5.27/1800	84	71- V -02	ENDST 77-56	
380	SUR	4160	37 19.5N	70 21.5W	2	71- IV -30	71- V -02	ENGINEERING MOORING-GULF STREAM
3803		47	M-226	5.27/450	2	71- IV -30	ENDST 77-56	
380,10		2002	M-256	5.27/450	2	71- IV -30	ENDST	NO ROTOR
380,14		4100	M-261	5.27/450	2	71- IV -30	ENDST 77-56	
381	SUR	5375	33 57.0N	69 57.5W	184	71- V -04	71- XI-04	ENGINEERING MOORING-SITE L
382	INT	4445	35 58.9N	70 30.5W	87	71- V -06	71-VIII-01	'J'
3821		2072	M-264	5.27/1800	88	71- V -06	ENDST	WATER IN CASE,NO ROTOR
3823		3041	M-265	5.27/1800	88	71- V -06	ENDST 77-56	
3824		4019	M-271	5.27/1800	88	71- V -06	ENDST 77-56	
383	BTM	4803	39 52.0N	48 32.0W	91	71- V -09	71-VIII-08	UNDER GULF STREAM

384 BTM	3578	32 58.4N	136 35.2E	108	71- VII-18/71- X -04			KUROSHIO CURRENT STUDY
3841	3423	M-261	5.27/1800	67	71- VII-08	ENDST	77-56	
385 BTM	1211	32 46.9N	134 41.0E	106	71- VI -19/71- X -03			KUROSHIO CURRENT STUDY
3851	1059	M-273	5.27/1800	108	71- VI -16	ENDST	77-56	
386 BTM	1058	32 58.3N	134 17.8E	?	71- VI -26/ LOST			KUROSHIO CURRENT STUDY
387 BTM	2236	31 29.9N	132 29.2E	97	71- VII-06/71- X -02			KUROSHIO CURRENT STUDY
3871	2086	M-274	5.27/1800	77	71- VII-06	ENDST		
388 BTM	5005	37 45.0N	64 28.8W	32	70- VI -29/71-VII-31			GULF STREAM, KELVIN SEAMOUNT
3881	4805	M-122	5.27/900	33	70- VI -28	ENDST	77-56	
389 BTM	4996	37 57.0N	64 40.5W	32	71- VI -29/71-VII-31			GULF STREAM, KELVIN SEAMOUNT
3891	4796	M-191	5.27/900	33	71- VI -28	ENDST	77-56	
390 BTM	5000	38 10.0N	64 49.0W	32	71- VI -29/71-VII-30			GULF STREAM, KELVIN SEAMOUNT
3901	5000	M-203	5.27/900	33	71- VI -28	ENDST	77-56	
391 BTM	493	38 23.7N	65 00.0W	32	71- VI -29/71-VII-30			GULF STREAM, KELVIN SEAMOUNT
3911	4931	M-205	5.27/900	33	71- VI -28	ENDST	77-56	
392 BTM	4870	38 35.0N	65 10.0W	32	71- VI -29/71-VII-30			GULF STREAM, KELVIN SEAMOUNT
3921	4640	M-272	5.27/900	33	71- VI -28	ENDST	77-56	
393 BTM	4810	38 48.0N	65 21.9W	32	71- VI -30/71-VII-30			GULF STREAM, KELVIN SEAMOUNT
3931	4610	M-276	5.27/900	33	71- VI -28	ENDST	77-56	
394 BTM	4780	39 00.0N	65 31.2W	31	71- VI -28/71-VII-30			GULF STREAM, KELVIN SEAMOUNT
3941	4580	M-277	5.27/900	33	71- VI -28	ENDST		
395 SUR	2428	39 31.6N	69 59.1W	45	71- VII-27/71-VII-10			SITE D ARRAY
3951		W-101X	5.27/1800	42	71- VII-28	ENDST	77-56	
3952	3	O-003	3600	44	71- VII-27	TT		THERMOGRAPH
3954	1014	M-204	5.27/1800	48	71- VII-27	ENDST	77-56	

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
396	SUR	2738	39 08.8N	70 07.4W	46	71- VII-27/71-IX-11		SITE D ARRAY
3961			W-255X	5.27/1800	43	71- VII-29	ENDST 77-56	
3962		3	O-004	3600	44	71- VII-28	TT	THERMOGRAPH
3963		12	M-249	5.27/1800	48	71- VII-27	ENDST 77-56	
397	SUR	2655	39 08.8N	69 56.5W	45	71- VII-28/71- IX-11		SITE D ARRAY
3972		3	O-002	3600	45	71- VII-28	TT	THERMOGRAPH
3973		12	M-212	5.27/1800	47	71- VII-27	ENDST	ROTOR FAILS
3974		1014	M-173	5.27/1800	47	71- VII-28	ENDST 77-56	
3975		2518	M-226	5.27/1800	48	71- VII-27	ENDST 77-56	
398	SUR	2660	39 08.7N	69 59.9W	88	71- VII-28/71- X -24		MOORING PARTED AUG 24
3982		3	O-001	3600	26	71- VII-29	TT	THERMOGRAPH
3983		12	V-102	900	5	71- VII-26	ENDSTRCVT	ROTOR FAILURE
3985		1006	M-269	5.27/1800	62	71- VII-29	ENDST 77-56	
3986		2006	M-257	5.27/1800	88	71- VII-28	ENDST 77-56	
3987		2508	M-266	5.27/1800	88	71- VII-28	ENDST	
399	SUR	2977	39 10.6N	69 15.0W	8	71- VII-29/71-VIII-06		MOORING PARTED,4 KNOT CURRENT
3993		2	G-T459	3600	7	71- VII-29	TT	THERMOGRAPH
3994		9	M-198	5.27/1800	7	71- VII-29	ENDSTT	NO TEMP,GOOD DIRECTION-SPEED
3995		1011	M-129	5.27/1800	8	71- VII-29	ENDST	NO ROTOR
400	INT	4447	35 56.8N	70 25.8W	167	71-VIII-01/71-XII-15		SITE J
4001		2037	M-227	5.27/1800	89	71- VII-30	ENDST 77-56	
4004		4003	M-259	5.27/1800	32	71- IX -19	ENDST 77-56	
401	SUB	5363	33 58.4N	69 59.9W	84	71-VIII-03/71- X-27		TEST OF POLYCARBONATED WIRE
402	SUR	2754	39 00.3N	70 07.0W	37	71-VIII-05/71- IX-11		SITE D ARRAY
4021		3	G-T463	3600	7	71-VIII-05	TT	THERMOGRAPH
4022		12	M-127	5.27/1800	46	71- VII-28	ENDST	ROTOR CAGE PULLED APART
4023		1014	M-172	5.27/1800	18	71- IX -05	ENDST	FAILED TO SWITCH CHANNELS

403 SUR	4465	35 55.5N	70 16.5W	51	71-	X -25/	71-XII-15			ENGINEERING MOORING SITE J
404 BTM	5368	34 01.0N	70 00.8W	388	71-	X -26/	72- XI-07			ENGINEERING CORROSION TEST
4041	5270	M-213	5.27/3600	330	71-	X -26	ENDST		77-56	LEAKED MARCH 31,NO ROTOR
405 SUR	5315	33 59.5N	70 06.1W	109	71-	X -26/	72- II-12			ENGINEERING MOORING
406 SUR	5460	27 59.8N	70 00.3W	101	71-	X -29/	72- II-07			SMOOTH TOPOGRAPHY MODE
4063	514	M-264	5.27/1800	30	71-	X -30	ENDST		78-5	SWORDFISH BILL STUCK,NO ROTOR
4064	816	M-271	5.27/1800	105	71-	X -28	ENDST		78-5	
4065	1518	V-103	900	108	71-	X -29	ENDSTT		78-5	
4066	1620	M-205	5.27/1800	109	71-	X -28	ENDST		78-5	
4067	4003	M-240	5.27/1800	50	71-	X -30	ENDST		78-5	
4068	4202	M-281	5.27/1800	100	71-	X -30	ENDST		78-5	
407 SUR	5460	28 00.4N	70 20.6W	102	71-	X -30/	72- II-09			SMOOTH TOPOGRAPHY MODE
4071	514	M-207	5.27/1800	116	71-	X -20	ENDST		78-5	
4072	1516	M-174	5.27/1800	108	71-	X -28	ENDSTT		78-5	
4073	4001	M-272	5.27/1800	102	71-	X -30	ENDST		78-5	
408 INT	5470	27 49.0N	70 08.8W	102	71-	X -30/	72- II-09			SMOOTH TOPOGRAPHY MODE
4081	1503	M-149	5.27/1800	115	71-	X -21	ENDST		78-5	ROTOR QUESTIONABLE
409 INT	5465	28 01.5N	70 06.8W	102	71-	X -30/	72- II-09			SMOOTH TOPOGRAPHY MODE
4091	1522	M-212	5.27/1800	105	71-	X -30	ENDSTT		78-5	
4092	4028	M-250	5.27/1800	101	71-	X -31	ENDST		78-5	
410 INT	5460	28 21.5N	69 41.5W	101	71-	X -31/	72- II-09			SMOOTH TOPOGRAPHY MODE
4101	1504	M-122	5.27/1800	104	71-	X -29	ENDST		78-5	
4102	4008	M-277	5.27/1800	100	71-	X -31	ENDST		78-5	
411 INT	5427	28 00.7N	69 31.3W	99	71-	X -31/	72- II-07			SMOOTH TOPOGRAPHY MODE
4111	1476	M-265	5.27/1800	14	71-	XII-13	ENDST		78-5	DID NOT SWITCH CHANNELS
4112	3981	M-191	5.27/1800	105	71-	X -28	ENDST			INTERMITTENT ROTOR
412 INT	5455	28 00.2N	69 41.5W	99	71-	X -31/	72-II-07			SMOOTH TOPOGRAPHY MODE
4121	1502	M-129	5.27/1800	112	71-	X -21	ENDSTT		78-5	NO DATA AFTER DEC 24
4123	4005	M-225	5.27/1800	105	71-	X -29	ENDST			PROGRESSIVE ELECTRONIC FAILURE

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
413	BTM	5460	28 00.3N	69 58.2W	2	71- X -31/71- XI-02		ACOUSTIC DROPSONDE EXPERIMENT
414	BTM	5460	28 02.1N	70 00.4W	2	71- X -31/71- XI-02		ACOUSTIC DROPSONDE EXPERIMENT
415	BTM	5454	23 21.7N	69 08.6W	166	71- XI -20/72- V -04		OUTER ANTILLES RIDGE
4151		5352	M-260	5.27/3600	171	71- XI -19	ENDST	MARGINAL QUALITY DIRECTIONS
416	BTM	5392	23 48.2N	68 38.1W	166	71- XI -20/72- V -04		OUTER ANTILLES RIDGE
4161		5290	M-262	5.27/1800	174	71- XI -19	ENDST	VANE BIT PROBLEM
417	BTM	5378	23 48.1N	69 36.7W	164	71- XI -21/72- V -04		OUTER ANTILLES RIDGE
418	INT	2690	39 08.0N	69 59.0W	10	71- XII-10/71-XII-20		COHERENCE WITH 419
4181		500	1017	900	9	71- XII-11	PT	
4182		512	M-175	5.27/450	11	71- XII-08	ENDSTT 77-56	
4183		500	O-003	900	9	71- XII-11	TT	THERMOGRAPH
4184		565	M-127	5.27/450	10	71- XII-10	ENDSTT 77-56	
4185		617	M-206	5.27/450	10	71- XII-10	ENDSTT 77-56	
4186		600	O-004	900	9	71- XII-11	TT	THERMOGRAPH
419	INT	2654	39 08.4N	69 59.0W	9	71- XII-10/71-XII-20		COHERENCE WITH 418
4191		500	M-177	5.27/450	9	71- XII-10	ENDSTT 77-56	
4192		500	O-001	900	8	71- XII-12	TT	THERMOGRAPH
4193		542	M-204	5.27/450	9	71- XII-10	ENDSTT 77-56	
4195		600	O-002	900	8	71- XII-12	TT	THERMOGRAPH
420	SUR	2654	39 09.7N	69 57.1W	153	71- XII-12/72-III-13		SLOPE ARRAY SITE D
4201			W-143X	5.27/1800	103	71- XII-12	ENDST 77-56	
4203		54	M-249	5.27/1800	96	71- XII-08	ENDST 77-56	
4204		206	M-226	5.27/1800	76	71- XII-12	ENDST 77-56	
4205		1008	M-266	5.27/1800	28	72- I -13	ENDST 77-56	
4206		2063	M-142	5.27/1800	92	71- XII-12	ENDST 77-56	
4208		2527	M-238	5.27/1800	63	71- XII-08	ENDST	INSTRUMENT FAILED FEB 10
421	INT	4440	35 58.3N	70 29.0W	92	71- XII-13/72-III-14		SITE J
4211		2000	M-173	5.27/1800	92	71- XII-13	ENDST 77-56	

******
1972
******

MOORING NO.	TYPE	DEPTH	LATITUDE	LONG.	DAYS	SET /RECOVERED	REPORT	COMMENTS
*DATA NO.		DEPTH	INSTR.	SAMPLING	DAYS	DATA START	VARIABLES	REPORT	COMMENTS
422	INT	2724	39 02.3N	70 02.1W	108	72- II-01/	72- V -19		SLOPE ARRAY
4221		1027	M-257	5.27/1800	114	72- I -26	ENDST	DC	
4222		2495	M-274	5.27/1800	108	72- I -31	ENDST	DC	
423	INT	2729	39 10.5N	70 33.3W	108	72- II-01/	72- V -19		SLOPE ARRAY
4231		1017	M-270	5.27/1800	110	72- I -31	ENDST	DC	
4232		2001	M-273	5.27/1800	110	72- I -31	ENDST	DC	
424	SUR	5254	28 09.1N	68 36.8W	112	72- II-06/	72- V -28		MODE
4242		1519	M-175T	5.27/1800	120	72- I -26	ENDSTT	78-5	
4243		4074	M-127T	5.27/1800	170	72- I -26	ENDSTD	78-5	
4244		5131	M-206T	5.27/1800	120	72- I -26	ENDSTD	78-5	
425	SUR	5462	28 00.8N	69 39.8W	?	72- II-08/	LOST		MODE
426	BTM	1756	17 36.6N	65 15.1W	39	72- III-17/	72- IV-25		CARIBBEAN OVERFLOW
4261		1704	M-122T	5.27/450	40	72- III-16	ENDSTT		NO COMPASS VALUES
4262		1746	M-129T	5.27/450	7	72- III-16	ENDSTT		INSTRUMENT FAILED AFTER 7 DAYS
427	BTM	1809	17 35.3N	65 14.6W	39	72- III-17/	72- IV-25		CARIBBEAN OVERFLOW
4271		1741	M-174T	5.27/450	40	72- III-16	ENDSTT		VANE STUCK AFTER APRIL 14
4272		1791	M-212T	5.27/450	40	72- III-16	ENDSTT		
428	SUR	2640	39 12.7N	69 58.2W	0	72- III-12/	72-III-12		TEST FAKING BOX DEPLOYMENT

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE* LONG.	*DAYS*	SET /RECOVERED	*REPORT*	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START* VARIABLES	*REPORT*	COMMENTS
429	SUR	2656	39 10.1N 69 59.3W	172	72- III-12/72- IX-01		SLOPE ARRAY
4291			W-169X 5.27/1800	173	72- III-12 ENDST	DC	
4293		52	M-259 5.27/1800	126	72- III-10 ENDST	DC	
4294		197	M-215 5.27/1800	173	72- III-12 ENDST	DC	
4295		962	M-276 5.27/1800	172	72- III-12 ENDST	DC	
4296		1998	M-227 5.27/1800	95	72- III-12 ENDST	DC	
4297		2347	M-250 5.27/1800	173	72- III-12 ENDST	DC	
430	INT	5221	28 09.8N 68 34.5W	68	72- III-18/72- V -25		BUMPY TOPOGRAPHY MODE
4301		3975	V-0107 900	86	72- III-11 ENDSTT	78-5	
4302		5119	M-207 5.27/900	70	72- III-17 ENDST	78-5	
431	INT	5370	28 20.3N 68 24.8W	68	72- III-19/72- V -26		BUMPY TOPOGRAPHY MODE
4312		3955	M-272 5.27/900	69	72- III-19 ENDST	78-5	
432	INT	5380	28 10.0N 68 23.0W	0	72- III-19/72-III-19		ABORTED-HUMAN ERROR
433	INT	5380	28 10.5N 68 23.8W	68	72- III-20/72- V -27		BUMPY TOPOGRAPHY MODE
4332		3990	M-191 5.27/900	43	72- III-19 ENDST	78-5	
434	INT	5275	28 10.2N 68 11.8W	67	72- III-20/72- V -26		BUMPY TOPOGRAPHY MODE
4342		3970	M-265 5.27/900	69	72- III-20 ENDST	78-5	
435	INT	5280	27 58.7N 68 24.7W	67	72- III-21/72- V -26		BUMPY TOPOGRAPHY MODE
4354		3968	V-0112 900	86	72- III-11 ENDSTT	78-5	STICKY VANE
436	SUR	1072	39 51.1N 70 05.2W	10	72- III-25/72- VI-04		ENGINEERING MOORING, FLOAT TEST

437 BTM	5477	37 00.0N	49 44.2W	59	72- IV -03/72- VI-06			CURRENTS UNDER GULF STREAM
4371	5217	M-238	5.27/900	20	72- IV -03	ENDST	DC	
438 BTM	5421	37 30.6N	49 44.4W	58	72- IV -08/72- VI-06			CURRENTS UNDER GULF STREAM
4381	5161	M-225	5.27/900	60	72- IV -06	ENDST	DC	
439 BTM	5412	37 59.6N	49 45.9W	58	72- IV -09/72- VI-06			CURRENTS UNDER GULF STREAM
4391	5152	M-240	5.27/900	66	72- III-31	ENDST		VANE VERY STICKY
440 BTM	5419	38 17.6N	49 46.6W	56	72- IV-10/72- VI-05			CURRENTS UNDER GULF STREAM
4401	5159	M-256	5.27/900	66	72- III-31	ENDST	DC	
441 BTM	5419	38 39.0N	49 47.3W	156	72- IV -10/72- VI-05			CURRENTS UNDER GULF STREAM
4411	4600	M-226	5.27/900	60	72- IV -06	ENDST	DC	
4412	5159	V-0117	900	56	72- IV -10	ENDSTT	DC	
442 BTM	5416	39 00.0N	49 46.0W	56	72- IV -10/72- VI-05			CURRENTS UNDER GULF STREAM
4421	4597	M-205	5.27/900	59	72- IV -06	ENDST	DC	
4422	5156	V-0113	3600	55	72- IV -10	ENDSTRT	DC	
443 BTM	5416	39 23.2N	49 46.1W	55	72- IV -10/72- VI-04			CURRENTS UNDER GULF STREAM
4431	4597	M-271	5.27/900	59	72- IV -06	ENDST	DC	
4432	5156	V-0116	900	70	72- IV -04	ENDSTT	DC	
444 BTM	5413	39 40.3N	49 41.8W	54	72- IV -11/72-VI-04			CURRENTS UNDER GULF STREAM
4441	4594	M-266	5.27/900	64	72- III-31	ENDST	DC	
4442	5153	V-0120	900	54	72- IV -10	ENDSTT	DC	VANE STUCK AFTER MAY 13
445 BTM	5348	40 03.3N	49 46.8W	53	72- IV -11/72- VI-03			CURRENTS UNDER GULF STREAM
4451	5124	M-277	5.27/900	64	72- III-31	ENDST	DC	23 DAYS OF ROTOR
446 BTM	4244	40 33.5N	49 45.0W	53	72- IV -11/72- VI-03			CURRENTS UNDER GULF STREAM
4461	3983	M-281	5.27/900	64	72- III-31	ENDST		ELECTRICAL PROBLEMS
447 BTM	3683	41 00.2N	49 46.0W	52	72- IV -12/72- VI-03			CURRENTS UNDER GULF STREAM
4471	3422	M-264	5.27/900	63	72- III-31	ENDST	DC	

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.	*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS
448	BTM	3018	41 30.0N	49 44.0W	52	72- IV -12/72- VI-03		CURRENTS UNDER GULF STREAM
4481		7580	M-198T	5.27/900	52	72- IV -11 ENDSTT		NO USEABLE DATA
449	INT	2769	38 58.8N	70 00.3W	102	72- V -19/72-VIII-29		SLOPE ARRAY
4491		1049	M-142	5.27/1800	105	72- V -16 ENDST	DC	
4492		1049	M-249	5.27/1800	105	72- V -16 ENDST	DC	
450	INT	2754	39 09.2N	70 30.8W	102	72- V -19/72-VIII-29		SLOPE ARRAY
4501		1014	M-173	5.27/1800	103	72- V -18 ENDST	DC	
4502		2008	M-212T	5.27/1800	84	72- VI -06 ENDSTT	DC	ROTOR QUESTIONABLE
451	SUR	5437	28 54.4N	69 41.0W	162	72- V -23/72- XI-01		MIXED TOPOGRAPHY MODE
4512		515	V-0105	1800	171	72- V -23 ENDSTT	78-5	
4513		4191	M-269	5.27/1800	162	72- V -23 ENDST	78-5	
452	INT	5452	27 59.8N	70 38.7W	161	72- V -23/72- X -31		MIXED TOPOGRAPHY MODE
4522		561	V-0121	900	154	72- V -16 ENDSTT	78-5	
4525		2075	TD#6	86400	156	72- V -25 TPT		TEMPERATURE/PRESSURE RECORDER
4526		4181	M-292	5.27/1800	161	72- V -23 ENDST	78-5	
453	SUR	5261	28 10.1N	68 38.2W	158	72- V -25/72- X -30		MIXED TOPOGRAPHY MODE
4532		514	V-0114	900	177	72- V -16 ENDSTT	78-5	
4533		1516	V-0115	900	127	72- V -25 ENDSTT	78-5	
4535		3970	TD#3	86400	153	72- V -27 TPT		TEMPERATURE/PRESSURE RECORDER
4536		4075	V-0118	900	156	72- V -26 ENDSTT	78-5	
454	SUR	5462	27 33.7N	69 41.8W	156	72- V -28/72- X -31		MIXED TOPOGRAPHY MODE
4541			W-255X	5.27/1800	88	72- V -16 ENDST	78-5	
4543		514	V-0103	1800	173	72- V -20 ENDSTT		BAD DIRECTIONS
4544		4207	M-260	5.27/1800	157	72- V -27 ENDST	78-5	
455	SUR	5462	28 00.6N	69 37.6W	160	72- V -28/72- XI-04		MIXED TOPOGRAPHY MODE
4552		514	V-0129	450	98	72- V -28 TTT	78-5	
4553		1516	V-0119	900	173	72- V -16 ENDSTT	78-5	
4554		4208	M-262	5.27/1800	161	72- V -27 ENDST	78-5	

456 INT	2998	33 42.0N	62 35.5W	147	72-	V -31/72- X -25		MUIR SEAMOUNT
4561	2015	M-122T	5.27/1800	148	72-	V -30	ENDSTT DC	
4563	2898	M-129	5.27/1800	69	72-	V -31	ENDSTT	QUESTIONABLE DATA
457 INT	4817	33 41.4N	62 51.9W	?	72-	V -31/ LOST		MUIR SEAMOUNT
458 INT	2263	39 36.6N	70 00.2W	147	72-	VII-11/72-XII-05		L.F. CURRENT VARIBILITY
4581	1963	V-0138	900	147	72-	VII-11	ENDSTT	NO ROTOR 1-BIT MODIFICATION
4582	2163	V-0120	900	163	72-	VII-08	ENDSTT	VANE STUCK
459 BTM	2709	39 09.9N	70 14.5W	150	72-	VII-11/72-XII-08		L.F. CURRENT VARIBILITY
4591	2607	V-0107	900	61	72-	VII-14	ENDSTT	TOO MANY ROTOR ZERO'S
460 BTM	2664	39 09.8N	70 03.9W	150	72-	VII-11/72-XII-08		L.F. CURRENT VARIBILITY
4601	2364	V-0135	900	160	72-	VII-11	ENDSTT	VANE STUCK
4602	2564	V-0117	900	221	72-	VII-14	ENDSTT	VANE STUCK
461 BTM	2669	39 07.2N	70 00.0W	0	72-	VII-11/ LOST		L.F. CURRENT VARIBILITY
462 INT	501	39 54.7N	70 46.4W	21	72-	VII-15/72-VIII-05		INTERNAL WAVE PROPOGATION
4623	59	V-0112	56.25	23	72-	VII-15	ENDSTT DC	
4624	84	V-0113	56.25	20	72-	VII-15	ENDSTT DC	

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
463	SUR	2646	39 13.0N	70 03.0W	11	72-VIII-24/72- IX-04		SCOR WG 21
4634		47	V-0112	56.25	16	72-VIII-21	ENDSTT	*
4635		48	LSK#20	900	11	72-VIII-24	ENDST	*
4636		49	1246	900	9	72-VIII-24	DST	*
4637		53	M-277	3600	11	72-VIII-24	ENDST	*
4638		197	V-0126	56.25	11	72-VIII-24	ENDSTT	*
4639		198	LSK#17	900	11	72-VIII-24	ENDST	*
463,10		199	1250	900	9	72-VIII-24	DST	*
463,11		203	M-238	5.27/900	12	72-VIII-23	ENDST	*
463,13		999	V-0113	56.25	14	72-VIII-23	ENDSTT	*
463,14		1000	LSK#0	900	11	72-VIII-24	ENDST	*
463,15		1001	1255	900	4	72-VIII-24	DST	*
463,16		1005	M-273	3600	11	72-VIII-24	ENDST	*
464	INT	2649	39 12.7N	70 02.7W	11	72-VIII-24/72- IX-04		SCOR WG 21
4642		161	V-0111	3600	10	72-VIII-24	ENDSTRT	*
4643		163	LSK#16	900	10	72-VIII-24	ENDST	*
4644		202	#1251	900	10	72-VIII-24	DST	*
4645		206	M-274	5.27/900	12	72-VIII-23	ENDST	*
4647		1002	V-0133	3600	10	72-VIII-24	ENDSTRT	*
4648		1006	1260	900	10	72-VIII-24	DST	*
4649		1010	M-266	5.27/900	12	72-VIII-23	ENDST	*
								* UNESCO TECHNICAL PAPER IN MARINE SCIENCE NUMBER 23.
465	INT	2756	38 59.0N	70 00.0W	103	72-VIII-29/72-XII-10		INTERNAL WAVE PROPAGATION
4651		985	M-206T	5.27/1800	107	72-VIII-29	ENDSTT	DC
4652		2487	M-256	5.27/1800	107	72-VIII-29	ENDST	DC
466	INT	2746	39 09.2N	70 30.8W	101	72-VIII-29/72-XII-08		INTERNAL WAVE PROPAGATION
4661		983	M-272	5.27/1800	107	72-VIII-29	ENDST	DC
4662		1980	M-264	5.27/1800	107	72-VIII-29	ENDST	DC

467 SUR	2655	39 11.0N	69 59.3W	0	72-VIII-31/72-VIII-31			ABORTED-FAKING BOX FAILURE
468 INT	2666	39 10.0N	70 02.8W	99	72- IX -04/72-XII-12			
4683	2364	M-257	5.27/1800	100	72-VIII-31	ENDST	DC	
4684	2564	M-191	5.27/1800	59	72- IX -04	ENDST	DC	
469 INT	5462	28 02.9N	69 36.4W	6	72- X -28/72- XI-03			MOORING DYNAMICS
4691	537	V-0126	28.125	17	72- X -22	ENDSTT	DC	
4695	1057	V-0136	14.0625	22	72- X -22	ENDSTT	DC	
4696	1564	V-0133	28.125	17	72- X -22	ENDSTT	DC	
4699	2518	V-0137	28.125	17	72- X -22	ENDSTT	DC	
469,12	3514	V-0139	28.125	5	72- X -29	ENDSTT	DC	
470 BTM	5462	28 02.3N	69 34.6W	7	72- X -28/72- XI-04			MOORING DYNAMICS
4701	5570	TP#10	30	6	72- X -29	TPT		TEMPERATURE/PRESSURE RECORDER
471 BTM	5462	28 05.0N	69 36.4W	7	72- X -28/72- XI-04			MOORING DYNAMICS
4711	5403	TP#09	30	6	72- X -29	TPT		TEMPERATURE/PRESSURE RECORDER
472 BTM	5462	28 02.8N	69 38.8W	7	72- X -29/72- XI-04			MOORING DYNAMICS
4721	5471		30	6	72- X -29	TPT		TEMPERATURE/PRESSURE RECORDER

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
473	INT	5261	28 10.7N	68 36.1W	132	72- X -30/73-III-11		MODE
4732		370	M-173	5.27/1800	47	72- X -31 ENDST	78-5	ROTOR INTERMITTANT AFTER DEC 17
4734		1385	M-249	5.27/1800	132	72- X -30 ENDST	78-5	
4735		3180	M-281	5.27/900	132	72- X -30 ENDST	78-5	EXTRA COUNTS IN EACH ROTOR VALUE
474	INT	5462	28 01.4N	69 39.4W	126	72- XI -04/73-III-10		MODE
4742		583	M-227	5.27/1800	126	72- XI -04 ENDSTR	78-5	
4743		1595	M-259	5.27/1800	157	72- X -16 ENDST	78-5	
4744		4105	M-276	5.27/1800	126	72- XI -04 ENDST	78-5	
475	BTM	2687	39 06.5N	70 04.2W	5	72- XII-05/72-XII-10		TRANSPONDER TEST
476	INT	2685	39 04.4N	69 58.7W	1	72- XII-06/72-XII-06		TEST FAKING BOX LAUNCH
477	INT	2653	39 09.9N	70 00.6W	108	72- XII-08/73-III-26		FAKING BOX LAUNCH
4772		200	M-274	5.27/1800	107	72- XII-09 ENDST	DC	
4774		2002	M-240	5.27/1800	111	72- XII-06 ENDST	DC	
4775		2552	M-265	5.27/1800	107	72- XII-08 ENDST	DC	
478	INT	2742	39 09.9N	70 30.3W	110	72- XII-09/73-III-29		FAKING BOX LAUNCH
4781		991	M-238	5.27/1800	112	72- XII-08 ENDST	DC	
4782		1991	M-271	5.27/1800	108	72- XII-10 ENDST	DC	
479	INT	2558	39 23.0N	69 59.5W	106	72- XII-10/73-III-26		FAKING BOX LAUNCH
4791		1009	M-277	5.27/1800	109	72- XII-09 ENDST	DC	
4792		2028	M-266	5.27/1800	108	72- XII-09 ENDST	DC	

******
1973
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED		*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS	
480	INT	5462	28 03.8N	69 39.0W	?	73- III-10/	LOST		MODE
481	INT	5462	27 59.8N	69 39.0W	116	73- III-10/73-VII-04			MODE
4811	499	V-0180	900		146	73- II -21	ENDSTT	76-101	
4812	501	V-0112	900		115	73- III-11	ENDSRTT	76-101	
4813	599	V-0110	900		115	73- III-11	ENDSRTT		
4814	602	TP#07	960		112	73- III-12	TPT	76-101	
4815	800	V-0115	900		115	73- III-11	ENDSRTT		
4816	803	TP#05	960		111	73- III-12	TPT	76-101	
4817	1002	TP#46	960		111	73- III-12	TPT	76-101	
4818	1202	TP#58	960		111	73- III-12	TPT	76-101	
4819	1496	V-0182	900		139	73- II -27	ENDSTT	76-101	
481,12	2996	V-0119	900		146	73- II -21	ENDSTT	76-101	
481,15	4006	M-218	5.27/900		116	73- III-10	ENDST	76-101	
481,18	5358	M-221	5.27/900		115	73- III-11	ENDST	76-101	
482	INT	5239	28 09.3N	68 39.3W	106	73- III-12/73- VI-26			MODE
4821	497	V-0121	900		103	73- III-12	ENDSTT	76-101	
4822	598	TP#15	960		102	73- III-13	TPT	76-101	
4823	796	V-0130	900		102	73- III-14	ENDSTT	76-101	
4825	1496	V-0135	900		141	73- II -25	ENDSTT	76-101	
4826	3000	V-0126	900		141	73- II -25	ENDSTT	76-101	
4827	4000	V-0165	900		141	73- II -25	ENDSTT	76-101	

*MOORING *NO.*	*TYPE*	*DEPTH*	*LATITUDE*	LONG.	*DAYS*	SET /RECOVERED	*REPORT*	COMMENTS
*DATA * NO.	*DEPTH*	*INSTR.*	SAMPLING	*DAYS*	*DATA START*	VARIABLES	*REPORT*	COMMENTS
483 INT	5192	29 02.3N	68 13.8W	113	73- III-12/73-VII-03			MODE
4831	499	V-0113	900	142	73- II -21	ENDSTT	76-101	
4832	601	TP#43	960	109	73- III-14	TPT	76-101	
4833	813	V-0175	900	135	73- II -26	ENDSTT	76-101	
4834	816	TP#44	960	109	73- III-14	TPT	76-101	
4835	1498	V-0117	900	137	73- II -25	ENDSTT	76-101	
4836	2998	V-0107	900	142	73- II -21	ENDSTT	76-101	
4837	3994	V-0177	900	142	73- II -21	ENDSTT	76-101	
4838	5093	TP#11	960	109	73- III-14	TPT	76-101	
484 INT	5151	27 25.1N	67 59.5W	112	73- III-13/73-VII-03			MODE
4841	513	V-0108	900	19	73- III-13	ENDSTT	76-101	
4842	615	TP#50	960	108	73- III-15	TPT	76-101	
4843	813	V-0175	900	135	73- II -26	ENDSTT	76-101	
4844	816	TP#45	960	108	73- III-15	TPT	76-101	
4846	3009	V-0181	900	137	73- II -25	ENDSTT	76-101	
4847	4009	V-0185	900	134	73- II -27	ENDSTT	76-101	
485 INT	5420	26 23.8N	69 21.0W	111	73- III-13/73-VII-02			MODE
4851	509	V-0178	900	140	73- II -25	ENDSTT	76-101	
4852	611	TP#39	960	107	73- III-15	TPT	76-101	
4853	809	V-0155	900	132	73- III-03	ENDSTT	76-101	
4854	1010	TP#57	960	21	73- III-15	TPT	76-101	
4855	1212	TP#60	960	107	73- III-15	TPT	76-101	
4856	1507	V-0139	900	136	73- II -25	ENDSTT	76-101	
4857	2008	TP#80	960	107	73- III-15	TPT	76-101	
4858	2510	TP#19	960	107	73- III-15	TPT	76-101	
485,10	4007	TP#27	960	107	73- III-15	TPT	76-101	
485,11	4399	TP#32	960	107	73- III-15	TPT	76-101	
485,12	5317	TP#10	960	107	73- III-15	TPT	76-101	

486 INT	5474	26 57.5N	70 02.6W	110	73- III-14/73-VII-02				MODE
4861	492	V-0131	900	138	73- II -27	ENDSTT	76-101	INTERMITTENT ROTOR	
4864	1490	V-0184	900	135	73- II -27	ENDSTT	76-101		
4865	2985	V-0106	900	126	73- II -25	ENDSTT	76-101		
4866	3986	TP#28	960	105	73- III-16	TPT	76-101		
487 SUR	5327	28 33.0N	71 22.6W	0	73- III-15/73-III-15			ABORTED,MOORING PARTED	
488 INT	5325	28 33.1N	71 22.9W	108	73- III-15/73-VII-01				MODE
4881	507	V-0109	900	21	73- IV -03	ENDSRT			
4882	609	TP#41	960	104	73- III-17	TPT	76-101		
4883	807	V-132	900	107	73- III-27	ENDSTT	76-101		
4885	3000	V-0183	900	135	73- II -27	ENDSTT	76-101		
4886	4000	TP#29	960	104	73- III-17	TPT	76-101		
489 INT	5440	29 35.0N	69 59.1W	106	73- III-16/73- VI-30				MODE
4891	507	V-0141	900	106	73- III-16	ENDSTT	76-101		
4892	609	TP#42	960	103	73- III-17	TPT	76-101		
4893	807	V-0174	900	135	73- II -26	ENDSTT	76-101		
4894	1505	V-0111	900	142	73- II -21	ENDSTT	76-101		
4895	3000	V-0179	900	129	73- III-05	ENDSTT	76-101		
4896	4001	TP#21	960	103	73- III-17	TPT	76-101		

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED		*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	DATA START	VARIABLES	*REPORT	COMMENTS
490	SUB	2559	39 23.7N	69 59.3W	207	73- III-26/	73- X -15		SET BY FAKING BOX SITE D
4901		999	M-257	5.27/1800	207	73- III-26	ENDST	79-87	
4902		2011	M-215	5.27/1800	207	73- III-26	ENDST	79-87	
491	SUB	2654	39 08.2N	69 58.1W	207	73- III-26/	73- X -16		SET BY FAKING BOX SITE D
4911		205	M-191	5.27/1800	207	73- III-26	ENDST	79-87	
4912		1019	M-207	5.27/1800	207	73- III-26	ENDST	79-87	
4913		2030	M-250	5.27/1800	207	73- III-26	ENDST	79-87	
4914		2550	M-205	5.27/1800	207	73- III-26	ENDST	79-87	
492	SUR	2770	39 10.0N	70 30.4W	207	73- III-29/	73- X -16		SITE D
4921		1006	M-272	5.27/1800	207	73- III-26	ENDST		
4922		2019	M-264	5.27/1800	207	73- III-26	ENDST	79-87	
493	INT	5446	28 42.0N	70 15.8W	91	73- IV -03/	73- VI-30		MODE
4931		491	V-0199	900	86	73- IV -03	ENDSTT	76-101	
4932		593	TP#34	86400	87	73- IV -03	TPT	76-101	
4933		791	M-142T	5.27/1800	86	73- IV -03	ENDSTT	76-101	
4934		992	TP#52	86400	87	73- IV -03	TPT	76-101	
4935		1489	V-0195	900	86	73- IV -03	ENDSTT	76-101	
4936		2994	V-0138	900	86	73- IV -03	ENDSTT	76-101	
4937		4000	TP#25	86400	87	73- IV -03	TPT	76-101	
494	INT	5446	27 49.8N	70 39.8W	89	73- IV -03/	73- VI-29		MODE
4941		492	V-0127	900	85	73- IV -03	ENDSTT	76-101	
4942		594	TP#33	86400	87	73- IV -03	TPT	76-101	T/P RECORDER
4944		993	TP#51	86400	87	73- IV -03	TPT	76-101	
4945		1490	V-0118	900	85	73- IV -03	TT	76-101	
4946		2994	V-0133	900	85	73- IV -03	ENDSTT	76-101	

495 INT	5477	27 08.8N	70 00.0W	89	73- IV -03/73- VI-29				MODE
4951	496	V-0163	900	84	73- IV -03	ENDSTT	76-101		
4952	598	TP#38	86400	85	73- IV -03	TPT	76-101	T/P RECORDER	
4953	796	M-212T	5.27/1800	84	73- IV -03	ENDST	76-101		
4955	1494	V-0105	900	85	73- IV -03	ENDSTT	76-101		
4957	3971	TP#26	86400	85	73- IV -03	TPT	76-101	T/P RECORDER	
4958	5376	M-122T	5.27/1800	72	73- IV -03	ENDSTT	76-101		
496 INT	5286	27 18.0N	69 01.2W	0	73- IV -02/76- IV-02			ABORTED,LINE PARTED	MODE
497 INT	5286	27 18.0N	69 01.0W	87	73- IV -04/73- VI-28				MODE
4971	482	V-0120	900	82	73- IV -05	ENDSTT	76-101		
4972	478	TP#37	86400	82	73- IV -05	TPT	76-101	T/P RECORDER	
4973	782	M-213T	5.27/1800	81	73- IV -05	TT	76-101		
4974	880	TP#55	86400	83	73- IV -04	TPT	76-101	T/P RECORDER	
4975	1080	TP#59	86400	83	73- IV -04	TPT	76-101	T/P RECORDER	
4978	2392	TP#18	86400	83	73- IV -04	TPT	76-101	T/P RECORDER	
497,10	3433	TD308	86400	83	73- IV -04	TPT	76-101	T/P RECORDER	
497,11	3987	M-206T	5.27/1800	82	73- IV -05	ENDSTT	76-101		
497,12	4346	TP#31	86400	83	73- IV -04	TPT	76-101	T/P RECORDER	
497,13	5191	M-129T	5.27/1800	75	73- IV -05	ENDST	76-101		
497,14	5185	TP#09	86400	83	73- IV -04	TPT	76-101	T/P RECORDER	
498 INT	5463	27 33.1N	69 34.1W	86	73- IV -05/73- VI-28				MODE
4981	498	V-0103	900	82	73- IV -05	ENDSTT	76-101		
4982	513	TP#36	86400	82	73- IV -05	TPT	76-101	T/P RECORDER	
4983	798	V-0158	900	82	73- IV -05	ENDSTT	76-101		
4984	914	TP#49	86400	82	73- IV -05	TPT	76-101	T/P RECORDER	
4985	1496	V-0202	900	82	73- IV -05	ENDSTT	76-101		
4987	3948	TP#23	86400	82	73- IV -05	TPT	76-101	T/P RECORDER	

*MOORING NO.	*TYPE DATA	*DEPTH NC.	*LATITUDE *DEPTH	LONG. *INSTR.	*DAYS* SAMPLING	SET /RECOVERED *DAYS	*DATA START	*REPORT* VARIABLES	*REPORT* COMMENTS	
499	INT	5461	28 08.9N	70 08.1W	86	73- IV -06/73- VI-28				MODE
	4991	498	V-0193	900	80	73- IV -06	ENDSTT	76-101		
	4992	531	TP#14	86400	81	73- IV -05	TPT	76-101	T/P RECORDER	
	4993	798	V-0159	900	80	73- IV -06	ENDSTT	76-101		
	4994	933	TP#48	86400	81	73- IV -05	TPT	76-101	T/P RECORDER	
	4995	1496	V-0205	900	80	73- IV -06	TT	76-101		
	4996	2996	V-0102	900	108	74- II -14	ENDSTT	76-101	TIME BASE QUESTIONABLE	
	4997	3956	TP#22	86400	81	73- IV -05	TPT	76-101	T/P RECORDER	
500	INT	5456	28 17.0N	69 16.3W	84	73- IV -04/73- VI-27				MODE
	5001	375	V-0129	3600	21	73- IV -04	ENDSTTT	76-101		
	5002	485	TP#13	86400	18	73- IV -06	TPT	76-101	T/P RECORDER	
	5003	681	V-0156	3600	21	73- IV -04	ENDSTT	76-101		
	5004	882	TP#47	86400	18	73- IV -06	TPT	76-101	T/P RECORDER	
	5005	1492	V-0201	900	80	73- IV -06	ENDSTT	76-101		
	5007	3936	TP#30	86400	18	73- IV -06	TPT	76-101	T/P RECORDER	
501	INT	5379	28 50.1N	69 18.0W	87	73- IV -07/73- VI-30				MODE
	5011	492	V-0164	900	82	73- IV -07	ENDSTT	76-101		
	5012	523	TP#35	86400	83	73- IV -06	TPT	76-101	T/P RECORDER	
	5013	792	M-198T	5.27/1800	88	73- IV -03	ENDSTT	76-101		
	5015	1490	V-0128	900	82	73- IV -07	ENDSTT	76-101		
	5016	2987	V-0204	900	82	73- IV -07	ENDSTT	76-101		
	5017	3986	M-175T	5.27/1800	87	73- IV -03	ENDSTRT	76-101		
	5018	5282	M-284	5.27/1800	83	73- IV -06	ENDST	76-101		
502	INT	5255	28 08.9N	68 41.4W	170	73- VI -26/73-XII-13				MODE
	5021	516	M-249	5.27/1800	170	73- VI -26	ENDSTR	78-5		
	5022	1524	M-173	5.27/1800	171	73- VI -23	ENDSTR	78-5		
	5023		M-274	5.27/1800	170	73- VI -26	ENDSTR	78-5		
503	INT	5461	28 00.1N	69 44.4W	170	73- VI -27/73-XII-14				MODE
	5031	494	M-238	5.27/1800	170	73- VI -27	ENDSTR	78-5		
	5032	1501	M-273	5.27/1800	166	73- VI -27	ENDSTR	78-5		

504 INT	1539	20 18.0N	73 38.4W	112	73-	XI -09/74-III-02			WINDWARD PASSAGE
5041	1045	M-269	5.27/1800	113	73-	XI -09	ENDSTR	77-29	
5044	1456	M-271	5.27/1800	113	73-	XI -09	ENDSTR	77-29	SEVERE ELECTRONIC PROBLEMS
505 INT	1543	20 16.2N	73 37.8W	112	73-	XI -10/74-III-02			WINDWARD PASSAGE
5051	1050	M-260	5.27/1800	111	73-	XI -10	ENDST	77-29	QUESTIONABLE SPEEDS
5054	1461	M-277	5.27/1800	113	73-	XI -09	ENDSTR	77-29	
506 INT	2559	39 23.2N	69 59.6W	176	73-	X -08/74- IV-09			ARRAY WITH 507,508,509
5061	187	M-212T	5.27/3600	186	73-	X -08	ENDSTRT	79-87	
5062	988	M-240	5.27/3600	185	73-	X -08	ENDSTR	79-87	
5063	1995	M-266	5.27/3600	180	73-	X -13	ENDSTR	79-87	
507 INT	2662	39 09.8N	70 00.8W	176	73-	X -14/74- IV-10			ARRAY WITH 506,508,509
5072	491	M-122T	5.27/3600	179	73-	X -14	ENDSTRT	79-87	
5073	999	M-227	5.27/3600	180	73-	X -14	ENDSTR	79-87	
5074	2006	M-256	5.27/3600	179	73-	X -14	ENDSTR	79-87	
508 INT	2714	39 09.8N	70 10.9W	61	73-	X -13/73-XII-07			ARRAY WITH 506,507,509
5081	2649	V-0202	900	70	73-	X -12	ENDSTT	79-87	
5082	2653	V-0120	900	70	73-	X -12	ENDSTT	79-87	
5083	2657	V-0106	900	7	73-	X -12	ENDSTT		TAPE WOUND AROUND PINCHWHEEL
5084	2661	V-0107	900	70	73-	X -12	ENDSTT	79-87	
5085	2665	V-0115	900	70	73-	X -12	ENDSTT		ROTOR CURICUTRY MALFUNCTION
5086	2669	V-0136	900	70	73-	X -12	ENDSTT	79-87	
5087	2673	V-0119	900	70	73-	X -12	ENDSTT	79-87	
5088	2677	V-0138	900	70	73-	X -12	ENDSTT	79-87	
5089	2681	V-0204	900	70	73-	X -12	ENDSTT		NO ROTOR,TEMPERATURE VALUES
508,10	2685	M-261	5.27/900	55	73-	X -13	ENDSTR	79-87	
509 INT	2746	39 08.5N	70 32.4W	176	73-	X -13/74- IV-11			ARRAY WITH 506,507,508
5091	179	M-259	5.27/3600	180	73-	X -13	ENDSTR	79-87	
5092	980	M-276	5.27/3600	186	73-	X -08	ENDSTR	79-87	
5093	1987	M-265	5.27/3600	186	73-	X -08	ENDSTR	79-87	

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT COMMENTS
510	SUR	5459	27 44.1N	69 47.7W	51	73- X -24/	73-XII-16	TETHER BUOY FOR IWEX
5101			W-270X	5.27/900	54	73- X -24	ENDSTR	
511	SUR	5461	27 48.7N	69 51.0W	?	73- X -26/	LOST	MARKER MOORING FOT IWEX
512	BTM	5455	27 43.5N	69 49.0W	8	73- X -27/	73- XI-04	ACCOUSTIC BEACON FOR IWEX
513	BTM	5455	27 45.4N	69 52.0W	8	73- X -27/	73- XI-04	ACCOUSTIC BEACON FOR IWEX
514	BTM	5455	27 42.4N	69 52.0W	8	73- X -27/	73- XI-04	ACCOUSTIC BEACON FOR IWEX
515	TRI	5455	27 43.9N	69 50.9W	45	73- X -12/	73-XII-16	SUBSURFACE,IWEX, LEGS A,B,C
515A1		598	DT-101	225		73- XI -03	ENDST	75-68
515A2		600	DT-105	225		73- XI -03	ENDST	75-68
515A4		605	DT-102	225		73- XI -03	ENDST	75-68
515A5		633	DT-117	225		73- XI -03	ENDST	75-68
515A6		724	DT-114	225		73- XI -03	ENDST	75-68
515A8		1008	DT-107	225		73- XI -03	ENDST	75-68
515A10		1017	DT-110	225		73- XI -03	ENDST	75-68
515A14		2044	M-175T	5.27/900		73- XI -03	ENDST	75-68
515A16		4000	M-129T	5.27/900		73- XI -03	ENDST	FLOODED
515B2		600	DT-113	225		73- XI -03	ENDST	75-68
515B4		605	DT-108	225		73- XI -03	ENDST	75-68
515B5		633	DT-111	225		73- XI -03	ENDST	75-68
515B6		725	DT-103	225		73- XI -03	ENDST	75-68
515B10		1017	DT-116	225		73- XI -03	ENDST	75-68
515B14		2044	M-206T	5.27/900		73- XI -03	ENDST	75-68
515C1		598	DT-104	225		73- XI -03	ENDST	75-68
515C2		600	DT-112	225		73- XI -03	ENDST	75-68
515C5		633	DT-106	225		73- XI -03	ENDST	75-68
515C6		725	DT-107	225		73- XI -03	ENDST	75-68
515C10		1017	DT-115	225		73- XI -03	ENDST	75-68
515C14		2044	M-142T	5.27/900		73- XI -03	ENDST	75-68
516	SPE	5455	27 44.0N	69 48.0W	2	73- XI -03/	73- XI-05	SPAR BUOY TETHERED TO 510
5164		101	V-0129	56.25	1	73- XI -03	ENDSRTTT	75-68 DUEL THERMISTERS
5165		126	V-0193	56.25	1	73- XI -03	ENDSRTT	75-68

517 INT	2647	39 11.8N	70 00.0W	363	73- XII-05/74-XII-05				GULF STREAM MOORING
5172	193	V-0177	900	383	73- XII-05	ENDSTT	79-87	79-56	GRASSY GROWTH ON ROTOR,VANE
5173	197	V-0112	900	383	73- XII-05	ENDSTT	79-87	79-56	NO TEMPERATURE VALUES
518 INT	3138	33 35.0N	62 29.3W	134	73- XII-05/74- IV-23				MUIR SEAMOUNT
5181	2140	V-0182	900	145	73- XII-05	ENDSTT	79-87		
5182	3039	V-0121	900	145	73- XII-05	ENDSTT	79-87		
519 INT	3088	33 29.1N	62 28.6W	134	73- XII-05/74- IV-23				MUIR SEAMOUNT
5191	2089	V-0114	900	144	73- XII-05	ENDSTT	79-87		
5192	2988	V-0185	900	144	73- XII-05	ENDSTT	79-87		
520 INT	4366	33 30.0N	62 36.7W	133	73- XII-05/74- IV-23				MUIR SEAMOUNT
5201	2131	V-0141	900	144	73- XII-05	ENDSTT	79-87		
5202	3023	V-0201	900	145	73- XII-05	ENDSTT	79-87		
5203	3027	V-0118	900	144	73- XII-05	ENDSTT	79-87		

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS*	SET /RECOVERED		*REPORT*	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START*	VARIABLES	*REPORT*	COMMENTS
521	INT	5265	28 09.5N	68 41.5W	128	73- XII-15/74- IV-20			MODE
5211		508	M-257	5.27/1800	129	73- XII-04	ENDSTR	78-5	
5212		605	TP#07	86400	124	73- XII-15	TPT	78-5	T/P RECORDER
5213		802	TP#05	86400	123	73- XII-15	TPT	78-5	T/P RECORDER
5214		999	TP#49	86400	124	73- XII-15	TPT	78-5	T/P RECORDER
5215		1506	M-207	5.27/1800	128	73- XII-04	ENDSTR	78-5	
5216		2007	TP#01	86400	123	73- XII-15	TPT	78-5	T/P RECORDER
5217		2509	TP#17	86400	123	73- XII-15	TPT	78-5	T/P RECORDER
5218		3510	TP#03	86400	123	73- XII-15	TPT	78-5	T/P RECORDER
5219		4011	M-272	5.27/1800	128	73- XII-04	ENDSTR	78-5	
521,10		4014	TP#21	86400	124	73- XII-15	TPT	78-5	T/P RECORDER
521,11		4414	TP#32	86400	123	73- XII-15	TPT	78-5	T/P RECORDER
521,12		5166	TP#02	86400	123	73- XII-15	TPT	78-5	T/P RECORDER
522	INT	5462	28 00.5N	69 44.8W	128	73- XII-16/74- IV-21			MODE
5221		491	M-191	5.27/1800	67	73- XII-04	ENDSTR	78-5	CHANNEL A ONLY
5222		592	TP#13	86400	124	73- XII-16	TPT	78-5	T/P RECORDER
5225		1497	M-205	5.27/1800	129	73- XII-04	ENDSTR	78-5	
5226		1998	TP#06	86400	124	73- XII-16	TPT	78-5	T/P RECORDER
5227		2495	TP#18	86400	45	73- XII-16	TPT	78-5	T/P RECORDER
5228		3497	TP#08	86400	60	73- XII-16	TPT	78-5	T/P RECORDER
5229		3998	M-250	5.27/1800	128	73- XII-04	ENDSTR	78-5	
522,10		4001	TP#22	86400	15	73- XII-16	TPT	78-5	T/P RECORDER
522,11		4402	TP#31	86400	124	73- XII-16	TPT	78-5	T/P RECORDER
522,12		5361	TP#04	86400	124	73- XII-16	TPT	78-5	T/P RECORDER

******
1974
******

*MOORING *NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.	*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START	* VARIABLES	*REPORT	* COMMENTS
523 INT	2504	39 25.6N	69 59.6W	240	74- IV -03/74-XII-05			SITE D
5231	181	V-199	900	264	74- IV -03	ENDSTT	79-56	METAL PARTICLES ON MAGNET
5232	983	V-164	900	264	74- IV -03	ENDSTT	79-56	METAL PARTICLES ON MAGNET
5233	1991	V-135	900	264	74- IV -03	ENDSTT	79-56	METAL PARTICLES ON MAGNET
524 INT	2664	39 07.5N	69 59.9W	239	74- IV -14/74-XII-05			SITE D
5241	197	V-0139	900	253	74- IV -14	ENDST	79-56	
5243	202	V-0136	900	264	74- IV -03	ENDSTCRT	79-56	
5244	496	V-0113	900	265	74- IV -02	ENDSTT	79-56	THERMISTER DRIFTING 1 DEG. C./YEAR
5245	1005	V-0107	900	264	74- IV -03	ENDSTT	79-56	
5246	2013	V-0181	900	264	74- IV -03	ENDSTT	79-56	
5247	2512	V-0204	900	264	74- IV -03	ENDSTT	79-56	
525 INT	2759	39 07.1N	70 32.6W	239	74- IV -02/74-XII-06			SITE D
5251	195	V-205	900	265	74- IV -02	ENDSTT	79-56	
5252	997	V-193	900	264	74- IV -03	ENDSTT	79-56	
5253	2005	V-137	900	264	74- IV -03	ENDSTT	79-56	
526 INT	3007	38 47.0N	70 00.5W	238	74- IV -03/74-XII-06			GULF STREAM ARRAY
5261	2006	V-0133	900	264	74- IV -03	ENDSTT	79-56	
5262	2810	V-0108	900	266	74- IV -02	ENDSTT	79-56	
527 INT	2978	39 09.8N	68 59.8W	238	74- IV -02/74-XII-06			GULF STREAM ARRAY
5271	1977	V-0113	900	266	74- IV -02	ENDSTT	79-56	
5272	2781	V-0110	900	265	74- IV -02	ENDSTT	79-56	
528 BTM	3326	38 35.2N	69 10.1W		74- IV -03/74-XII-07			GULF STREAM ARRAY
5282	2329	DT-5110	900	264	74- IV -03	ENDSTT	79-56	

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED		*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS
529	INT	3480	38 21.4N	69 59.6W	238	74- IV -03/74-XII-07			GULF STREAM ARRAY
5291		2483	V-0106	900	264	74- IV -03	ENDSTT	79-56	
5292		3283	V-0109	900	264	74- IV -03	ENDSTT	79-56	NO TEMPERATURE
530	BTM	3815	38 00.5N	70 00.6W	244	74- IV -02/74-XII-13			GULF STREAM ARRAY
5302		2818	V-0115	900	265	74- IV -02	ENDSTT	79-56	
531	INT	3921	38 00.2N	69 18.5W	243	74- IV -16/74-XII-13			GULF STREAM ARRAY
5311		2923	TP#34	86400	227	74- IV -16	TPT		T/P RECORDER
5312		2925	V-0184	900	265	74- IV -02	ENDSTT	79-56	
5313		3724	V-0107	900	265	74- IV -02	ENDSTT	79-56	
532	BTM	4210	37 29.8N	69 19.9W	244	74- IV -03/74-XII-14			GULF STREAM ARRAY
5322		3213	DT-5111	900	264	74- IV -03	ENDSTT	79-56	
533	INT	4182	37 30.3N	70 00.4W	244	74- IV -02/74-XII-14			GULF STREAM ARRAY
5331		3182	V-0183	900	265	74- IV -02	ENDSTT	79-56	
5332		3981	DT-5106	900	265	74- IV -02	ENDSTT	79-56	
534	INT	4339	37 00.4N	69 59.8W	245	74- IV -02/74-XII-16			GULF STREAM ARRAY
5341		3337	V-0131	900	266	74- IV -02	ENDSTT	79-56	
5342		4138	V-0126	900	264	74- IV -03	ENDSTT	79-56	
535	BTM	4450	36 59.3N	69 19.7W	243	74- IV -03/74-XII-14			GULF STREAM ARRAY
5352		3453	V-0127	900	264	74- IV -03	ENDSTT	79-56	
536	INT	4468	36 30.1N	69 19.9W	243	74- IV -04/74-XII-16			GULF STREAM ARRAY
5361		3466	V-0111	900	264	74- IV -04	ENDSTT	79-56	
5362		4267	V-0117	900	264	74- IV -03	ENDSTT	79-56	
537	INT	4463	36 29.8N	70 00.0W	244	74- IV -19/74-XII-16			GULF STREAM ARRAY
5371		3461	TP#42	86400	220	74- IV -19	TPT		T/P RECORDER
5372		3463	V-0179	900	264	74- IV -03	ENDSTT	79-56	NO VANE
5373		4262	V-0195	900	265	74- IV -02	ENDSTCRT	79-56	

538 INT	5457	28 02.6N	69 44.8W	100	74- IV -21/74-VII-27				MODE
5381	511	M-142T	5.27/1800	101	74- IV -18	ENDSTRT	78-5		
5382	574	TP#15	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
5383	774	TP#35	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
5384	972	TP#52	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
5385	1500	M-206T	5.27/1800	116	74- IV -03	ENDSTRT	78-5		
5386	1971	TP#28	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
5387	2480	TP#16	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
5388	3492	TP#29	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
5389	3998	M-175T	5.27/1800	116	74- IV -03	ENDSTRT	78-5		
538,10	3976	TP#24	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
538,11	4394	TP#10	86400	95	74- IV -21	TPT	78-5	T/P RECORDER	
539 SUR	5457	28 01.1N	69 44.9W	2	74- IV 18/74- IV-20		78-5	ENGINEERING MOORING	
540 INT	5265	28 08.9N	68 40.4W	100	74- IV -22/74- VI-29				MODE
5401	509	M-264	5.27/1800	117	74- IV -03	ENDSTR	78-5		
5402	626	TP#14	86400	96	74- IV -22	TPT	78-5	T/P RECORDER	
5403	834	TP#45	86400	96	74- IV -22	TPT	78-5	T/P RECORDER	
5404	1020	TP#46	86400	96	74- IV -22	TPT	78-5	T/P RECORDER	
5405	1511	M-173	5.27/1800	103	74- IV -17	ENDSTR	78-5		
5406	2032	TP#20	86400	96	74- IV -22	TPT	78-5	T/P RECORDER	
5407	2522	TP#19	86400	96	74- IV -22	TPT	78-5	T/P RECORDER	
5408	4008	M-274	5.27/1800	117	74- IV -03	ENDSTR	78-5		
540,11	4419	TP#12	86400	96	74- IV -22	TPT	78-5	ENGINEERING MOORING	
541 INT	3583	38 19.0N	69 39.2W	89	74- IV -03/74-VII-23				
5411	1295	V-0120	900	130	74- IV -03	ENDSTT			

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED		*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES		*REPORT	COMMENTS
542 INT	5462	28 01.3N	69 38.9W	274	74- VII-18/75-VII-26			ARRAY 1	POLYMODE
5421	495	V-5116	900	307	74- VII-18	ENDSTT	79-34		
5422	790	TP#5	1920	270	74- VII-29	TPT	79-34	T/P RECORDER	
5423	988	TP#58	1920	89	74- VII-29	TPT	79-34	T/P RECORDER	
5424	1499	M-213T	5.27/3600	209	74- VII-19	CVBRTRT	79-34		
5426	3493	TP#8	1920	270	74- VII-29	TPT		T/P RECORDER	
5427	4000	M-256	5.27/3600	216	74- VII-27	CVBRTR	79-34		
5428	3987	TP#2	1920	270	74- VII-29	TPT	79-34	T/P RECORDER	
543 INT	5363	27 57.6N	64 57.7W	272	74- VII-18/75- IV-27			ARRAY 1	POLYMODE
5431	502	V-0121	900	307	74- VII-18	ENDSTT	79-34		
5432	795	TP#54	1920	268	74-VIII-01	TPT		T/P RECORDER	
5433	1002	V-0119	900	307	74- VII-18	ENDSTT	79-34		
5434	2002	V-0105	1800	297	74- VII-19	ENDSTCRT			
5435	4003	M-269	5.27/3600	248	74- VII-19	CVBRTR			
5436	4006	TP#26	1920	268	74-VIII-01	TT	79-34		
544 INT	6043	28 00.0N	60 05.8W	?	74-VIII-01/ LOST			ARRAY 1	POLYMODE
545 INT	6015	27 50.2N	55 34.5W	284	74- VII-18/75- V -12			ARRAY 1	POLYMODE
5451	496	V-0185	900	307	74- VII-18	ENDSTT	79-34		
5452	791	TP#44	1920	272	74-VIII-05	CPDT		T/P RECORDER	
5453	996	V-5114	900	293	74-VIII-02	ENDSTCRT			
5454	1996	V-0165	900	307	74- VII-18	ENDSTT	79-34		
5455	1985	TP#6	1920	281	74-VIII-04	TPT		T/P RECORDER	
5456	4004	M-266	5.27/3600	240	74-VIII-01	CVBRTR	79-34		
5457	3987	TP#4	1920	105	74-VIII-04	PT	79-34		
546 INT	5773	27 54.3N	54 54.6W	283	74- VII-18/75- V -12			ARRAY 1	POLYMODE
5461	498	V-0118	900	307	74- VII-18	ENDSTT	79-34		
5462	826	TP#55	1920	277	74-VIII-06	CPDT		T/P RECORDER	
5463	998	V-0129	900	307	74- VII-18	ENDSTT	79-34		
5464	1418	TP#59	1920	280	74-VIII-05	TPT		T/P RECORDER	
5465	1998	V-5104	900	307	74- VII-18	ENDSTT	79-34		
5466	3022	TP#17	1920	280	74-VIII-05	TPT	79-34	T/P RECORDER	
5467	4011	M-272	5.27/3600	238	74-VIII-02	CVBRTR	79-34		
5468	4030	TP#3	1920	280	74-VIII-05	TPT	79-34	T/P RECORDER	

547 INT	5785	28 12.6N	54 56.5W	284	74- VII-18/75- V -13			ARRAY 1	POLYMODE
5471	496	V-0201	900	306	74- VII-18	ENDSTT	79-34		
5473	996	V-0134	900	307	74- VII-18	ENDSTT	79-34		
5474	1996	V-0141	900	307	74- VII-18	ENDSTT	79-34		
5475	4000	M-257	5.27/3600	254	74- VII-19	CVBRTR	79-34		
548 INT	5550	31 01.5N	60 04.3W	279	74- VII-18/75- V -10			ARRAY 1	POLYMODE
5481	500	V-0114	900	307	74- VII-18	ENDSTT	79-34		
5482	814	TP#7	1920	276	74-VIII-06	TPT		T/P RECORDER	
5483	1000	V-0103	1800	293	74- VII-19	ENDSTT	79-34		
5485	2001	V-5109	900	307	74- VII-18	ENDSTT	79-34		
5486	4001	V-0182	900	307	74- VII-18	ENDSTT	79-34		
549 INT	4687	33 59.2N	60 00.6W	269	74- VII-18/75- V -01			ARRAY 1	POLYMODE
5491	502	V-0138	900	307	74- VII-18	ENDSTT	79-34		
5492	810	TP#13	1920	265	74-VIII-08	TPT		T/P RECORDER	
5493	1002	V-5113	900	307	74- VII-18	ENDSTT	79-34		
5494	2002	M-212T	5.27/3600	255	74- VII-18	CVBRTRT	79-34		
5495	4002	V-5117	900	307	74- VII-18	ENDSTT	79-34		
550 INT	4894	36 02.6N	69 02.4W	?	74-VIII-07/ LCST			ARRAY 1	POLYMODE
551 INT	4533	36 01.6N	69 58.2W	130	74- XII-16/75- IV-23			TEST OF VACM MODIFICATIONS	
5511	1484	V-120	900	170	74- XII-03	ENDSTTP		MODIFIED FOR PRESSURE, NO PRESSURE DATA	
5512	1998	V-5101	450	158	74- XII-15	ENDSTCRT		GOOD	
5513	2000	V-5108	450	176	74- XI -27	ENDSTCRT		GOOD	
5514	2002	V-5102	450	176	74- XI -27	ENDSTCRT		GOOD	
5515	2004	V-5105	450	176	74- XI -27	ENDSTCRT		GOOD	

******
1975
******

*MOORING *NO.*	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA * NO.	*DEPTH	*INSTR.	* SAMPLING	*DAYS	*DATA START	* VARIABLES	*REPORT	COMMENTS
552 INT	3540	38 10.6N	69 35.5W	1	75- II -04/75- II-16			TEST OF SETTING MOORING OFF RUSSIAN SHIP
5521	1747	V-0139	225	14	75- II -04	ENDSTCRT		1 DAY SEA DATA
553 INT	4353	31 46.9N	64 26.2W	273	75- IV -17/76- I -26			BERMUDA MICROSTRUCTURE ARRAY
5531	306	V-0183	900	285	75- IV -17	ENDSTCRT	TM	
5532	506	DT-5106	450	201	75- IV -18	ENDSTTT	TM	BATTERY GAS DAMAGES TAPES
5533	734	TP#15	1920	271	75- IV -29	TPT	TM	T/P RECORDER
5534	1005	V-0136	900	285	75- IV -17	ENDSTCRT	TM	
5535	1505	M-261T	5.27/3600	275	75- IV -27	CVBRTRT	TM	VANE,ROTOR APPEAR STICKY NEAR END
554 INT	4774	32 21.4N	65 27.0W	272	75- IV -17/76- I -26			BERMUDA MICROSTRUCTURE ARRAY
5541	314	V-0131	900	285	75- IV -17	ENDSTCRT	TM	
5542	514	V-0106	900	285	75- IV -17	ENDSTCRT	TM	
5543	718	TP#35	1920	121	75- IV -29	TPT	TM	T/P RECORDER
5544	1013	V-0180	900	285	75- IV -17	ENDSTCRT	TM	
5545	1513	M-260T	5.27/3600	274	75- IV -28	CVBRTRT	TM	VANE,ROTOR APPEAR STICKY,STUCK
555 INT	4527	32 59.0N	64 23.8W	271	75- V -02/76- I -25			BERMUDA MICROSTRUCTURE ARRAY
5551	316	V-0111	450	267	75- V -02	ENDSTT	TM	
5552	516	DT-5107	450	101	75- V -02	ENDSTTT	TM	BATTERY GAS DAMAGES TAPES
5553	752	TP#14	1920	20	75- IV -29	TPT	TM	T/P RECORDER
5554	766	DT-5115	450	217	75- IV -18	ENDSTTT	TM	BATTERY GAS DAMAGES TAPES
5555	1016	V-0193	450	267	75- V -02	ENDSTT	TM	
5556	1516	M-217T	3600	270	75- IV -30	TT	TM	TEMPERATURE ONLY,VANE,ROTOR STUCK
5557	4016	M-274T	450	267	75- V -02	CVDSTT	TM	
556 INT	4662	33 21.0N	64 06.2W	17	75- IV -29/75- V -17			TEST MOORING FOR CIRCULATOR INSTRUMENT
5561	1329	M-206T	5.27/1800	21	75- IV -29	CVBRTRT		TEST OF COS/MOS MODIFIED MODEL 850

557 INT	5089	35 55.7N	55 05.9W	230	75- IV -17/75-XII-18				ARRAY 2, SET 1 POLYMODE
5571	600	V-0112	900	258	75- IV -17	ENDSTCRT	78-49		
5572	829	TP#34	1920	226	75- V -05	TPT	78-49		T/P RECORDER
5573	1000	V-0107	900	258	75- IV -17	ENDSTCRT	78-49		
5574	1204	TP#46	1920	223	75- V -07	TPDPCT	78-49		
5575	1499	V-0205P	900	256	75- IV -19	ENDSTTP	78-49		
5576	2002	TP#45	1920	52	75- V -06	TPDT	78-49		
5577	2505	TP#19	1920	223	75- V -07	TPDT	78-49		
5578	3001	TP#16	1920	223	75- V -07	TPDT	78-49		
5579	3501	TP#67	1920	224	75- V -06	TPDT	78-49		
557,10	4001	V-0109	900	258	75- IV -17	ENDSTTT	78-49		
557,11	4505	TP#29	1920	226	75- V -05	TPT	78-49		T/P RECORDER
558 INT	5379	35 56.8N	54 40.5W	223	75- V -06/75-XII-12				ARRAY 2, SET 1 POLYMODE
5581	608	V-199	900	217	75- V -07	ENDSTRT	78-49		
5583	806	TP#42	1920	216	75- V -06	TPT	78-49		T/P RECORDER
5584	1008	M-227T	5.27/3600	222	75- V -04	CVBRTRT	78-49		
5585	1506	M-142T	5.27/3600	223	75- V -03	CVBRTRT	78-49		
5588	2992	TP#68	1920	218	75- V -06	TPDT	78-49		
5589	4007	V-0126	900	258	75- IV -17	ENDSTCRT	78-49		
558,11	4973	TP#24	1920	219	75- V -06	TPT	78-49		T/P RECORDER
559 INT	5478	35 58.2N	53 45.7W	222	75- IV -17/75-XII-11				ARRAY 2, SET 1 POLYMODE
5591	596	V-0127	900	258	75- IV -17	ENDSTCRT	78-49		
5592	802	TP#36	1920	216	75- V -07	TPDPCT	78-49		
5594	1497	M-175T	5.27/3600	223	75- V -03	CVBRTRT	78-49		
5595	3999	V-0133	900	196	75- IV -17	ENDSTCRT	78-49		
560 INT	4774	41 29.1N	54 59.7W	215	75- V -08/75-XII-06				ARRAY 2, SET 1 POLYMODE
5601	3947	TP#27	1920	212	75- V -08	TPT	78-49		T/P RECORDER
5602	3994	M-259T	5.27/3600	216	75- V -04	CVBRTRT	78-49		
561 INT	5171	40 28.0N	55 00.0W	217	75- V -04/75-XII-08				ARRAY 2, SET 1 POLYMODE
5611	3982	M-250T	5.27/3600	217	75- V -04	CVBRTRT	78-49		
5612	4169	TP#11	1920	210	75- V -10	TPDT	78-49		
562 INT	5279	39 29.0N	54 59.2W	216	75- V -04/75-XII-08				ARRAY 2, SET 1 POLYMODE
5621	4000	M-240T	5.27/3600	218	75- V -04	CVBRTRT	78-49		
5622	4173	TP#5	1920	211	75- V -10	TPDT	78-49		

*MOORING *NO.*	TYPE	DEPTH	LATITUDE	LONG.	*DAYS*	SET	/RECOVERED		*REPORT*	COMMENTS
*DATA * NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES		*REPORT*	COMMENTS
563	INT	5353	38 29.8N	54 58.0W	217	75- V -05/75-XII-09				ARRAY 2, SET 1 POLYMODE
5631		3999	M-215T	5.27/3600	217	75- V -05	CVBRTRT	78-49		
5632		4065	TD#28	1920	214	75- V -08	PT	78-49		
564	INT	5350	37 29.5N	55 00.0W	218	75- IV -18/75-XII-10				ARRAY 2, SET 1 POLYMODE
5641		590	V-0204	900	257	75- IV -18	ENDSTCRT	78-49		
5642		826	TD#41	1920	211	75- V -11	TPDPCT	78-49		
5643		990	V-0184	900	257	75- IV -17	ENDSTCRT	78-49		
5644		1490	M-276T	5.27/3600	217	75- V -06	CVBRTRT	78-49		
5645		3992	V-0195	900	258	75- IV -17	ENDSTCRT	78-49		
565	INT	5162	35 36.0N	55 04.9W	225	75- IV -17/75-XII-18				ARRAY 2, SET 1 POLYMODE
5651		646	V-0108	900	258	75- IV -17	ENDSTCRT	78-49		
5652		840	TD#33	1920	218	75- V -12	TPDPCT	78-49		
5653		1046	V-0113	900	257	75- IV -17	ENDSTCRT	78-49		
5654		1546	M-173T	5.27/3600	225	75- V -07	CVBRTRT	78-49		
5655		3035	TD#69	1920	219	75- V -11	TPDT	78-49		
5656		4046	V-0117	900	257	75- IV -17	ENDSTCRT	78-49		
5657		5021	TD#10	1920	218	75- V -12	TPDT	78-49		
566	INT	5516	34 53.4N	55 01.6W	223	75- IV -17/75-XII-17				ARRAY 2, SET 1 POLYMODE
5661		604	V-0135	900	257	75- IV -17	ENDSTCRT	78-49		
5662		807	TD#38	1920	218	75- V -11	TPDPCT	78-49		
5663		1005	V-0137	900	243	75- IV -18	ENDSTCRT	78-49		
5664		1505	M-191T	5.27/3600	223	75- V -08	CVBRTRT	78-49		
5665		4006	V-0139	900	257	75- IV -17	ENDSTCRT	78-49		
567	INT	5296	31 35.8N	55 04.9W	216	75- IV -17/75-XII-15				ARRAY 2, SET 1 POLYMODE
5671		628	V-0178	900	258	75- IV -17	ENDSTCRT	78-49		
5672		831	TD#40	1920	212	75- V -16	TPDPCT	78-49		
5673		1028	V-0179	900	257	75- IV -17	ENDSTCRT	78-49		
5674		1528	M-277T	5.27/3600	216	75- V -13	CVBRTRT	78-49		
5675		4030	V-0181	900	257	75- IV -17	ENDSTCRT	78-49		

568 INT	5205	35 55.8N	59 01.6W	219	75- IV -17/75-XII-19			ARRAY 2, SET 1 POLYMODE
5681	599	V-0163	900	257	75- IV -17	ENDSTCRT	78-49	
5682	813	TP#39	1920	214	75- V -18	TPDPCT	78-49	
5683	1000	V-0164	900	258	75- IV -17	ENDSTCRT	78-49	
5684	1500	M-205T	5.27/3600	231	75- V -03	CVBRTRT	78-49	
5685	4001	V-0177	900	257	75- IV -17	ENDSTCRT	78-49	
569 BTM	2941	39 01.2N	71 18.2W	4	75-VIII-11/75-VIII-17			IN CONJUCTION WITH 'ALVIN' DIVES
5691	2841	V-110	28.125	8	75-VIII-11	ENDSTCRT		GOOD
5692	2934	V-201	28.125	8	75-VIII-11	ENDSTCRT		GOOD
570 INT	4288	52 42.7N	33 59.2W	272	75- IX -16/76- VI-24			GIBBS FRACTURE ZONE
5701	4261	V-0129	900	294	75- IX -16	ENDSTTT	TM	
571 INT	2895	52 53.7N	35 31.0W	273	75- IX -16/76- VI-26			GIBBS FRACTURE ZONE
5711	1015	V-0138	900	295	75- IX -16	ENDSTCRT	TM	
5712	2548	V-0119	900	62	75- IX -16	ENDSTCRT	TM	GOOD BEFORE ELECTRICAL FAILURE
5713	2843	V-0134	900	294	75- IX -16	ENDSTCRT	TM	
572 INT	3398	52 46.1N	35 30.0W	273	75- IX -16/76- VI-26			GIBBS FRACTURE ZONE
5721	984	V-0121	900	294	75- IX -16	ENDSTCRT	TM	
5722	2514	V-0118	900	295	75- IX -16	ENDSTCRT	TM	
5723	3046	V-0165	900	295	75- IX -16	ENDSTCRT	TM	
5724	3346	V-0161	900	294	75- IX -16	ENDSTCRT	TM	
573 INT	4758	41 29.3N	54 58.6W	306	75- XII-06/76- X -07			ARRAY 2, SET 2 POLYMODE
5731	4001	M-273T	5.27/3600	331	75- XII-06	CVBRTRT	78-49	
5732	3996	TP#03	1920	302	75- XII-09	TPDPT	78-49	T/P RECORDER
574 INT	5177	40 27.1N	55 03.0W	307	75- XII-06/76- X -09			ARRAY 2, SET 2 POLYMODE
5741	3995	M-266T	5.27/3600	331	75- XII-06	CVBRTRT	78-49	
5742	4185	TP#48	1920	302	75- XII-10	TPDPT	78-49	T/P RECORDER
575 INT	5264	30 30.2N	54 59.9W	308	75- XII-07/76- X -10			ARRAY 2, SET 2 POLYMODE
5751	3993	M-264T	5.27/3600	330	75- XII-07	CVBRTRT	78-49	
5752	4190	TP#02	1920	303	75- XII-10	TPDPT	78-49	T/P RECORDER

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET	/RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS	
576 INT	5340	38 29.5N	54 55.4W	307	75- XII-07	/76- X -10			ARRAY 2, SET 2 POLYMODE
5761	3997	M-257T	5.27/3600	330	75- XII-07	CVBRTRT	78-49		
5762	3992	TP#22	1920	303	75- XII-11	TPDPT	78-49		T/P RECORDER
577 INT	5310	37 28.7N	55 00.9W	308	75- XII-10	/76- X -12			ARRAY 2, SET 2 POLYMODE
5771	588	V-5101	900	341	75- XI -25	ENDSTCRT	78-49		
5772	785	TP#05	1920	303	75- XII-12	TPDPCT	78-49		T/P RECORDER
5773	991	V-0185	900	328	75- XII-09	ENDSTCRT	78-49		
5774	1495	M-256T	5.27/3600	336	75- XII-01	CVBRTRT	78-49		
5775	3995	V-5108	900	328	75- XII-09	ENDSTCRT	78-49		
578 INT	5463	35 58.3N	53 45.4W	300	75- XII-11	/76- X -05			ARRAY 2, SET 2 POLYMODE
5781	577	V-0141	900	340	75- XI -26	ENDSTCRT	78-49		
5782	790	TP#50	1920	245	75- XII-13	TPDPCT	78-49		T/P RECORDER
5783	980	V-0105	900	334	75- XII-03	ENDSTCRT	78-49		
5784	1483	M-238T	5.27/3600	301	75- XII-09	CVBRTRT	78-49		
5785	3985	V-5113	900	342	75- XI -25	ENDSTCRT	78-49		
579 INT	5338	35 55.7N	54 41.8W	298	75- XII-12	/76- X -04			ARRAY 2, SET 2 POLYMODE
5791	590	V-0201	900	341	75- XI -26	ENDSTCRT	78-49		
5792	758	TP#13	1920	212	75- XII-16	TPDPCT	78-49		T/P RECORDER
5793	994	V-5104	900	667	75- XII-11	ENDSTCRT	78-49		
5794	1497	M-206T	5.27/3600	299	75- XII-10	CVBRTRT	78-49		
5795	2959	TP#08	1920	293	75- XII-14	TPDPT	78-49		T/P RECORDER
5796	4000	V-0114	900	340	75- XI -26	ENDSTCRT	78-49		
5797	4944	TP#26	1920	293	75- XII-14	TPDPT	78-49		T/P RECORDER
580 INT	5507	31 35.2N	54 56.0W	310	75- XII-15	/76- X -19			ARRAY 2, SET 2 POLYMODE
5801	587	V-0326	900	342	75- XI -26	ENDSTCRT	78-49		
5802	802	TP#43	1920	265	75- XII-17	TPDPCT	78-49		T/P RECORDER
5803	990	V-0103	900	338	75- XI -28	ENDSTCRT	78-49		
5804	1494	M-213T	5.27/3600	324	75- XII-13	CVBRTRT	78-49		
5805	3995	V-5109	900	342	75- XI -25	ENDSTCRT	78-49		

581 INT	5502	34 55.6N	55 04.7W	306	75- XII-17/76- X -17			ARRAY 2, SET 2 POLYMODE
5811	587	V-0182	900	341	75- XI -26	ENDSTCRT	78-49	
5812	835	TP#54	1920	300	75- XII-20	TPDPCT	78-49	T/P RECORDER
5813	990	V-0324	900	342	75- XI -25	ENDSTCRT	78-49	
5814	1494	M-269T	5.27/3600	322	75- XII-15	CVBRTRT	78-49	
5815	3995	V-5111	900	342	75- XI -25	ENDSTCRT	78-49	
582 INT	5107	35 36.0N	55 05.0W	303	75- XII-18/76- X -15			ARRAY 2, SET 2 POLYMODE
5821	588	V-0115	900	341	75- XI -26	ENDSTCRT	78-49	
5824	1495	M-272T	5.27/3600	319	75- XII-01	CVBRTRT	78-49	
5825	3108	TP#07	1920	299	75- XII-20	TPDPT	78-49	T/P RECORDER
5826	3996	V-5117	900	342	75- XI -25	ENDSTCRT	78-49	
5827	5095	TP#04	1920	299	75- XII-20	TPDPT	78-49	T/P RECORDER
583 INT	5043	35 52.5N	55 02.5W	302	75- XII-18/76- X -14			ARRAY 2, SET 2 POLYMODE
5831	605	V-0327	900	93	75- XII-02	ENDSTCRT	78-49	
5832	815	TP#23	1920	297	75- XII-21	TPDPCT	78-49	T/P RECORDER
5833	1008	V-0110	900	340	75- XI -26	ENDSTCRT	78-49	
5834	1219	TP#57	1920	297	75- XII-21	TPDPCT	78-49	T/P RECORDER
5835	1492	M-207T	5.27/3600	326	75- XII-10	CVBRTRT	78-49	
5836	2006	TP#59	1920	290	75- XII-21	PDPT	78-49	T/P RECORDER
5838	3011	TP#17	1920	297	75- XII-21	TPDPT	78-49	T/P RECORDER
583,10	3993	V-5105	900	327	75- XII-10	ENDSTCRT	78-49	
583,11	4512	TP#12	1920	299	75- XII-19	TPT	78-49	T/P RECORDER
583,12	5012	TP#32	1920	299	75- XII-19	TPT	78-49	T/P RECORDER
584 INT	5202	35 56.9N	59 01.5W	288	75- XII-20/76- X -02			ARRAY 2, SET 2 POLYMODE
5842	814	TP#47	1920	285	75- XII-21	TPDPCT	78-49	T/P RECORDER
5843	996	V-0101	900	339	75- XI -28	ENDSTCRT	78-49	
5844	1499	M-212T	5.27/3600	318	75- XII-19	CVBRTRT	78-49	
5845	4000	V-5110	900	342	75- XI -25	ENDSTCRT	78-49	
585 SUR	1584	39 46.7N	69 49.5W	73	75- XII-22/76-III-05			TEST OF REDEPLOYABLE KEVLAR
586 INT	1483	39 47.0N	69 54.3W	116	75- XI -28/76- IV-16			ENGINEERING MOORING
5861	325	V-C12CP	900	143	75- XI -28	ENDSTTP		MODIFIED TO INCLUDE PRESSURE

******
1976
******

*MOORING *NO.* *DATA * NO.	TYPE	DEPTH	LATITUDE	LONG.	*DAYS* SAMPLING	SET /RECOVERED *DAYS* DATA START	*REPORT* VARIABLES	*REPORT*	COMMENTS
587	INT	496	39 56.1N	71 02.9W	181	76- I -28/76-VIII-08			SHELF/SLOPE ARRAY
5871		145	V-0117	900	196	76- I -28	ENDSTCRT	80-3	
5872		295	V-0112	900	196	76- I -28	ENDSTCRT	80-3	NO ROTOR,PIVOT BROKE AT LAUNCH
588	INT	2305	39 36.6N	70 56.5W	180	76- I -28/76-VIII-08			SHELF/SLOPE ARRAY
5881		305	V-0178	900	196	76- I -28	ENDSTCRT	80-3	
5882		2005	V-0109	900	196	76- I -28	ENDSTCRT	80-3	
589	INT	2645	39 16.9N	70 50.0W	180	76- I -28/76-VIII-08			SHELF/SLOPE ARRAY
5891		1995	V-0107	900	196	76- I -28	ENDSTCRT	80-3	
590	INT	502	39 42.5N	71 47.0W	183	76- I -28/76-VIII-11			SHELF/SLOPE ARRAY
5901		302	V-0163	900	197	76- I -28	ENDSTCRT	80-3	
591	INT	500	39 54.7N	69 23.4W	155	76- III-05/76-VIII-07			SHELF/SLOPE ARRAY
592	INT	972	17 43.8N	64 56.5W		76- II -18/76- IV-27			SAINT CROIX MOORING
5921		95	V-0108	56.25	26	76- II -18	ENDSTCRT	77-41	
5923		144	V-0139	56.25	33	76- II -18	ENDSTCRT	77-41	
5924		193	V-0181	56.25	33	76- II -18	ENDSTCRT	77-41	
5925		243	V-0164	56.25	34	76- II -18	ENDSTCRT	77-41	
5927		950	V-5116	112.5	66	76- II -18	ENDSTCRT	77-41	

593 INT	5082	0 03.0N	50 28.3W	234	76-	V -10/77- I -02				INDEX
5931	203	V-0106	900	240	76-	V -10	ENDSTCRT	AS		
5933	1500	M-240T	5.27/3600	239	76-	V -08	CVBRTRT	AS		
5934	3545	M-142T	5.27/3600	233	76-	V -13	CVBRTRT	AS		
								AS		
594 INT	5074	0 00.9N	52 58.9W	28	76-	V -10/76- VI-11			RESET AS MOORING 597	INDEX
5941	201	V-0111	900	23	76-	V -17	ENDSTT	AS		
5942	493	TP#63	1920	14	76-	V -15	TPT	AS	T/P RECORDER	
5943	1500	M-260T	5.27/3600	12	76-	V -17	CVDSTT	AS		
5944	2508	M-215T	5.27/3600	23	76-	V -17	CVDSTT	AS		
5945	3544	M-261T	5.27/3600	23	76-	V -17	CVDSTT	AS		
595 INT	5117	1 30.0N	53 00.0W	231	76-	V -10/77- I -04				INDEX
5951	202	V-0184	900	240	76-	V -10	ENDSTCRT	AS		
5953	1500	M-276T	5.27/3600	241	76-	V -09	CVBRTRT	AS		
5954	3542	M-277T	5.27/3600	146	76-	V -09	CVBRTRT	AS		
5955	4551	TP#27	1920	227	76-	V -20	TPT	AS	T/P RECORDER	
596 INT	4711	0 00.1N	0 00.0W	226	76-	V -21/76-XII-31				INDEX
5961	254	TP#61	1920	222	76-	V -21	TPT	AS	T/P RECORDER	
5962	551	V-0183	900	240	76-	V -10	ENDSTCRT	AS		
5963	1550	M-271T	5.27/3600	236	76-	V -12	CVBRTRT	AS		
5964	3595	M-262T	5.27/3600	227	76-	V -19	CVBRTRT	AS		
								AS		
597 INT	5072	0 00.9N	52 58.9W	202	76-	VI -14/77- I -01			RESET OF MOORING 594	INDEX
5971	201	V-0111	5.27/3600	199	76-	VI -14	ENDSTT	AS		
5974	2508	M-215T	5.27/3600	199	76-	VI -14	ENDSTT	AS		
5975	3544	M-261T	5.27/3600	199	76-	VI -14	ENDSTT	AS		

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	DATA START	VARIABLES	*REPORT	COMMENTS
598	INT	5206	35 55.3N	59 02.3W	239	76- IX -14/77- V -28		ARRAY 2,SET 3 POLYMODE
5981		60C	V-0379	900	181	76- IX -14	ENDSTCRT 78-49	
5983		100C	V-0109	900	250	76- IX -20	ENDSTCRT 78-49	
5984		1500	M-270T	3600	238	76- X -01	ENDSTCRT 78-49	
5985		4000	V-0165	900	255	76- IX -15	ENDSTCRT 78-49	
599	INT	5457	35 57.4N	55 27.8W	239	76- IX -14/77- V -29		ARRAY 2,SET 3 POLYMODE
5991		3997	V-0136	900	257	76- IX -14	ENDSTCRT 78-49	
600	INT	5318	35 55.3N	54 44.4W	238	76- IX -20/77- V -29		ARRAY 2,SET 3 POLYMODE
6001		599	V-0108	900	253	76- IX -20	ENDSTCRT 78-49	
6002		796	TP#42	1920	234	76- X -06	DPTPCT 78-49	T/P RECORDER
6003		999	V-0381	900	191	76- IX -17	ENDSTCRT 78-49	
6004		1498	M-175T	3600	284	76- X -03	ENDSTCRT 78-49	
6005		3001	TP#77	1920	234	76- X -06	DPTPCT 78-49	T/P RECORDER
6006		3999	V-0179	900	260	76- IX -13	ENDSTCRT 78-49	
6007		5006	TP#78	1920	234	76- X -06	DPTPCT 78-49	T/P RECORDER
601	INT	5467	35 57.5N	53 46.9W	238	76- IX -14/77- V -30		ARRAY 2,SET 3 POLYMODE
6011		603	V-0375	900	259	76- IX -14	ENDSTCRT 78-49	
6013		1003	V-0177	900	34	76- IX -14	ENDSTCRT 78-49	
6014		1503	M-250T	3600	239	76- X -03	ENDSTCRT 78-49	
6015		4003	V-0195	900	257	76- IX -14	ENDSTCRT 78-49	
602	INT	4772	41 29.4N	54 58.0W	274	76- IX -17/77-VII-09		ARRAY 2,SET 3 POLYMODE
6021		3993	V-0112	900	301	76- IX -17	ENDSTCRT 78-49	
6022		3983	TP#72	1920	271	76- X -09	DPTPCT 78-49	T/P RECORDER
603	INT	5173	40 27.1N	55 03.0W	272	76- IX -20/77-VII-08		ARRAY 2,SET 3 POLYMODE
6031		3996	V-0107	900	298	76- IX -20	ENDSTCRT 78-49	
6032		4239	TP#83	1920	269	76- X -10	DPTPCT 78-49	T/P RECORDER
604	INT	5266	39 29.2N	55 00.8W	270	76- IX -24/77-VII-07		ARRAY 2,SET 3 POLYMODE
6041		4002	V-0133	900	294	76- IX -24	ENDSTCRT 78-49	
6042		4217	TP#82	1920	267	76- X -11	DPTPCT 78-49	T/P RECORDER

605 INT	5340	38 28.8N	54 56.1W	267	76-	IX	-17/7-VII-05			ARRAY 2,SET 3	POLYMODE
6051	4003	V-0178	900	301	76-	IX	-17	ENDSTCRT	78-49		
6052	4036	TP#81	1920	165	76-	X	-13	DPTPCT	78-49	T/P RECORDER	
6053	5240	V-0117	900	301	76-	IX	-17	ENDSTCRT	78-49		
6054	5247	TP#76	1920	264	76-	X	-13	DPTPCT	78-49	T/P RECORDER	
606 INT	5334	37 29.3N	54 59.6W	266	76-	X	-14/7-VII-05			ARRAY 2,SET 3	POLYMODE
6062	814	TP#41	1920	262	76-	X	-14	TT	78-49	T/P RECORDER	
6063	1014	V-0181	900	305	76-	IX	-13	ENDSTCRT	78-49		
6064	1513	M-274T	3600	294	76-	IX	-23	ENDSTCRT	78-49		
6065	4013	V-0121	900	304	76-	IX	-14	ENDSTCRT	78-49		
607 INT	5445	36 30.0N	55 00.0W	264	76-	IX	-21/77-VII-04			ARRAY 2,SET 3	POLYMODE
6071	647	V-0205	900	300	76-	IX	-21	ENDSTTP	78-49		
6072	1048	V-0113	900	301	76-	IX	-17	ENDSTCRT	78-49		
6073	1548	V-0131	900	305	76-	IX	-13	ENDSTCRT	78-49		
6074	4047	V-0373	900	300	76-	IX	-17	ENDSTCRT	78-49		
608 INT	5054	35 52.8N	55 04.6W	261	76-	X	-15/77-V11-04			ARRAY 2,SET 3	POLYMODE
6081	605	V-0129	900	301	76-	IX	-20	ENDSTTT	78-49		
6082	795	TP#34	1920	259	76-	X	-16	DPTPCT	78-49	T/P RECORDER	
6083	1005	V-0193	900	308	76-	IX	-13	ENDSTCRT	78-49		
6085	1506	M-173T	3600	275	76-	X	-12	ENDSTCRT	78-49		
6086	2003	TP#73	1920	259	76-	X	-16	DPPT	78-49	T/P RECORDER	
6087	2501	TP#19	1920	259	76-	X	-16	DPTPCT	78-49	T/P RECORDER	
6089	3500	TP#74	1920	259	76-	X	-16	DPTPCT	78-49	T/P RECORDER	
608,11	4506	TP#75	1920	261	76-	X	-15	TPT	78-49	T/P RECORDER	
608,12	5006	V-0139	900	306	76-	IX	-15	ENDSTCRT	78-49		

*MOORING NC.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NC.		*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	*VARIABLES	*REPORT COMMENTS
609	INT	5115	35 35.8N	55 04.8W	261	76- IX -15/77-VII-04		ARRAY 2,SET 3 POLYMODE
6091		600	V-0161	900	298	76- IX -15	ENDSTCRT 78-49	
6093		1000	V-0366	900	302	76- IX -15	ENDSTCRT 78-49	
6094		1500	M-191T	3600	294	76- IX -23	ENDSTT 78-49	
6095		3117	TP#79	1920	257	76- X -17	DPTPCT 78-49	T/P RECORDER
6096		4000	V-0118	900	298	76- IX -20	ENDSTCRT 78-49	
6098		5006	V-0134	900	308	76- IX -13	ENDSTCRT 78-49	
6099		5129	TP#80	1920	257	76- X -17	DPTPCT 78-49	T/P RECORDER
610	INT	5487	35 14.5N	55 00.0W	260	76- IX -28/77-VII-03		ARRAY 2,SET 3 POLYMODE
6101		598	V-0127P	900	293	76- IX -28	ENDSTTP 78-49	
6102		999	V-0163	900	298	76- IX -20	ENDSTCRT 78-49	
6103		1498	V-0126	900	307	76- IX -14	ENDSTCRT 78-49	
6104		3998	V-0386	900	300	76- IX -17	ENDSTCRT 78-49	
611	INT	5506	34 55.5N	55 04.8W	258	76- IX -14/77-VII-02		ARRAY 2,SET 3 POLYMODE
6111		601	V-0199	900	304	76- IX -14	ENDSTCRT 78-49	
6112		796	TP#38	1920	203	76- X -19	DPTPCT 78-49	T/P RECORDER
6113		1001	V-0371	900	304	76- IX -15	ENDSTCRT 78-49	
6114		1501	M-259T	3600	294	76- IX -23	ENDSTT 78-49	
612	INT	5595	31 35.2N	54 56.0W	246	76- IX -13/77- VI-21		ARRAY 2,SET 3 POLYMODE
6122		803	V-0138	900	282	76- IX -13	ENDSTCRT 78-49	
6123		763	TP#40	1920	242	76- X -21	DPTPCT 78-49	T/P RECORDER
6124		953	DT-5115	900	297	76- IX -21	ENDSTTT 78-49	
6125		1003	V-0204	900	275	76- IX -20	ENDSTCRT 78-49	
6126		1503	V-0119	900	282	76- IX -13	ENDSTCRT 78-49	
6127		2002	V-0180	900	282	76- IX -13	ENDSTCRT 78-49	
6128		2503	V-0135	900	282	76- IX -13	ENDSTCRT 78-49	
6129		4003	V-0137	900	280	76- IX -15	ENDSTCRT 78-49	
613	INT	5581	31 33.7N	50 00.2W	--	76- X -19/77- VI-21		ENGINEERING TEST
614	INT	5581	31 32.0N	55 00.8W	82	76- X -20/77- I -10		PARAFLUX EXPERIMENT

******
1977
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET	/RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	DATA START	VARIABLES		*REPORT	COMMENTS
615 SUB	5584	31 32.7N	54 58.7W	166	77- I -08	77- VI-22			INTERNAL WAVE EXPERIMENT
6151	599	V-0115P	450	163	77- I -09	ENDSPTT			MODIFIED TO INCLUDE PRESSURE
6154	771	DT-5106	450	203	76- XII-27	ENDSTTT	TM		
6155	773	DT-5107	450	203	76- XII-27	ENDSTTT	TM		
6156	778	V-0141	450	176	76- XII-27	ENDSTT	TM		
6157	819	V-0103	450	177	76- XII-27	ENDSTT	TM		
6158	824	V-0114	450	177	76- XII-27	ENDSTT	TM		
6159	826	V-0182	450	177	76- XII-27	ENDSTT	TM		
615,10	999	V-0185	450	177	76- XII-27	ENDSTT	TM		
616 INT	2993	30 54.9N	76 39.0W	357	77- V -14	78- V -05			WESTERN BOUNDERY UNDERCURRENT
6161	1995	V-0326P	900	395	77- V -09	ENDSTTP	TM		PRESSURE DRIFTS 12 DBS
6163	2796	V-0101	900	374	77- IV -26	ENDST	TM		
617 INT	3801	30 32.1N	75 06.0W	357	77- V -14	78- V -06			WESTERN BOUNDERY UNDERCURRENT
6171	601	V-0201P	900	398	77- V -09	ENDSTTP	TM		
6172	2002	V-5101	900	380	77- IV -20	ENDSTT	TM		
6173	3602	V-5102	900	379	77- IV -21	ENDST	TM		
618 INT	4002	30 43.2N	74 11.0W	353	77- V -15	78- V -03			WESTERN BOUNDERY UNDERCURRENT
6181	2002	V-0110P	900	359	77- V -09	ENDSTTP	TM		TEN LOW ORDER T,P BITS =0
6182	3003	V-0431	900	371	77- IV -27	ENDSTT	TM		
6183	3802	V-0105	900	372	77- IV -26	ENDSTT	TM		
619 INT	4597	30 48.3N	74 00.5W	?	77- V -15/	LOST			WESTERN BOUNDERY UNDERCURRENT
620 SUB	5187	31 03.5N	73 28.8W	353	77- V -15	78- V -02			WESTERN BOUNDERY UNDERCURRENT
6201	1958	V-120P	900	399	77- V -09	ENDSTTP	TM		
6202	2958	V-5110	900	377	77- IV -20	ENDSTT	TM		
6203	4987	V-0433	900	370	77- IV -27	ENDSTT	TM		

621 SUB	5453	28 31.0N	70 28.5W	94	77-	V	-17/77-VIII-18		BOTTOM MIXED LAYER EXPERIMENT
6211	5368	V-0325	450	106	77-	V	-09	ENDSTT	OK
6212	5388	DT-5104	450	124	77-	IV	-22	ENDSTTT	OK
6213	5398	DT-5117	450	124	77-	IV	-22	ENDSTTT	OK
6214	5408	DT-5116	450	124	77-	IV	-22	ENDSTTT	OK
6215	5418	DT-5114	450	124	77-	IV	-22	ENDSTTT	OK
6216	5428	DT-5109	450	124	77-	IV	-22	ENDSTTT	OK
6217	5438	DT-5108	450	124	77-	IV	-22	ENDSTTT	OK
622 SUB	5453	28 31.0N	70 24.8W	93	77-	V	-18/77-VIII-18		BOTTOM MIXED LAYER EXPERIMENT
6221	5418	V-0183	450	120	77-	IV	-26	ENDSTT	OK
623 SUB	4251	27 24.8N	41 07.7W	349	77-	VI	-11/78- V -26		CLUSTER B POLYMODE
6231	128	V-5113	900	409	77-	IV	-21	ENDSTT	SAT
6232	496	TP#20	1920	348	77-	VI	-12	TPT	SAT
6233	843	TP#44	1920	348	77-	VI	-12	TPT	SAT
6234	1426	M-142T	5.27/3600	361	77-	V	-31	ENDSTT	SAT
6235	2801	TP#07	1920	348	77-	VI	-12	TPT	SAT
6237	3927	M-256T	5.27/3600	389	77-	V	-03	ENDSTT	SAT
6238	4307	TP#62	1920	348	77-	VI	-12	TPT	SAT MOUNTED ON RELEASE
624 SUB	4372	27 17.5N	40 45.5W	347	77-	VI	-12/78- V -25		CLUSTER B POLYMODE
6241	214	TP#27	1920	346	77-	VI	-13	TPT	SAT
6242	529	M-198C	5.27/3600	388	77-	V	-04	ENDSTT	SAT
6243	1528	M-207T	5.27/3600	403	77-	V	-02	ENDSTT	SAT
6244	2829	TP#28	1920	346	77-	VI	-13	TPT	SAT
6245	4028	M-260T	5.27/3600	215	77-	V	-03	ENDSTT	SAT CHANNEL A ONLY
625 SUB	4723	27 14.5N	40 21.1W	347	77-	VI	-14/78- V -25		CLUSTER B POLYMODE
6251	189	V-0106	900	343	77-	VI	-14	ENDSTT	SAT
6252	483	TP#5	1920	346	77-	VI	-14	TPT	SAT
6253	1488	M-206C	5.27/3600	386	77-	V	-04	ENDSTT	SAT
6254	2807	TP#29	1920	346	77-	VI	-14	TPT	SAT
6255	3990	M-261T	5.27/3600	387	77-	V	-03	ENDSTT	SAT
626 SUB	4315	26 52.7N	41 12.8W	346	77-	VI	-13/78- V -25		CLUSTER B POLYMODE
6261	215	V-0434	900	100	77-	VI	-15	ENDSTT	SAT MOTOR DRIVER BOARD MALFUNCTIONED
6262	507	TP#37	1920	344	77-	VI	-15	TPT	SAT
6263	1514	M-212T	5.27/3600	359	77-	V	-31	ENDSTT	SAT
6264	2821	TP#45	1920	344	77-	VI	-15	TPT	SAT
6265	4015	M-227C	5.27/3600	400	77-	V	-04	ENDSTT	SAT

627 SUB	3857	26 09.8N	41 40.7W	344	77- VI -14/78- V -24			CLUSTER B POLYMODE
6271	206	V-0111	900	417	77- IV -20	ENDSTT	SAT	
6272	531	TP#54	1920	343	77- VI -15	TPT	SAT	
6273	1505	M-213T	5.27/3600	341	77- VI -16	ENDSTT	SAT	
6274	2800	TP#51	1920	343	77- VI -15	TPT	SAT	
6275	3407	M-269C	5.27/3600	385	77- V -04	ENDSTT	SAT	WATER IN CASE-NO ROTOR VALUES
628 SUB	4961	27 25.6N	47 50.0W	340	77- VI -16/78- V -22			CLUSTER A POLYMODE
6282	505	M-240T	5.27/3600	64	77- VI -01	ENDSTT	SAT	ROTOR QUIT APRIL 15
6283	1489	M-271T	5.27/3600	384	77- V -03	ENDSTT	SAT	
6284	2807	TP#10	1920	339	77- VI -17	TPT	SAT	
6285	3994	M-272C	5.27/3600	355	77- VI -02	ENDSTT	SAT	NO ROTOR AUG.15 TO JAN.15
629 SUB	4954	28 01.0N	48 03.3W	339	77- VI -17/78- V -22			CLUSTER A POLYMODE
6291	203	V-0435	900	405	77- IV -28	ENDSTT	SAT	
6292	505	TP#47	1920	338	77- VI -18	TPT	SAT	
6293	1500	M-257T	5.27/3600	355	77- VI -01	ENDSTT	SAT	
6294	2807	TP#11	1920	338	77- VI -18	TPT	SAT	
6295	4006	M-273T	5.27/3600	336	77- VI -18	ENDST	SAT	CLOCK DRIFTS 13H. AFTER MARCH 1
630 SUB	4895	27 51.7N	48 39.4W	338	77- VI -17/77- V -21			CLUSTER A POLYMODE
6301	200	V-0184	900	413	77- IV -20	ENDSTT	SAT	
6302	542	TP#50	1920	337	77- VI -18	TPT	SAT	
6304	1498	M-215T	5.27/3600	406	77- V -02	ENDSTT	SAT	
6305	2800	TP#17	1920	337	77- VI -18	TPT	SAT	
6306	3498	TP#6	1920	337	77- VI -18	TPT	SAT	
6308	4908	TP#61	1920	337	77- VI -18	TPT	SAT	
631 SUB	5106	27 55.8N	48 52.1W	337	77- VI -18/78- V -18			CLUSTER A POLYMODE
6311	212	V-5105	900	410	77- IV -20	ENDSTT	SAT	
6312	546	TP#13	1920	336	77- VI -19	TPT	SAT	
6313	1510	M-276T	5.27/3600	384	77- V -02	ENDSTT	SAT	NO COMPASS VALUES
6314	2857	TP#3	1920	336	77- VI -19	TPT	SAT	
6315	4016	M-262T	5.27/3600	383	77- V -03	ENDSTT	SAT	
632 SUB	4881	26 51.8N	49 13.5W	336	77- VI -18/78- V -20			CLUSTER A POLYMODE
6321	190	V-0436	900	405	77- IV -28	ENDSTT	SAT	
6323	1488	M-264T	5.27/3600	383	77- V -02	ENDSTT	SAT	NO ROTOR VALUES AFTER DEC. 2
6324	2796	TP#24	1920	335	77- VI -19	TPT	SAT	
6325	3993	M-266T	5.27/3600	382	77- V -03	ENDSTT	SAT	

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE*	LONG.	*DAYS*	SET /RECOVERED	*REPORT*	COMMENTS
*DATA NO.		*DEPTH	*INSTR.*	SAMPLING	*DAYS	*DATA START*	VARIABLES	*REPORT* COMMENTS
633 SUB	1611	32 33.8N	64 44.7W	388	77- XI -15	/78-XII-07		ISLAND TRAPPED WAVES
6331	611	V-0325P	900	422	77- XI -14	ENDSTTP	TM	NO ROTOR VALUES
6332	911	V-0139	900	428	77- XI -14	ENDSTT	TM	
6333	1211	V-0183	900	277	77- XI -14	ENDSTT	TM	ELECTRONIC MALFUNCTION AFTER AUG. 6
6334	1511	V-0112	900	423	77- XI -14	ENDSTT	TM	
634 SUB	542	32 32.2N	64 44.1W	395	77- XI -16	/78-XII-16		ISLAND TRAPPED WAVES
6342	542	V-0113	900	403	77- XI -14	ENDSTT	TM	
6343	842	V-0163	900	403	77- XI -14	ENDSTT	TM	
635 SUB	524	32 22.4N	65 00.9W	395	77- XI -17	/78-XII-17		ISLAND TRAPPED WAVES
6352	524	V-0181	900	404	77- XI -14	ENDSTT	TM	
6353	824	V-0371	900	409	77- XI -14	ENDSTT	TM	NO ROTOR VALUES
636 SUB	4456	4 02.4N	39 40.5W	362	77- XII-08	/78-XII-05		WESTERN BOUNDARY SILL
6361	4256	V-0119	900	416	77- XI -02	ENDSTT	79-85	
6362	4356	M-270C	5.27/3600	411	77- XI -04	ENDSTT	79-85	
6363	4406	V-0114	900	416	77- XI -01	ENDSTT	79-85	
6364	4446	V-0366	900	416	77- XI -01	ENDSTT	79-85	
637 SUB	4304	4 01.2N	39 19.0W	362	77- XII-08	/78-XII-05		WESTERN BOUNDARY SILL
6371	4104	V-0134	900	416	77- XI -01	ENDSTT	79-85	
6372	4204	M-250C	5.27/3600	380	77- XII-06	ENDSTT	79-85	
6373	4254	V-0107	900	416	77- XI -01	ENDSTT	79-85	
6374	4294	V-0141	900	416	77- XI -01	ENDSTT	79-85	COMPASS MAY BE STICKY

******
1978
******

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS
638 INT	5362	31 23.1N	69 28.9W	446	78- IV -29/79-VII-20			LOCAL DYNAMICS EXPERIMENT
6382	602	V-0380	900	478	78- III-29	ENDSTT		NO ROTOR AFTER DEC.25
6383	701	TP#79	1920	444	78- V -01	TPT		
639 INT	5355	31 09.8N	69 22.0W	447	78- IV -29/79-VII-21			LOCAL DYNAMICS EXPERIMENT
6391	498	TP#88	1920	445	78- V -01	TPT		
6392	599	V-0379	900	488	78- III-29	ENDSTT		NO ROTOR AFTER DEC.25
6394	822	V-0195	900	490	78- III-27	ENDSTT		
640 INT	5355	31 01.4N	69 29.9W	447	78- IV -30/79-VII-22			LOCAL DYNAMICS EXPERIMENT
640 1	245	V-0378	900	489	78- III-27	ENDSTT		
640 2	370	V-0115P	900	473	78- IV -13	ENDSTTP		
640 3	494	V-0185	900	489	78- III-27	ENDSTT		
640 4	595	V-0182	900	489	78- III-27	ENDSTT		
640 5	695	V-0180	900	489	78- III-27	ENDSTT		
640 6	820	V-0179	900	490	78- III-27	ENDSTT		
640 7	920	TP#72	1920	446	78- V -02	TPT		
640 8	1044	M-173C	5.27/3600	470	78- IV -28	ENDSTT		NO ROTOR VALUES
640 9	1270	M-277C	5.27/3600	469	78- IV -28	ENDSTT		NO ROTOR VALUES
640,10	1995	M-191C	5.27/3600	472	78- IV -28	ENDSTT		CHANNEL SWITCH PROBLEM
640,11	2995	M-259C	5.27/3600	471	78- IV -12	ENDSTT		CHANNEL SWITCH PROBLEM
640,12	5250	V-0178	900	490	78- III-27	ENDSTT		
640,14	5332	V-0165	900	487	78- III-30	ENDSTT		

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.		*DEPTH	*INSTR.	SAMPLING	*DAYS	DATA START	VARIABLES	*REPORT COMMENTS
641 INT	5349	31 10.1N	69 37.5W	447	78- IV -30/79-VII-22			LOCAL DYNAMICS EXPERIMENT
6411	494	TP#86	1920	429	78- V -02	TPT		
6412	595	V-0375	900	484	78- III-29	ENDSTT		
6413	695	TP#41	1920	429	78- V -02	TPT		
6414	819	V-0122	900	494	78- III-22	ENDSTT		
642 INT	5403	30 58.5N	69 50.0W	446	78- V -01/79-VII-22			LOCAL DYNAMICS EXPERIMENT
6421	502	TP#87	1920	429	78- V -02	TPT		
6422	603	V-0204	900	490	78- III-27	ENDSTT		
643 INT	5375	30 49.0N	69 36.9W	439	78- V -10/79-VII-23			LOCAL DYNAMICS EXPERIMENT
6431	510	TP#83	1920	438	78- V -11	TPT		
6432	611	V-0138	900	493	78- III-23	ENDSTT		NO TEMPERATURE
6433	710	TP#75	1920	438	78- V -11	TPT		
6434	834	V-0137	900	493	78- III-23	ENDSTT		
644 INT	5366	30 35.5N	69 28.2W	440	78- V -10/79-VII-24			LOCAL DYNAMICS EXPERIMENT
6441	543	TP#85	1920	438	78- V -11	TPT		
6442	644	V-0164	900	494	78- III-23	ENDSTT		
6443	743	TP#78	1920	438	78- V -11	TPT		
645 INT	5367	31 00.7N	69 27.0W	?	78- V -10/LOST			LOCAL DYNAMICS EXPERIMENT
646 INT	5339	30 50.3N	69 22.0W	438	78- V -11/79-VII-23			LOCAL DYNAMICS EXPERIMENT
6461	492	TP#80	1920	435	78- V -12	TPT		
6462	593	V-0131	900	494	78- III-23	ENDSTT		
6463	693	TP#77	1920	435	78- V -12	TPT		
6464	817	V-0129	900	493	78- III-22	ENDSTT		ELECTRONIC FAILURE
647 INT	5286	31 00.0N	69 09.6W	438	78- V -11/79-VII-23			LOCAL DYNAMICS EXPERIMENT
6471	477	TP#69	1920	435	78- V -12	TPT		
6472	578	V-0126	900	493	78- III-22	ENDSTT		
6473	677	TP#68	1920	435	78- V -12	TPT		

648 INT	4881	27 51.4N	48 40.8W	515	78- V -22/79- X -18			CLUSTER A SITE POLYMODE
6481	178	V-0109	900	587	78- III-30	ENDSTT	SAT	
6482	478	TP#73	1920	514	78- V -23	TPT	SAT	
6483	828	TP#35	1920	514	78- V -23	TPT	SAT	
6484	1479	V-0117	900	588	78- III-30	ENDSTT	SAT	
6485	2779	TP#39	1920	514	78- V -23	TPT	SAT	
6486	3478	TP#46	1920	514	78- V -23	TPT	SAT	
6487	3978	V-0118	900	588	78- III-29	ENDSTT	SAT	
649 INT	4268	27 25.6N	41 09.4W	513	78- V -26/79- X -20			CLUSTER B SITE POLYMODE
6491	216	V-0108	900	588	78- III-29	ENDSTT	SAT	
6492	516	TP#74	1920	512	78- V -26	TPT	SAT	
6493	866	TP#30	1920	512	78- V -26	TPT	SAT	
6494	1517	M-175C	5.27/3600					INSTRUMENT FLOODED
6495	2818	TP#40	1920	512	78- V -26	TPT	SAT	
6496	3417	TP#81	1920	512	78- V -26	TPT	SAT	
6497	4018	V-0108	900	587	78- III-30	ENDSTT	SAT	
650 INT	3964	38 03.2N	68 56.4W	200	78- VII-03/78-XII-20			ENGINEERING MOORING

*MOORING NO.	*TYPE	*DEPTH	*LATITUDE	LONG.	*DAYS	SET /RECOVERED	*REPORT	COMMENTS
*DATA NO.	*DEPTH	*INSTR.	SAMPLING	*DAYS	*DATA START	VARIABLES	*REPORT	COMMENTS
651 SUB	1558	59 01.5N	12 32.0W	41	78- VII-29/78- IX-07			JASIN
6511	79	DT-5104	112.5	61	78- VII-22	ENDSTTT	78-93	
6512	82	DT-5106	112.5	61	78- VII-22	ENDSTTT	78-93	
6513	85	V-326P	900	60	78- VII-23	ENDSTTP	78-93	
6515	91	DT-5107	112.5	60	78- VII-23	ENDSTTT	78-93	
6516	94	V-0177	900	63	78- VII-24	ENDSTT	78-93	
6517	97	V-0386	900	64	78- VII-23	ENDSTT	78-93	
6518	100	DT-5108	112.5	61	78- VII-22	ENDSTTT	78-93	
6519	103	DT-5109	112.5	61	78- VII-22	ENDSTTT	78-93	
651,10	106	V-0373	900	64	78- VII-23	ENDSTT	78-93	
651,11	109	V-0381	900	64	78- VII-23	ENDSTT	78-93	
651,12	112	DT-5114	112.5	61	78- VII-22	ENDSTTT	78-93	
651,13	115	V-0101	900	63	78- VII-24	ENDSTT	78-93	
651,14	118	V-0105	900	63	78- VII-24	ENDSTT	78-93	
651,15	121	DT-5115	112.5	61	78- VII-23	ENDSTTT	78-93	
651,16	124	DT-5116	112.5	61	78- VII-22	ENDSTTT	78-93	
651,17	185	DT-5117	112.5	61	78- VII-22	ENDSTTT	78-93	
651,18	200	DT-5101	112.5	59	78- VII-23	ENDSTTT	78-93	
651,19	210	V-0431	900	64	78- VII-23	ENDSTT	78-93	
651,20	295	DT-5102	112.5	60	78- VII-23	ENDSTTT	78-93	
651,21	300	DT-5110	112.5	60	78- VII-22	ENDSTTT	78-93	
651,22	310	V-0110P	900	60	78- VII-23	ENDSTTP	78-93	
651,23	1000	DT-5105	112.5	60	78- VII-24	ENDSTTT	78-93	
652 SUB	1551	59 01.5N	12 33.0W	39	78- VII-30/78- IX-06			JASIN
6520		V-167	900	64	78- VII-24	ENDSTT	78-93	ATMOSPHERIC DATA
652,10	79	V-0436	900	64	78- VII-23	ENDSTT	78-93	
653 SUB	1555	59 01.1N	12 34.3W	39	78- VII-30/78- IX-06			JASIN
6531	15	NBIS	180	50	78- VII-21	ENTTCPPP		
6532	17	V-0433	900	63	78- VII-24	ENDSTT	78-93	
6536	79	DT-5113	112.5	60	78- VII-22	ENDSTTT	78-93	
6537	83	NBIS	180	74	78- VII-21	ENTTC		
654 SUB	1244	32 32.1N	64 47.0W	30	78- XI -17/78-XII-17			AIR DEPLOYABLE MOORING

THE END. MOORINGS SET FROM 1963 THROUGH 1978

SECTION C BIBLIOGRAPHY

The bibliography on the following pages contains references to articles in scientific journals, technical reports, and other publications which bear on the scientific and technical activities of the Buoy Group. The list is reasonably complete as of February 1980.

Physical Oceanography Publications

Scientific Papers

1957

Walden, R. G., D. D. Ketchum, and D. D. Frantz, Jr., Buoy telemeters ocean temperature data. Electronics, 30,(6),164-167.

1963

Richardson, W. S., P. B. Stimson, and C. H. Wilkins, Current measurements from moored buoys. Deep-Sea Res., 10,(4),369-388.

Webster, F., A preliminary analysis of some Richardson current meter records. Deep-Sea Res., 10,(4),389-396.

1965

Day, C. G., and F. Webster, Some current measurements in the Sargasso Sea. Deep-Sea Res., 12,(6),805-814.

Stimson, P. B., Synthetic-fiber deep-sea mooring cables: their life expectancy and susceptibility to biological attack. Deep-Sea Res., 12, (1), 1-8.

Worthington, L. V., and G. H. Volkmann, The volume transport of the Norwegian Sea overflow water in the North Atlantic. Deep-Sea Res., 12, (5), 667-676.

1966

Stalcup, M. C., and W. G. Metcalf, Direct measurements of the Atlantic Equatorial undercurrent. J. Mar. Res., 24, (1), 44-55.

1968

Webster, F., Observations of inertial-period motions in the deep sea. Rev. of Geophys., 6, (4), 473-490.

1969

Clarke, R.A., and N. P. Fofonoff, Geophysical fluid flow over varying bottom topography. J. Mar. Res., 27, (2), 226-240.

Fofonoff, N. P., Spectral characteristics of internal waves in the ocean. Deep-Sea Res., Supp. to Vol. 16, 59-71.

Longuet-Higgins, M. S., On the transport of mass by time varying ocean currents. Deep-Sea Res., 16, (5), 431-447.

Martin, S., W. F. Simmons, and C. I. Wunsch, Resonant internal wave interactions. Nature, 224, No. 5223, 1014-1016.

Physical Oceanography Publications

Scientific Papers

1969 (cont.)

Richardson, W. S., W. J. Schmitz, Jr., and P. P. Niiler, The velocity Structure of the Florida Current from the straits of Florida to Cape Fear. Deep-Sea Res., Supp. to Vol. 16, 225-231.

Schmitz, W. J., Jr., and P. P. Niiler, A note on the kinetic energy exchange between fluctuations and mean flow in the surface layer of the Florida Current. Tellus, 21, 814-819.

Schmitz, W. J., Jr., On the dynamics of the Florida Current. J. Mar. Res., 27, No. 1, 121-150.

Webster, F., On the representativeness of direct deep-sea current measurements. Progress in Oceanography, Vol. 5, 3-15.

Webster, F., Vertical profiles of horizontal ocean currents. Deep-Sea Res., 16, (1), 85-98.

Webster, F., Turbulence spectra in the ocean. Deep-Sea Res., Supp to Vol. 16, 357-368.

1970

Frankignoul, C., The effect of weak shear and rotation on inertial waves. Tellus, 22, (2), 194-204.

Pollard, R. G., On the generation by winds of inertial waves in the ocean. Deep-Sea Res., 17, (4), 795-812.

Pollard, R. T., Surface waves with rotation — an exact solution. J. Geo. Res., 75, (30), 5895-5898.

Pollard, R. T., and R. C. Millard, Jr., Comparison between observed and simulated wind-generated inertial oscillations. Deep-Sea Res., 17, (4), 813-821.

Schmitz, W. J., Jr., A. R. Robinson, and F. C. Fuglister, Bottom velocity measurements directly under the Gulf Stream. Science, 170, 1192-1194.

Siedler, G., General circulation of water masses in the Red Sea. in: Hot brines and recent heavy metal deposits in the Red Sea, E. T. Degens and D. A. Ross, editors, 131-137.

Physical Oceanography Publications

Scientific Papers

1970 (cont.)

Thompson, R., Venus's general circulation is a merry-go-round. J. Atmos. Sci., 27, 1107-1116.

Thompson, R., Diurnal tides and shear instabilities in a rotating cylinder. J. Fluid Mech., 40, 737-752.

1971

Fofonoff, N. P., and F. Webster, Current measurements in the western Atlantic. Phil. Trans. Roy. Soc. London A., 270, 1206, 423-436.

Gonella, J., A local study of inertial oscillations in the upper layers of the ocean. Deep-Sea Res., 18, 8, 775-788.

Gonella, J., Sur la polarisation des courants marins par la rotation terrestre. C. R., Acad. Sc. Paris, 273, 162-164.

McKee, W. D., Comments on "A Rossby wake due to an island in an eastward current". J. Phys. Oceanogr., 1, 4, 287.

Millard, R. C., Jr., Wind measurements from buoys: a sampling scheme. J. Geophys. Res., 76, 24, 5819-5828.

Sanford, T. B., and W. J. Schmitz, Jr., A comparison of direct measurements and GEK observations in the Florida Current off Miami. J. Mar. Res., 29, 3, 347-359.

Siedler, G., Vertical coherence of short-periodic current variations. Deep-Sea Res., 18, 179-191.

Thompson, R., Spectral estimation from irregularly spaced data. IEEE Trans. on Geoscience Electronics, GE-9, 107-110.

Thompson, R., Topographic Rossby wave observations at Site D. Deep-Sea Res., 18, 1, 1-24.

Thompson, R., Numeric calculation of turbulent diffusion. Quart. J. Roy. Met. Soc., 97, 93-98.

Thompson, R., Why there is an intense eastward current in the North Atlantic, but not in the South Atlantic. J. Phys. Oceanogr., 1, 235-237.

Thompson, R., Structure of the Antarctic Circumpolar Current. J. Geophys. Res., 76, (36), 8694.

Webster, F., On the intensity of horizontal ocean currents. Deep-Sea Res., 18, 9, 885-893.

Physical Oceanography Publications

Scientific Papers

1972

Frankignoul, C. J., Stability of finite amplitude internal waves in a shear flow. Geophys. Fluid Dyn., 4, (2), 91-99.

Gonella, J., A rotary-component method for analysing meteorological and oceanographic vector time series. Deep-Sea Res., 19, (12), 833-846.

Joyce, T. M., Nonlinear interactions among standing surface and internal gravity waves. Sc.D. Thesis, Massachusetts Institute of Technology, Cambridge , Massachusetts.

Martin, S., W. Simmons, and C. Wunsch, The excitation of resonant triads by single internal waves. J. Fluid Mech., 53, (1), 17-44.

McKee, W. D., Scattering of Rossby waves by partial barriers. Geophys. Fluid Dyn., 4, (1), 83-89.

McWilliams, J., Observations of kinetic energy correspondences in the internal wave field. Deep-Sea Res., 19, (11), 798-811.

Perkins, H. T., Inertial oscillations in the Mediterranean. Deep-Sea Res., 19, (4), 289-296.

Saunders, P. M., Space and time variability of temperature in the upper ocean. Deep-Sea Res., 19, (7), 467-480.

Stalcup, M. C., and W. G. Metcalf, Current measurements in the passages of the Lesser Antilles. J. Geophys. Res., 77, (6), 1032-1049.

Webster, F., Estimates of the coherence of ocean currents over vertical distances. Deep-Sea Res., 19, (1), 35-44.

Wunsch, C., and R. Hendry, Array measurements of the bottom boundary layer and the internal wave field of the Continental Slope. Geophys. Fluid Dyn., 4, 101-145.

1973

Bryden, H., New polynomials for thermal expansion, adiabatic temperature gradient and potential temperature of sea water. Deep-Sea Res., 20, (4), 401-408.

Gould, W. J., Effects of non-linearities of current meter compasses. Deep-Sea Res., 20, (4), 423-427.

Gould, W. J., and W. D. McKee, Vertical structure of semi-diurnal tidal currents in the Bay of Biscay. Nature, 244, 88-91.

Knox, R. A., and R. C. Millard, Jr., Bottom sensing device for use with STD systems. Deep-Sea Res., 20, (4), 419-421.

Physical Oceanography Publications

Scientific Papers

1973 (cont.)

Leary, C., and R. Thompson, Shortcomings of objective analysis schemes. J. Appl. Met., 12, 489-594.

Luyten, J. R., Topographic Rossby waves — a cautionary tale. Mém Soc. Roy. des Sci. de Liège, 6 VI, 167-177.

Magaard, L., and W. D. McKee, Semi-diurnal tidal currents at Site D. Deep-Sea Res., 20, (11), 997-1009.

McKee, W. D., Internal inertia waves in a fluid of variable depth. Proc. Camb. Phil. Soc., 73, 205-213.

Pollard, R., Interpretation of near-surface current meter observations. Deep-Sea Res., 20, (3), 261-268.

Pollard, R. T., P. B. Rhines, and R. Thompson, The deepening of the wind-mixed layer. Geo. Fluid Dynam., 4, 381-404.

Regal, R., and C. Wunsch, M_2 tidal currents in the western North Atlantic. Deep-Sea Res., 20, (5), 493-502.

Saunders, P. M., Tracing surface flow with surface isotherms. Mém. Soc. Roy. des Sci. de Liège, 6, VI, 97-106

Saunders, P. M., The skin temperature of the ocean, a review. Mém. Soc. Roy. des Sci. de Liège, 6, VI, 91-96.

Thompson, R., Generation of stochastic processes with given spectra. Utilitas Mathematica, 3, 127-137.

1974

Bryden, H. L., Geostrophic comparisons using MODE-1 moored current and temperature measurements. Nature, 251, 409-410.

Frankignoul, C. J., A cautionary note on the spectral analysis of short inertial-internal wave records. J. Geo. Res., 79, (24), 3459-3462.

Frankignoul, C. J., Observed anisotropy of spectral characteristics of internal waves induced by low-frequency currents. J. Phys. Oceanogr., 4, 625-634.

Frankignoul, C. J., Preliminary observations of internal wave energy flux in frequency, depth-space. Deep-Sea Res., 21, 895-910.

Physical Oceanography Publications

Scientific Papers

1974 (cont.)

Gould, W. J., W. J. Schmitz, Jr., and C. Wunsch, Preliminary field results for a mid-ocean dynamics experiment (MODE-0). Deep-Sea Res., 21, (11), 911-931.

Joyce, T. M., Nonlinear interactions among standing surface and internal gravity waves. J. Fluid Mech., 63, (4), 801-825.

Lindberg, W. R., and R. Thompson, Simulation of three-dimensional turbulence with given second-order statistical structure. Quart. Jour. of the Roy. Met. Soc., Vol. 100, No. 426, October 1974, 608-623.

Luyten, J. R., and A. R. Robinson, Transient Gulf Stream meandering, II: Analysis via quasi geostrophic time dependent model. J. Phys. Ocean., 3, (2), 256-269.

Robinson, A. R., J. R. Luyten, and F. C. Fuglister, Transient Gulf Stream meandering I: An observational experiment. J. Phys. Ocean., 4, (2), 237-255.

Sanford, T. B., and R. Flick, Observations of strong current shears in the deep ocean and some implications on sound rays. J. Acoust. Soc. of Amer., 56, (4), 1118-1121.

Schmitz, W. J., Jr., Observations of low-frequency current fluctuations on the Continental Slope and Rise near Site D. J. Mar. Res., 32, (2), 233-251.

Siedler, G., 1974, The fine-structure contamination of vertical velocity spectra in the deep ocean. Deep-Sea Res., 21, (1), 37-46.

Siedler, G., and E. Seibold, Currents related to sediment transport at the Ibero-Moroccan continental shelf. Meteor Forsch.-Ergebnisse, Reihe A, No. 14, 1-12.

Siedler, G., 1974, Observations on internal wave coherence in the deep ocean. Deep-Sea Res., 21, (8), 597-610.

Thompson, R., Stratified Ekman boundary layer models. Geo. Fluid Dyn., 5, 201-210.

Physical Oceanography Publications

Scientific Papers

1975

Briscoe, M. G., 1975
Internal waves in the ocean. Rev. Geophys. and Space Physics, 13, 591-598 and 636-645.

Briscoe, M. G., 1975
Preliminary results from the tri-moored internal wave experiment (IWEX). J. Geophys. Res., 80 (27), 3872-3883.

Briscoe, M. G., 1975
Introduction to a collection of papers on internal waves. J. Geophys. Res., 80, 289-290.

Bryden, H. L., 1975
Momentum, mass, heat, and vorticity balances from oceanic measurements of current and temperature. Ph.D. Thesis W.H.O.I.-M.I.T. Joint Program.

Desaubies, Y. J. F., 1975
A linear theory of internal wave spectra and coherences near the Väisälä frequency. J. Geophys. Res., 80, 895-899

Dexter, S. C., J. D. Milliman, and W. J. Schmitz, Jr., 1975
Mineral deposition in current meter bearings. Deep-Sea Res., 22, 703-706.

Fofonoff, N. P., and H. Bryden, 1975
Specific gravity and density of seawater at atmospheric pressure. Jour. Mar. Res., Suppl., 33, 69-82.

Gould, W. J., and E. Sambuco, 1975
The effect of mooring type on measured values of ocean currents. Deep-Sea Res., 22, 55-62.

Hayes, S. P., 1975
The temperature and salinity fine structure of the Mediterranean Water in the western Atlantic. Deep-Sea Res., 22, 1-11.

Hayes, S. P., 1975
Preliminary measurements of the time lagged coherence of vertical temperature profiles. J. Geophys. Res., 80, (3), 307-311.

Hayes, S. P., T. M. Joyce, and R. C. Millard, Jr., 1975
Measurements of vertical fine structure in the Sargasso Sea. Jour. Geophys. Res., 80, (3), 314-319.

Kim, K., 1975
Instability and energetics in a baroclinic ocean. Ph.D. Thesis, W.H.O.I.-M.I.T. Joint Program in Oceanography.

Physical Oceanography Publications

Scientific Papers (cont.)

1975

Müller, P., and D. J. Olbers, 1975
On the dynamics of internal waves in the deep ocean. J. Geophys. Res., 80, 3848-3860.

Robinson, A. R., J. R. Luyten, and G. Flierl, 1975
On the theory of thin rotating jets: A quasi-geostrophic time dependent model. Geophys. Fluid Dyn., 6, 211-244.

Sanford, T. B., and R. E. Flick, 1975
On the relationship between transport and motional electric potentials in broad, shallow currents. J. Mar. Res., 33, (1), 123-139.

Sanford, T. B., 1975
Observations of the vertical structure of internal waves. J. Geophys. Res., 80, 3861-3871.

Wunsch, C., 1975
Internal tides in the ocean. Rev. Geophys. Space Phys., 13, 167-182.

Zenk, W., and E. J. Katz, 1975
On the stationarity of temperature spectra at high horizontal wavenumbers. J. Geophys. Res., 80, 3885-3891.

Physical Oceanography Publications

Scientific Papers

1976

Armi, L., and R. C. Millard, Jr., 1976
The bottom boundary layer of the deep ocean. J. Geophys. Res., 81, (27), 4983-4990.

Eriksen, C. C., 1976
Measurements and models of fine-structure, internal gravity waves and wave breaking in the deep ocean. Ph.D. Thesis, M.I.T.-W.H.O.I. Joint Program in Oceanography.

Frankignoul, C., 1976
Observed interaction between oceanic internal waves and mesoscale eddies. Deep-Sea Res., 23 (9), 805-820

Leaman, K. D., 1976
Observations on the vertical polarization and energy flux of near-inertial waves. J. of Phys. Oceanogr., 6 (6), 894-908.

Leary, C. A., and R. Thompson, 1976
A warm-core disturbance in the western Atlantic during BOMEX. Monthly Weather Review, 104 (4), 443-452.

Luyten, J. R., and J. C. Swallow, 1976
Equatorial Undercurrents. Deep-Sea Res., 23, 1005-1007.

Müller, P., and G. Siedler, 1976
Consistency relations for internal waves. Deep-Sea Res., 23, 613-628.

Panicker, N. N., and D. Schmidt, 1976
Prediction and measurement of the stability of a deep-sea trimooring. Ocean Engineering, Pergamon Press, 3 (4), August 1976, Oxford England.

Panicker, N. N., 1976
Power resource estimate of ocean surface waves. Ocean Engineering, Pergamon Press, 3 (6), December 1976, Oxford, England.

Richman, J. G., 1976
Kinematics and energetics of the mesoscale mid-ocean circulation: MODE. Ph.D. Thesis, M.I.T.-W.H.O.I. Joint Program in Oceanography.

Saunders, P. M., and N. P. Fofonoff, 1976
Conversion of pressure to depth in the ocean. Deep-Sea Res., 23, 109-111.

Saunders, P. M., 1976
Near-surface current measurements. Deep-Sea Res., 23, 249-257

Schmitz, W. J., Jr., 1976
Observation of a new abyssal current at the western foot of the Bermuda Rise. Geophys. Res. Letters, 3 (7), 373-374.

Physical Oceanography Publications

Scientific Papers

1976 (cont.)

Schmitz, W. J., Jr., 1976
Eddy kinetic energy in the deep western North Atlantic. J. Geophys. Res., 81 (27), 4981-2.

Thompson, R., and J. R. Luyten, 1976
Evidence for bottom-trapped topographic Rossby waves from single moorings. Deep-Sea Res., 23 (7), 629-635.

Thompson, R., 1976
Climatological numerical models of the surface mixed layer of the ocean. J. Phys. Oceanogr., 6 (4), 496-503.

Voorhis, A. D., D. C. Webb, and R. C. Millard, Jr., 1976
Current structure and mixing in the shelf/slope water front south of New England. J. Geophys. Res., 81 (21), 3695-3708.

Worthington, L. V., 1976
On the North Atlantic circulation. The Johns Hopkins Oceanographic Studies, Number 6. The Johns Hopkins University Press, Baltimore and London, 110 pp.

Wunsch, C., 1976
Geographical variability of internal wave field: A search for sources and sinks. J. Phys. Oceanogr., 6 (4), 471-485.

Physical Oceanography Publications

Scientific Papers

1977

Armi, L., 1977
The dynamics of the bottom boundary layer of the deep ocean In: Bottom Turbulence, Proceedings of the 8th International Liège Colloquium on Ocean Hydrodynamics, June 1976, J. C. J. Nihol, editor, Elsevier Scientific Publishing Company.

Briscoe, M. G., 1977
Gaussianity of internal waves. Journal of Geophysical Research, 82 (15), 2117-2126.

Briscoe, M. G., 1977
On current finestructure and moored current meter measurements of internal waves. Deep-Sea Research, 24, 1121-1132.

Bryden, H. L., 1977
Geostrophic comparisons from moored measurements of current and temperature during the Mid-Ocean Dynamics Experiment. Deep-Sea Research, 24, 667-681.

Bryden, H. L., 1977
Horizontal advection of temperature for low-frequency motions. Deep-Sea Research, 23, 1165-1174.

Bryden, H. L., and N. P. Fofonoff, 1977
Horizontal divergence and vorticity estimates from velocity and temperature measurements in the MODE region. Journal of Physical Oceanography, 7 (3), 329-337.

Chhabra, N. K., 1977
Correction of vector-averaging current meter records from the MODE-1 central mooring for the effects of low-frequency mooring line motion. Deep-Sea Research, 24, 279-287.

Flierl, G. R., and J. C. McWilliams, 1977
On the sampling requirements for measuring moments of eddy variability. Journal of Marine Research, 35, 797-820.

Fofonoff, N. P., 1977
Computation of potential temperature of seawater for an arbitrary reference pressure. Deep-Sea Research, 24, 489-491.

Jones, I. S. F., and B. C. Kenney, 1977
The scaling of velocity fluctuations in the surface mixed layer. Journal of Geophysical Research, 82 (9), 1392-1396.

Physical Oceanography Publications

Scientific Papers

1977 (cont.)

Joyce, T. M., 1977
A note on the lateral mixing of water masses. Journal of Physical Oceanography, 7, 626-629.

Joyce, T. M., and Y. Desaubies, 1977
Discrimination between internal waves and temperature finestructure. Journal of Physical Oceanography, 7 (1), 22-32.

Luyten, J. R., 1977
Scales of motion in the deep Gulf Stream and across the Continental Rise. Journal of Marine Research, 35 (1), 49-74.

Richman, J. G., C. Wunsch, and N. G. Hogg, 1977
Space and time scales of mesoscale motion in the western North Atlantic. Reviews of Geophysics and Space Physics, 15 (4), 385-420.

Schmitz, W. J., Jr., 1977
On the deep general circulation in the Western North Atlantic. Journal of Marine Research, 35 (1), 21-28.

Thompson, R., 1977
Observations of Rossby waves near Site D. Progress in Oceanography, 7, 135-162.

Physical Oceanography Publications

Scientific Papers

1978

Armi, L., 1978
Some evidence for boundary mixing in the deep ocean. J. Geophys. Res., 83, 1971-1979.

D'Asaro, E., 1978
Mixed layer velocities induced by internal waves. J. Geophys. Res., 83 (C5), 2437-2438.

Bryden, H. L., 1978
Mean upwelling velocities on the Oregon continental shelf during Summer 1973. Estuarine and Coastal Marine Science, 7, 311-327.

Hogg, N. G., T. B. Sanford, and E. J. Katz, 1978
Eddies, Islands and Mixing. J. Geophys. Res., 83, 2921-2938.

Joyce, T. M., W. Zenk, and J. M. Toole, 1978
The anatomy of the Antarctic Polar Front in the Drake Passage. J. Geophys. Res., 83 (C12), 6093-6113.

McCartney, M. S., L. V. Worthington, and W. J. Schmitz, Jr., 1978
Large cyclonic rings from the northeast Sargasso Sea. J. Geophys. Res., 83 (C2), 901-914.

The MODE Group, 1978
The Mid-Ocean Dynamics Experiment. Deep-Sea Res., 25 (10), 859-910.

Müller, P., D. J. Olbers, and J. Willebrand, 1978
The IWEX spectrum. J. Geophys. Res., 83 (C1), 479-500.

Schmitz, W. J., Jr., 1978
Observations of the vertical structure of low frequency fluctuations in the western North Atlantic. J. Mar. Res., 36 (2), 295-310.

Schmitz, W. J., Jr., and N. G. Hogg, 1978
Observations of energetic low frequency current fluctuations in the Charlie-Gibbs Fracture Zone. J. Mar. Res., 36 (4), 725-734.

Physical Oceanography Publications

Scientific Papers

1979

Armi, L., 1979.
Effects of variations in eddy diffusivity on property distributions in the oceans. Journal of Marine Research, 37 (3), 515-530.

Armi, L., 1979.
Reply to comments by C. Garrett on "Some evidence for boundary mixing in the deep ocean". Journal of Geophysical Research, 84, 5097-5098.

Dean, J., 1979.
A moored instrument for vertical temperature gradients. Journal of Geophysical Research, 84, 5089-5091.

Eriksen, C. C., 1979.
An equatorial transect of the Indian Ocean. Journal of Marine Research, 37, 215-232.

Fofonoff, N. P. and E. L. Lewis, 1979.
Letter to the Editor "A Practical Salinity Scale", Journal of the Oceanographical Society of Japan, 35 (1), 63-64.

Frankignoul, C. J. and T. M. Joyce, 1979.
On the internal wave variability during the Internal Wave Experiment (IWEX). Journal of Geophysical Research, 84, 769-776.

Gregg, M. C. and M. G. Briscoe, 1979.
Internal waves, finestructure, microstructure, and mixing in the ocean. Reviews of Geophysics and Space Physics, 17, 1524-1548.

Katz, E. J. and M. G. Briscoe, 1979.
Vertical coherence of the internal wave field from towed sensors. Journal of Physical Oceanography, 9, 518-530.

Luyten, J. R., 1979.
Recent observations in the equatorial Indian Ocean. In: Monsoon Dynamics, M. J. Lighthill, editor, Cambridge University Press.

Rhines, P. B. and W. R. Holland, 1979.
A theoretical discussion of eddy-driven mean flows. Dynamics of Atmospheres and Oceans, 3, 289-325.

Ruddick, B. and T. M. Joyce, 1979.
Observations of interaction between the internal wavefield and low frequency flows in the North Atlantic. Journal of Physical Oceanography, 9, 498-517.

Schmitz, W. J., Jr. and W. B. Owens, 1979.
Observed and numerically simulated kinetic energies for MODE eddies. Journal of Physical Oceanography, 9, 1294-1297.

Physical Oceanography Publications

Scientific Papers

1980

Armi, L., 1980
Anomalous water in the deep ocean suggests lateral advection/stirring. Science, in press.

Armi, L. and E. D'Asaro, 1980
Flow structures of the benthic ocean. Journal of Geophysical Research, 85, C1, 469-484.

Bray, N. A. and N. P. Fofonoff,
Available potential energy for MODE eddies. Journal of Physical Oceanography, submitted.

Bryden, H. L.,
Geostrophic vorticity balance in mid-ocean. Journal of Geophysical Research, accepted.

Bryden, H. L. and M. M. Hall,
Heat transport by currents across 25°N latitude in the Atlantic Ocean. Science, 207, 884-886.

Bryden, H. L., D. Halpern and R. D. Pillsbury,
Importance of eddy heat flux in a heat budget for Oregon coastal waters. Journal of Geophysical Research, submitted.

Eriksen, C.,
Evidence for a spectrum of equatorially trapped internal gravity waves. Journal of Geophysical Research, submitted.

Halpern, D., R. A. Weller, M. G. Briscoe, R. E. Davis and J. R. McCullough,
JASIN and MILE current meter intercomparisons. Journal of Geophysical Research, submitted.

Hogg, N. G.,
Some bottom topography problems in physical oceanography, GARP Publications Series, in press.

Hogg, N. G.,
Observations of internal Kelvin waves trapped round Bermuda. Journal of Physical Oceanography, accepted.

Hogg, N. G. and W. J. Schmitz, Jr.,
A dynamical interpretation of low frequency motions near very rough topography — the Charlie Gibbs Fracture Zone. Journal of Marine Research, accepted.

Holland, W. R. and P. B. Rhines,
An example of eddy-induced ocean circulation. Journal of Physical Oceanography, in press.

Physical Oceanography Publications

Scientific Papers

1980 (cont.)

Joyce, T. M., 1980
On production and dissipation of thermal variance in the oceans. Journal of Physical Oceanography, 10,

Joyce, T. M., R. H. Käse and W. Zenk,
Horizontal advection of temperature in the seasonal thermocline during JASIN 1978. Journal of Physical Oceanography, submitted.

Luyten, J. R. and C. C. Eriksen,
Deep equatorial jets in the Indian and Pacific Oceans. Science, submitted.

McCartney, M. S., L. V. Worthington and M. E. Raymer, 1980
Anomalous water mass distribution at 55°W in the North Atlantic in 1977. Journal of Marine Research, 38, 147-171.

McComas, C. H. and M. G. Briscoe, 1980
Bispectra of internal waves. Journal of Fluid Mechanics, 97, 205-213.

Owens, W. B. and N. G. Hogg,
Oceanic observations of stratified Taylor columns near a bump. Deep-Sea Research, accepted.

Payne, R. E. and W. Smith,
Spectra of frequency counting digitization errors. Deep-Sea Research, accepted.

Rhines, P. B.,
Eddy-driven circulation of the ocean; a vorticity transport theory. Journal of Marine Research, sub judice.

Schmitz, W. J., Jr., 1980
Weakly depth-dependent segments of the North Atlantic circulation. Journal of Marine Research, 38, 111-133.

Physical Oceanography Publications

Technical Reports

1957

Geophysical Research Directorate, The Air Force Cambridge Research Center, and the Air Research and Development Command Report on Contract No. AF 19(604)-2043, W.H.O.I. Technical Report WHOI 57-61.

1958

Frantz, David H., Jr., D. D. Ketchum and R. G. Walden, A radio telemetering system for oceanography. W.H.O.I. Technical Report WHOI 58-29.

Richardson, W. S., Measurement of thermal microstructure. W.H.O.I. Technical Report WHOI 58-11.

1959

Frantz, D. H., Jr., From scullery to front parlor. Oceanus VI, No. 2, 1959.

Hubbard, C. J. and W. S. Richardson, The contour temperature recorder. W.H.O.I. Technical Report WHOI 59-16.

Hubbard, C. J. and W. S. Richardson, Measurement of the spectrum of underwater light. W.H.O.I. Technical Report WHOI 59-30.

1961

Richardson, W. S., Current measurements from moored buoys. Oceanus VIII No. 2, 1961.

1962

Richardson, W. S., Instruction manual for recording current meter. W.H.O.I. Technical Report WHOI 62-6.

Richardson, W. S., Current measurements from moored buoys. Marine Sciences Instrumentation, Volume 1, Plenum Press, 1962.

Snyder, R. M. and E. H. Chute, Telemetering current meter. W.H.O.I. Technical Report WHOI 62-21.

Walden, R. G. and D. H. Frantz, A long-range, oceanographic telemetering system. Marine Sciences Instrumentation, Volume 1, Plenum Press, 1962.

Physical Oceanography Publications

Technical Reports

1963

Morin, J. O. and R. G. Walden, Radio telemetering buoys. Undersea Technology, August 1963.

Richardson, W. S., P. B. Stimson and C. H. Wilkins, Current measurements from moored buoys. W.H.O.I. Technical Report WHOI 63-1.

Smith, P. F. and E. Fredkin, Computers and transducers. Marine Sciences Instrumentation, Vol. II, Plenum Press, 1963.

Snyder, R. M., Report from the North. Oceanus, Vol. IX, No. 4, 1963.

Stimson, P. B., Equalant buoy program. Oceanus, Vol. IX, No. 4, 1963.

Walden, R. G., A telemetry receiving site. Undersea Technology, 4 (10), 18, 1963.

1964

Fofonoff, N. P., Measurement of ocean currents. Proc. of the ONR-NSIA Symp. on Automatic Collection, Processing and Analysis of Oceanogr. Data, University of California, San Diego, 11-12 December 1964.

Lovenvirth, D. L., A computer system for reading Richardson current meter film. M.T.S. Trans. of the 1964 Buoy Tech. Symp.

Smith, P. F., K. E. Perry and A. L. M. Dingee, Jr., Automatic reading and processing of current speed and direction, precision temperature records, and wave data from unattended instruments. First U. S. Navy Symp. on Military Oceanogr., U. S. Navy Oceanographic Office, Washington DC, 1964, 293-328.

Stimson, P. B., Performance record of moored buoy systems. W.H.O.I. Technical Report WHOI 64-14.

Walden, R. G. and D. Webb, Methods of locating and tracking buoys. M.T.S. Trans. of the 1964 Buoy Tech. Symp.

Webster, F., Some perils of measurement from moored ocean buoys. M.T.S. Trans. of the 1964 Buoy Tech. Symp.

Webster, F., Processing moored current meter data. W.H.O.I. Technical Report WHOI 64-55.

1965

Fofonoff, N. P., A technique for analyzing buoy system motion. Geo-Marine Tech., 1 (7) 10-13, 1965.

Physical Oceanography Publications

Technical Reports

1965 (cont.)

Turner, H. J. and B. Prindle, Some characteristics of "fishbite" damage on deep-sea mooring lines. Limn. and Oceanogr., 10, supplement, November 1965, R259-R264.

Walden, R. G., Buoys in oceanography. Sea Frontiers, 11, No. 1, January-February 1965.

Walden, R. G., D. C. Webb and R. M Snyder, Ocean current data from a telemetry buoy. W.H.O.I. Technical Report WHOI 65-65.

Webster, F. and N. P. Fofonoff, A compilation of moored current meter observations, Volume I, W.H.O.I. Technical Report WHOI 65-44.

1966

Fofonoff, N. P., Oscillation modes of a deep-sea mooring. Geo-Marine Tech., 2, (9), 13-17.

Webster, F. and N. P. Fofonoff, A compilation of moored current meter observations, Volume II. W.H.O.I. Technical Report WHOI 66-60.

1967

Berteaux, H. O. and N. P. Fofonoff, Oceanographic buoys gather data from surface to sea floor. Oceanology Intl., July/August 1967.

Fofonoff, N. P., Variability of ocean circulation. Trans. Amer. Geophys. Union, 48, (2), 575-578.

Fofonoff, N. P., Current measurements from moored buoys. Trans. 2nd Int. Buoy Tech. Symp., M.T.S., Washington DC, September 18-20, 1967, 409-418.

Fofonoff, N. P. and Yücel Ercan, Response characteristics of a Savonius rotor current meter. W.H.O.I. Technical Report WHOI 67-33.

Stimson, P. B., Deep-sea mooring cables. M.T.S. Trans. 2nd Int. Buoy Tech. Symp., Washington DC, September 18-20, 1967.

Turner, H. J., Jr. and B. Prindle, The vertical distribution of fish-bites on deep-sea mooring lines in the vicinity of Bermuda. W.H.O.I. Technical Report WHOI 67-58.

Webster, F. and N. P. Fofonoff, A compilation of moored current meter observations, Volume III. W.H.O.I. Technical Report WHOI 67-66.

Webster, F., A scheme for sampling deep-sea currents from moored buoys. M.T.S. Trans. 2nd Int. Buoy Tech. Symp., Washington DC, September 18-20, 1967.

Physical Oceanography Publications

Technical Reports

1968

Berteaux, H. O. R. Mitchell, E. A. Capadona and R. L. Morey, in: A critical look at marine technology, MTS Trans. 4th Ann. Conf., July 1968, 671-705.

Berteaux, H. O., Surface moorings - review of performance. W.H.O.I. Technical Report WHOI 68-20.

Berteaux, H. O. and D. E. Laaksonen, Testing of wire ropes and strands for mooring line applications (Land tests - summer 1968). W.H.O.I. Technical Report WHOI 20-68.

Fofonoff, N. P. and J. F. Garrett, Mooring motion. W.H.O.I. Technical Report WHOI 68-31.

Fofonoff, N. P., A summary report on current measurements from moored buoys, 1959-65. W.H.O.I. Technical Report WHOI 68-30.

Froidevaux, M. R., Application of statistical estimation to the determination of ocean current-meter dynamics. M.I.T. Instrumentation Lab. Rep. No. T-494, January 1968.

Froideveaux, M. R. and R. A. Scholten, Computerized analysis of ocean environmental sensing equipment (O.E.S.E.). Ocean experiment data. M.I.T. Instrumentation Lab. Rep. No. E-2445, 1968.

Froideveaux, M. R. and R. A. Scholten, Calculation of the gravity fall motion of a mooring system. M.I.T. Instrumentation Lab. Rep. No. E-2319, 1968.

Heinmiller, R. H., Jr., A test of a swivel on a deep-sea mooring. W.H.O.I. Technical Report WHOI 13-68.

Heinmiller, R. H., Jr. Acoustic release systems. W.H.O.I. Technical Report WHOI 68-48.

Martin, W. D., Tension and geometry of a single point moored surface buoy system - A computer study. W.H.O.I. Technical Report WHOI 68-79.

McCullough, J. R., Oceanographic applications of digital filters. W.H.O.I. Technical Report WHOI 68-78.

Millard, R. C., Jr., Wind measurements from buoys: a sampling technique. W.H.O.I. Technical Report WHOI 68-68.

Toth, W. and W. Vachon, OESE and Geodyne current meter, Progress report on W.H.O.I. contract PO17052. M.I.T. Instrumentation Lab. Rep. No. E-2229, 1968.

Physical Oceanography Publications

Technical Reports

1968 (cont.)

Volkmann, G. H., Mooring summary, 1967. W.H.O.I. Technical Report WHOI 68-80.

1969

Berteaux, H. O. and R. Heinmiller, Back-up recovery systems of deep-sea moorings. W.H.O.I. Technical Report WHOI 69-7.

Berteaux, H. O. and R. Walden, Analysis and experimental evaluation of single-point moored buoy systems. W.H.O.I. Technical Report WHOI 69-36.

Frankignoul, C., Note on internal waves in a simple thermocline model. W.H.O.I. Technical Report WHOI 69-47.

Maltais, J. A., A nine channel digital magnetic tape format for storing oceanographic data. W.H.O.I. Technical Report WHOI 69-55.

McCullough, J. R. and G. H. Tupper, Summary of current meter operations in 1968. W.H.O.I. Technical Report WHOI 69-14.

Millard, R. C., Jr., Observations of static and dynamic tension variations from surface moorings. W.H.O.I. Technical Report WHOI 69-29.

SCOR 21 Report, UNESCO Tech. Papers in Marine Science No. 11, 1969.

Thompson, R., The search for topographic Rossby waves in the gappy current records at Site D. W.H.O.I. Technical Report WHOI 69-67.

Volkmann, G. H., Mooring summary 1968. W.H.O.I. Technical Report WHOI 69-35.

1970

Berteaux, H. O. and R. G. Walden, An engineering program to improve the reliability of deep-sea moorings. M.T.S. 6th Ann. Meeting, 1, 29 June - 1 July, 1970.

Berteaux, H. O., Design of deep-sea mooring lines. M.T.S. Journal, 4, (3), 33-46, 1970.

Day, C. G., Wind measurements from moored buoys. W.H.O.I. Technical Report WHOI 70-19.

Gifford, J., Cruise report CHAIN Cruise 92. W.H.O.I. Technical Report WHOI 70-13.

Heinmiller, R. H., Cruise report CHAIN Cruise 90. W.H.O.I. Technical Report WHOI 70-12.

Physical Oceanography Publications

Technical Reports

1970 (cont.)

Heinmiller, R. H., Cruise report CHAIN Cruise 95. W.H.O.I. Technical Report WHOI 70-14.

Pollard, R. T., A compilation of moored wind and current meter observations. W.H.O.I. Technical Report WHOI 70-40.

Vachon, W. A., Kink formation properties and other mechanical characteristics of oceanographic strands and wire rope. M.I.T. Instrumentation Lab. Report E-2487, 1970.

Volkmann, G., Mooring summary 1969. W.H.O.I. Technical Report WHOI 70-37.

Volkmann, G., Cruise report CHAIN Cruise 98. W.H.O.I. Technical Report WHOI 70-38.

1971

Berteaux, H. O., An engineering review of the Woods Hole Oceanographic Institution buoy program. Proc. Int. Colloq. on Exploitation of the Oceans, Bordeaux, March, 1971.

Dexter, S. C., Interim report on marine materials project. In: Progress Report on Sea Grant GH 104 for Oceanog. Eng. Acad. Devel., A. J. Williams, ed., W.H.O.I. Technical Report WHOI 71-4.

Heinmiller, R. H., R/V CHAIN Cruise 95, January 2-12, 1970. W.H.O.I. Technical Report WHOI 71-23.

Panicker, N. N., Determinations of directional spectra of ocean waves from gauge arrays. PH.D. Thesis, U. of California, Berkeley, Tech. Rept. HEL-1-18.

Tarbell, S. and F. Webster, A compilation of moored current meter and wind observations, Vol. V. W.H.O.I. Technical Report WHOI 71-50.

1972

Daubin, S. C., H. O. Berteaux, D. S. Bitterman, Jr., P. R. Boutin and P. E. Kallio, The ACODAC system. W.H.O.I. Technical Report WHOI 72-87.

Dexter, S. C., Handbook of oceanographic materials. W.H.O.I. Technical Report WHOI 4-72.

Physical Oceanography Publications

Technical Reports

1972 (cont.)

Heinmiller, R. H., Cruise Report, Chain 101, 29 January - 14 February 1972. W.H.O.I. Technical Report WHOI 72-48.

Heinmiller, R. H., Cruise Report, Knorr 17, 3 - 17 December, 1970. W.H.O.I. Technical Report WHOI 72-49.

Heinmiller, R. H., Cruise Report, Knorr 23, 25 July - August 1971. W.H.O.I. Technical Report WHOI 72-50.

Heinmiller, R. H., Cruise Report, Knorr 5, June - July, 1970. W.H.O.I. Technical Report WHOI 72-51.

Moller, D. A., R/V Knorr Cruise No. 13, October 7 - 21, 1970. W.H.O.I. Technical Report WHOI 72-80.

Stimson, P. B. and B. Prindle, Armoring of synthetic-fiber deep-sea mooring lines against fishbite. W.H.O.I. Technical Report WHOI 72-75.

1973

Berteaux, H. O. and R. Heinmiller, Back-up recovery of deep-sea moorings. MTS Journal, February/March, 1973.

Berteaux, H. O. and R. Morey, Alleviation of corrosion problems in deep-sea moorings. Proc. 3rd Int. Cong. on Marine Corrosion and Fouling, Gettysburg, Maryland.

Chhabra, N. K, 1973, Mooring Mechanics — A Comprehensive Study, Vol. 1. C. S. Draper Laboratory, Inc., Report R-775.

Collins, C. W., Jr., Radio antenna system installation and measurement on oceanographic buoys. W.H.O.I. Technical Report WHOI Tech. Memo 2-73.

Frankignoul, C. J. and R. F. Henery, Spectral analysis of short inertial-internal wave records. Marine Sciences Directorate Manuscript Report Series No. 34.

Gifford, J., Cruise Report, R/V Chain 107, 22 October - 10 November, 1972. W.H.O.I. Technical Report WHOI 73-4.

Heinmiller, R. H., Cruise Report: Chain 112, Legs I and II, 6 March - 3 April, 1973. W.H.O.I. Technical Report WHOI 73-51.

Heinmiller, R. H., Cruise Report: Chain 112, Leg IV, 24 June - 9 July, 1973. W.H.O.I. Technical Report WHOI 73-50.

Physical Oceanography Publications

Technical Reports

1973 (cont.)

Heinmiller, R. H. and R. G. Walden, Details of Woods Hole moorings. W.H.O.I. Technical Report WHOI 73-71.

Panicker, N. N., Computer simulation of a tripod mooring for design and prediction. W.H.O.I. Technical Report WHOI 73-85.

Tupper, G., Cruise Report, Gosnold 194. W.H.O.I. Technical Report WHOI 73-30.

Walden, R. G. and N. N. Panicker, Analysis of taut-mooring technology. Proc. W.M.O. Tech. Conf. on means of Acquis. and Commun. of Ocean Data, Tokyo, Japan. W.H.O.I. Technical Report WHOI 73-31.

Walden, R. G., H. O. Berteaux and F. Striffler, The design, logistics and installation of a SOFAR float tracking station at Grand Turk Island (B.W.I.). W.H.O.I. Technical Report WHOI 73-73.

1974

Briscoe, M. G., Near-surface experiment at MODE site. MODE Hot-Line News, no. 47, 4 January 1974 (unpublished document).

Briscoe, M. G., Exponential fits to the MODE area Väisälä profile. MODE Hot-Line News, no. 59, 21 June 1974 (unpublished document).

Bryden, H., Geostrophic calculations from MODE-I moored temperature data. MODE Hot-Line News, no. 50, 15 February 1974 (unpublished document).

Chausse, D. and S. Tarbell, A compilation of moored current meter and wind observations, Volume VII (1968 measurements). W.H.O.I. Technical Report WHOI 74-52.

Chhabra, N. K., J. M. Dahlen and M. R. Froidevaux, 1974, Mooring Dynamics Experiment - Determination of a Verified Dynamic Model of the W.H.O.I. Intermediate Mooring. C. S. Draper Laboratory, Inc., Report R-823.

Dexter, S. C., Microbiological fouling and its control in coastal water and the deep ocean. W.H.O.I. Technical Report WHOI 74-64.

Fofonoff, N. P., S. P. Hayes and R. C. Millard, Jr., W.H.O.I./Brown microprofiler: methods of calibration and data handling. W.H.O.I. Technical Report WHOI 74-89.

Frankignoul, C., Energy correspondences in the internal wave field. MODE Hot-Line News, no. 54, 12 April 1974 (unpublished document).

Physical Oceanography Publications

Technical Reports

1974 (cont.)

Frankignoul, C., Interaction between internal waves and low-frequency currents. MODE Hot-Line News, no. 62, 2 August 1974 (unpublished document).

Gifford, J. E., Cruise Report, Atlantis II 57, May 1970. W.H.O.I. Technical Report WHOI 74-101.

Gifford, J. E., Cruise Report, Knorr 8, August 1970. W.H.O.I. Technical Report WHOI 74-102.

Gifford, J. E., Cruise Report, Atlantis II 66, December 1971. W.H.O.I. Technical Report WHOI 74-103.

Gifford, J. E., Cruise Report, Knorr 26, May-June 1972. W.H.O.I. Technical Report WHOI 74-104.

Heinmiller, R. H., Jr., Cruise Report, Chain 116. W.H.O.I. Technical Report WHOI 74-77.

Heinmiller, R. H., Jr. and D. A. Moller, Failure of a moored array in a Gulf Stream Eddy. MTS Jour., 8, (7), August 1974.

Heinmiller, R. H., Jr., W. J. Schmitz, Jr. and M. G. Briscoe, Scientific needs for moored instrumentation. MTS, 10th Ann. Conf., September 1974, 3-15.

Heinmiller, R. H., Jr., Bottom topography at POLYMODE-O sites. MODE Hot-Line News, no. 65, 13 September 1974 (unpublished document).

Heinmiller, R. H., Jr., Report on R/V Chain cruise 116. MODE Hot-Line News, no. 65, 13 September 1974 (unpublished document).

Huppert, H. and H. Freeland, MODE bathymetry. MODE Hot-Line News, no. 65, 13 September 1974 (unpublished document).

Joyce, T., IWEX temperature measurements. MODE Hot-Line News, no. 53, 29 March 1974 (unpublished document).

La Rochelle, R. A., AMF acoustic release operation and maintenance; supplement by the Woods Hole Oceanographic Institution's Buoy Project. W.H.O.I. Technical Report WHOI 74-45.

McCullough, J. R., In search of moored current sensors. Proc. 10th Ann. MTS Conf., September 1974, 31-54.

Millard, R. C., Jr., CTD averages from IWEX. MODE Hot-Line News, no. 52, 15 March 1974 (unpublished document).

Physical Oceanography Publications

Technical Reports

1974 (cont.)

Millard, R. C., Jr., Bottom-layer observations from MODE and IWEX. MODE Hot-Line News, no. 60, 5 July 1974 (unpublished document).

Moller, D. A., Acoustic navigation during IWEX. MODE Hot-Line News, no. 51, 1 March 1974 (unpublished document).

Moller, D. A., The deployment of an oceanographic deep-sea mooring: The IWEX Project. International Conference on Engineering in the Ocean Environment, IEEE, Halifax, N. S., August 1974.

Moller, D. A., Cruise Report, Knorr 34 and Knorr 36. W.H.O.I. Technical Report WHOI 74-94.

Moller, D. A., Cruise Report, Atlantis II 63. W.H.O.I. Technical Report WHOI 74-43.

Moller, D. A., Cruise Report, Atlantis II 69. W.H.O.I. Technical Report WHOI 74-48.

Moller, D. A., Cruise Report, Chain 103. W.H.O.I. Technical Report WHOI 74-41.

Panicker, N. N., S. Schultz and D. Schmidt, Analysis of surface mooring dynamics. Paper No. OTC 2071, Preprints, 6th Ann. Offshore Tech. Conf., Houston, pp. 417-428, May 1974.

Panicker, N. N., Review of techniques for directional wave spectra. Proc. Int. Symp. on Ocean Wave Measurement and Analysis, New Orleans, pp. 669-688, September 1974.

Panicker, N. N., Effect of cable material on surface mooring dynamics. MODE Hot-Line News, no. 62, 2 August 1974 (unpublished document).

Payne, R. E., A buoy mounted meteorological recording package. W.H.O.I. Technical Report WHOI 74-40.

Schmitz, W. J., Jr., J. R. Luyten and W. Sturges, The role of eddies in the general circulation of the deep western North Atlantic. MODE Hot-Line News, no. 61, 19 July 1974 (unpublished document).

SCOR Working Group 21, 1970, An Intercomparison of Some Current Meters, II. UNESCO Technical Papers in Marine Science No. 17, 1974.

Tarbell, S., A compilation of moored current meter and wind observations, Volume VI (1967 measurements). W.H.O.I. Technical Report WHOI 74-4.

Physical Oceanography Publications

Technical Reports

1974 (cont.)

Thompson, R., Predicting the characteristics of the well-mixed layer. W.H.O.I. Technical Report WHOI 74-82.

Tupper, G. H., Cruise Report, Knorr 39. W.H.O.I. Technical Report WHOI 74-42.

Walden, R. G. and H. O. Berteaux, Design and performance of a deep-sea tri-moor. Proc. 10th Ann. MTS Conf., September 1974.

Zenk, W. and M. G. Briscoe, The Cape Cod experiment on near-surface internal waves. W.H.O.I. Technical Report WHOI 74-87.

Zenk, W., Vertical displacement spectra at high wavenumbers from MODE-I tows. MODE Hot-Line News no. 53, 23 March 1974 (unpublished document).

Zenk, W., Temperature variability below the mixed layer in the MODE-I area. MODE Hot-Line News no. 61, 19 July 1974 (unpublished document).

1975

Cheney, R., W. Gemmill, M. Shank, P. Richardson and D. Webb, Ring tracking experiment. MODE Hot-Line News no. 83, 7 November 1974 (unpublished document).

Cheney, R. and P. Richardson, Distribution of Gulf Stream rings in the northwestern Sargasso Sea. MODE Hot-Line News no. 79, 5 September 1974 (unpublished document).

Clay, P., The all-wire mooring. MODE Hot-Line News no. 69, 17 January 1975 (unpublished document).

Flierl, G., Quasi-Eulerian quantities derived from float measurements and true Eulerian quantities. MODE Hot-Line News no. 85, 19 December 1975 (unpublished document).

Frankignoul, C. J., Some statistical features of high-frequency motions in MODE-I. MODE Hot-Line News no. 72, 11 April 1975 (unpublished document).

Guillard, E. D., Ed., A Manual for Science Personnel Aboard Research Vessels of the Woods Hole Oceanographic Institution (an unnumbered W.H.O.I. Technical Report).

Heinmiller, R. H., Jr., Mooring operations of the Woods Hole Buoy Group for the MID-OCEAN DYNAMICS EXPERIMENT. W.H.O.I. Technical Report WHOI 75-42.

Physical Oceanography Publications

Technical Reports

1975 (cont.)

Iida, L. and M. G. Briscoe, Gaussianity of the current and temperature data from the trimoored Internal Wave Experiment (IWEX). W.H.O.I. Technical Report WHOI 75-67.

Lai, D. and P. Richardson, Distribution and movement of cyclonic Gulf Stream rings from historical data (1970-1973). MODE Hot-Line News no. 80, (unpublished document).

McCartney, M., Big babies in the northern Sargasso Sea. MODE Hot-Line News No. 74, 6 June 1975 (unpublished document).

McCullough, J. R., 1975, In search of moored current sensors. MTS Proc. 10th Ann. Conf.

McCullough, J. R., A digital data logging technique for remote recording instruments. Proc. of the Working Conference on Oceanographic Data Systems, 12-14 November 1975, Woods Hole, Massachusetts.

McCullough, J. R., Vector averaging current meter speed calibration and recording technique. W.H.O.I. Technical Report WHOI 75-44.

Panicker, N. N. and D. W. Schmidt, Prediction and measurement of the stability of the IWEX tripod mooring. W.H.O.I. Technical Report WHOI 75-46.

Panicker, N. N. and L. E. Borgman, 1975, Enhancement of directional wave spectrum estimates. Proc. 14th Int. Conf. on Coastal Engineering (Copenhagen), American Society of Civil Engineers, Vol. I.

Pollard, R. T. and S. Tarbell, A compilation of moored current meter and wind observations, Volume VII (1970 array measurements). W.H.O.I. Technical Report WHOI 75-7.

Richman, J., Temperature records from MODE-I moorings 1 and 8. MODE Hot-Line News no. 69, 17 January 1975 (unpublished document).

Riser, S., Temperature events at MODE-I site moorings 1 and 8. MODE Hot-Line News no. 71, 14 March 1975 (unpublished document).

Robinson, A, Summary of theoretical and numerical modeling of low-frequency mesoscale processes. MODE Hot Line News no. 81, 10 October 1975 (unpublished document).

Rossby, T., D. Dow and H. Freeland, Float tracks for May-December 1974. MODE Hot-Line News no. 76, 18 July 1975 (unpublished document).

Physical Oceanography Publications

Technical Reports

1975 (cont.)

Schmitz, W. J., Jr. and R. H. Heinmiller, Notes on mooring and current meter performance. MODE Hot Line News no. 69, 17 January 1975 (unpublished document).

SCOR Working Group 21, 1972, An interpretation of some current meters, III. UNESCO Technical Papers in Marine Science 23, 1975.

Tarbell, S., M. G. Briscoe and D. Chausse, A compilation of moored current data and associated oceanographic observations, Volume IX [1973 Internal Wave Experiment (IWEX)]. W.H.O.I. Technical Report WHOI 75-68.

Thompson, R., Dynamical tests with single current meters. MODE Hot-Line News no. 80, 26 September 1975 (unpublished document).

Tupper, G. H., Cruise Report Knorr 44. W.H.O.I. Technical Report WHOI 75-59.

Volkmann, G., Some XBT sections in the western North Atlantic. MODE Hot-Line News no. 84, 28 November 1975 (unpublished document).

1976

Armi, L., The dynamics of the bottom boundary layer of the deep ocean. Proc. 8th Int. Liège Coll. on Ocean Hydrodynamics - bottom turbulence, June, 1976.

Bradley, K., CHAIN 129 Cruise Report. POLYMODE News no. 3, 20 February 1976, W.H.O.I. (unpublished document).

Bradley, K., Intermediate mooring notes. POLYMODE News no. 15, 17 September 1976, W.H.O.I. (unpublished document).

Bradley, K., KNORR 60 Cruise Report. POLYMODE News no. 18, 19 November 1976, W.H.O.I. (unpublished document).

Briscoe, M., Notes on bispectral calculations on internal waves. POLYMODE News no. 9, 4 June 1976, W.H.O.I. (unpublished document).

Chausse, D. and S. Tarbell, A compilation of moored current data and associated ocean observations, Volume XIII, 1973 MODE. W.H.O.I. Technical Report WHOI 76-101.

Chhabra, N. K., 1976, Mooring Mechanics — , A comprehensive Computer Study, Vol. II — Three Dimensional Dynamic Analysis of Moored and Drifting Buoy Systems. The C. S. Draper Laboratory, Inc. Report R-1066.

Physical Oceanography Publications

Technical Reports

1976 (cont.)

Dean, J., Differential-temperature VACMs. POLYMODE News no. 12, 30 July 1976, W.H.O.I. (unpublished document).

Flierl, G., Motions of tracer particles in Gulf Stream rings. POLYMODE News no. 8, 14 May 1976, W.H.O.I. (unpublished document).

Fofonoff, N. P., 1976, POLYGON-70: A Soviet oceanographic experiment. Oceanus, 19 (3), 40-44.

Fofonff. N. P., Intercomparison '76. POLYMODE News no. 15, 17 September 1976, W.H.O.I. (unpublished document).

Fofonoff, N. P. and R. C. Millard, Jr., CTD intercomparison aboard R/V AKADEMIK VERNADSKY. POLYMODE News no. 19, 10 December 1976, W.H.O.I. (unpublished document).

Heinmiller, R. H., The Woods Hole Buoy Project moorings, 1960 through 1974. W.H.O.I. Technical Report WHOI 76-53.

Heinmiller, R. H., Mooring operations techniques of the Buoy Project at the Woods Hole Oceanographic Institution. W.H.O.I. Technical Report WHOI 76-96.

Heinmiller, R. H., The POLYMODE local dynamics experiment. POLYMODE News no. 14, W.H.O.I. (unpublished document).

Heinmiller, R. H., Visit of AKADEMIK VERNADSKY to Boston. POLYMODE News no. 17, 29 October 1976, W.H.O.I. (unpublished document).

Joyce, T., J. Dean, M. McCartney, R. Millard, D. Moller, A. Voorhis, D. Dahm, D. Georgi, G. Kullenberg, J. Toole and W. Zenk, Observations of the antarctic polar front during FDRAKE 76: A cruise report. W.H.O.I. Technical Report WHOI 76-74.

Joyce, T., Temperature finestructure of the MODE-I eddy. POLYMODE News no. 9, 4 June 1976, W.H.O.I. (unpublished document).

Luyten, J., Mean flow along the Continental Rise. POLYMODE News no. 2, 20 January 1976, W.H.O.I. (unpublished document).

McCullough, J. R., Moored current meter sensor development. POLYMODE News no. 12, 30 July 1976, W.H.O.I. (unpublished document).

Millard, R. C., Jr. and T. Joyce, The use of vertical profiling with a CTD in the study of natural variability in the ocean. Proc. Ocean Profiling Workshop, June 2-4, 1976, NOAA Data Buoy Office/NSF, 37-64.

Physical Oceanography Publications

Technical Reports

1976 (cont.)

Millard, R. C., Jr., CTD and hydrographic intercomparison aboard AKADEMIK KURCHATOV. POLYMODE News no. 13, 13 August 1976, W.H.O.I. (unpublished document).

Moller, D. A., A computer program for the design and static analysis of single-point subsurface mooring systems: NOYFB. W.H.O.I. Technical Report WHOI 76-59.

Panicker, N. N., Energy resource potential of ocean surface waves. 15th International Conference on Coastal Engineering, Honolulu, Hawaii, July 1976.

Panicker, N. N. and D. Schmidt, Stability and the IWEX trimooring. POLYMODE News no. 1, 16 January 1976, W.H.O.I. (unpublished document).

Payne, R. E., A. L. Bradshaw, J. P. Dean and K. E. Schleicher, Accuracy of temperature measurements with the VACM. W.H.O.I. Technical Report WHOI 76-94.

Richardson, P., Rings and ridges. POLYMODE News no. 8, 14 May 1976, W.H.O.I. (unpublished document).

Richardson, P., An XBT section through several rings. POLYMODE News no. 8, 14 May 1976, W.H.O.I. (unpublished document).

Richardson, P., The entrainment of Gulf Stream water by a cyclonic ring. POLYMODE News no. 13, 13 August 1976, W.H.O.I. (unpublished document).

Saunders, P., Intercomparison of a VACM and an acoustic current meter. POLYMODE News no. 12, 30 July 1976, W.H.O.I. (unpublished document).

Swallow, J. C. and J. R. Luyten, Some observations of surface currents in the western Indian Ocean. Ocean Modelling no. 1, October 1976, SCOR WG 49 (unpublished manuscript).

Tarbell, S. A., A compilation of moored current data and associated oceanographic observations, Volume X, early 1969 measurements. W.H.O.I. Technical Report WHOI 76-40.

Tarbell, S. A., A compilation of moored current data and associated oceanographic observations, Volume XI, late 1969 measurements. W.H.O.I. Technical Report WHOI 76-41.

Valdes, J., Model 840 current meter results and modifications. POLYMODE News no. 12, 30 July 1976, W.H.O.I. (unpublished document).

Physical Oceanography Publications

Technical Reports

1976 (cont.)

Walden, R., Tests of KEVLAR as a new mooring material. POLYMODE News no. 15, 17 September 1976, W.H.O.I. (unpublished document).

Worthington, L. V., Further notes on Big Babies. POLYMODE News no. 3, 20 February 1976, W.H.O.I. (unpublished document).

1977

Berteaux, H. O., R. A. Goldsmith and W. E. Schott, III, Heave and roll response of free floating bodies of cylindrical shape. W.H.O.I. Technical Report WHOI 77-12.

Bradley, K., KNORR 66 Cruise Report. POLYMODE News no. 33, 19 August 1977, W.H.O.I. (unpublished document).

Chhabra, N. K., 1977, Dynamic motions of a subsurface mooring system at anchor impact after its free fall to the ocean floor. The Charles Stark. Draper Laboratory, Inc. Report R-1079.

Heinmiller, R. H. and R. A. LaRochelle, Field experience with acoustic releases at the Woods Hole Oceanographic Institution. W.H.O.I. Technical Report WHOI 77-10.

Joyce, T., CTD observations during KNORR 66, Leg II. POLYMODE News no. 33, 19 August 1977, W.H.O.I. (unpublished document).

McCullough, J. R., 1977, Problems in measuring currents near the ocean surface. Oceans '77, MTS-IEEE (unpublished manuscript).

Panicker, N. N. and D. Schmidt, Prediction and measurement of the stability of a deep-sea trimooring. Ocean Engineering, 3, 1977 (Pergamon Press).

Sanford, T. B. and N. G. Hogg, The North Atlantic fine and microstructure Cruise KNORR 52 and EASTWARD 75-12. W.H.O.I. Technical Report WHOI 77-11.

Tarbell, S., R. Payne and R. Walden, A compilation of moored current meter data and associated mooring action data from mooring 592, Volume XIV (1976 data). W.H.O.I. Technical Report WHOI 77-41.

Tarbell, S. A. and A. W. Whitlatch, A compilation of moored current data and associated oceanographic observations, Volume XIII (1970 measurements). W.H.O.I. Technical Report WHOI 77-18.

Physical Oceanography Publications

Technical Reports

1977 (cont.)

Tarbell, S. A. and A. W. Whitlatch, A compilation of moored current data and associated oceanographic observations, Volume XV (1971 measurements). W.H.O.I. Technical Report WHOI 77-56.

Valdes, J. R., COS/MOS 850 current meter report. W.H.O.I. Technical Report WHOI 77-30.

Volkmann, G., Four short XBT sections across the Mid-Atlantic Ridge. POLYMODE News no. 33, 19 August 1977, W.H.O.I. (unpublished document).

Walden, R. G., C. W. Collins, Jr., P. R. Clay and P. O'Malley, Validation testing of the DOCMS intermediate mooring. W.H.O.I. Technical Report WHOI 77-53.

Walden, R. G. D. H. DeBok, D. Meggitt, J. B. Gregory and W. A. Vachon, The mooring dynamics experiment — A major study of the dynamics of buoys in the deep ocean. Proc. 9th Ann. Offshore Technology Conference in Houston, Texas, May 1977, 3.

Wunsch, C., POLYMODE Array III plans. POLYMODE News no. 24, 25 March 1977, W.H.O.I (unpublished document).

Wunsch, C., Temperature and pressure measurements from POLYMODE Array II. POLYMODE News no. 26, 22 April 1977, W.H.O.I. (unpublished document).

Wunsch, C., Setting of Array III clusters A and B. POLYMODE News no. 33, 9 August 1977, W.H.O.I. (unpublished document).

1978

Armi, L., The importance of boundaries. Oceanus, 21 (1), 14-19 (Winter 1978).

Briscoe, M. G., 1978, On the energy balance of internal waves. Yearbook of the McGraw-Hill Encyclopedia of Science and Technology.

[1] Briscoe, M. G., [1] T. M Joyce, [2] J. Willebrand, P. Müller and D. J. Olbers, Bibliography [1] and inverse analysis of the trimoored internal wave experiment IWEX [2]. W.H.O.I. Technical Report WHOI 78-10.

Brown, N. L. and G. K. Morrison, W.H.O.I./Brown Conductivity, temperature and depth microprofiler. W.H.O.I. Technical Report WHOI 78-23.

Bryden, H. L., R. C. Millard and D. L. Porter, CTD observations in the western Mediterranean Sea during Cruise 118, Leg 2 of R/V CHAIN, February, 1975. W.H.O.I. Technical Report WHOI 78-26.

Frankignoul, C. and T. Joyce, Internal-wave-induced viscosity. POLYMODE News no. 52, 4 August 1978, W.H.O.I. (unpublished document).

Physical Oceanography Publications

Technical Reports

1978 (cont.)

Heath, R. A., H. L. Bryden and S. P. Hayes, 1978, Interaction of the Antarctic Circumpolar Current with topography south of New Zealand. Antarctic Journal of the U. S.

Joyce, T. and G. Siedler, 1978, Some examples of air-sea interaction in JASIN-78 as observed by PLANET. JASIN news, 10 (5-7), Institute of Oceanographic Sciences (unpublished document).

McComas, C. H., III, Bispectra of Internal Waves. W.H.O.I. Technical Report WHOI 78-25.

McCullough, J. R., 1978, Near-surface ocean current sensors: problems and performance. In: Proc. of a Working Conference on Current Measurement, W. Woodward, C.N.K. Mooers, K. Jensen, editors. Tech. Report DEL-SG-3-78, College of Marine Studies, University of Delaware, Newark DE 19711.

McWilliams, J., H. Bryden, C. Ebbesmyer, W. Holland, J. Luyten, B. Owens, J. Price, T. Rossby, W. Schmitz, B. Semtner and B. Taft, What observations and numerical models indicate about the site of the Local Dynamics Experiment. POLYMODE News no. 46, 21 April 1978, W.H.O.I. (unpublished document).

Millard, R. C., A. Blumer and N. Galbraith, A digital tape format for Woods Hole Oceanographic Institution CTD data. W.H.O.I. Technical Report WHOI 78-43.

Owens, B., Local Dynamics Experiment Deployment. POLYMODE News no. 48, 2 June 1978, W.H.O.I. (unpublished document).

Schmitz, W. J., Jr. and J. P. Dean, 1978, The oceanic eddy field: comments on exploration and technology. In: Proc. of a Working Conference on Current Measurement, January 11-13, 1978. Technical Report DEL-SG-3-78, College of Marine Sciences, University of Delaware, Newark DE 19711.

Siedler, G. and T. Joyce, 1978, Tidal variations as observed by PLANET during JASIN-78. JASIN News, 10, 4-5.

Tarbell, S. and M. G. Briscoe, A compilation of moored current meter and wind recorder data, Volume XVIII (JASIN, 1978, Moorings 651-653. W.H.O.I. Technical Report WHOI 78-93.

Physical Oceanography Publications

Technical Reports

1978 (cont.)

Tarbell, S. and A. Spencer, A compilation of moored current data and associated observations (MODE-Site, Volume XVI, 1971-1975). W.H.O.I. Technical Report WHOI 78-5.

Tarbell, S. and A. Spencer, A compilation of moored instrument data and associated oceanographic observations, Volume XVII (POLYMODE Array II data). W.H.O.I. Technical Report WHOI 78-49.

Tupper, G., ATLANTIS II-100 Cruise Report. POLYMODE News no. 53, 25 August 1978, W.H.O.I. (unpublished document).

Walden, R. G., More Kevlar test results. POLYMODE News no. 44, 10 March 1978, W.H.O.I. (unpublished document).

1979

Briscoe, M., J. McCullough and R. Weller, 1979, JASIN current meter and mooring intercomparison. JASIN News no. 12, 5-8, Institute of Oceanographic Sciences (unpublished document).

Briscoe, M. G., C. A. Mills, R. E. Payne and K. R. Peal, ATLANTIS II (Cruise 102) moored and shipboard surface meteorological measurements during JASIN 1978. W.H.O.I. Technical Report WHOI 79-43.

Briscoe, M. G. and R. E. Payne, 1979, Meteorological observations and preliminary wind stress calculation from Buoy W2. JASIN News no. 12, 8-9, Institute of Oceanographic Sciences (unpublished document).

Ciesluk, A., Local Dynamics Experiment recovery. POLYMODE News no. 71, 28 September 1979, W.H.O.I. (unpublished document).

Fu, L. and C. Wunsch, Recovery of POLYMODE Array 3 Clusters A and B. POLYMODE News no. 60, 19 January 1979, W.H.O.I. (unpublished document).

McComas, C. H. and M. G. Briscoe, 1979, Buoyancy frequency near the FIA. JASIN News no. 13, 3, Institute of Oceanographic Sciences (unpublished document).

McCullough, J. R., Near-surface ocean current sensors: problems and performance. W.H.O.I. Technical Report WHOI 79-90.

McCullough, J. R. and W. Graeper, Moored acoustic travel time (ATT) current meters: Evolution, performance and future designs. W.H.O.I. Technical Report WHOI 79-92.

Physical Oceanography Publications

Technical Reports

1979 (cont.)

Mills, C. A. and P. Rhines, The deep western boundary current at the Blake-Bahama Outer Ridge: current meter and temperature observations, 1977-1978. W.H.O.I. Technical Report WHOI 79-85.

Pennington, N. and M. G. Briscoe, ATLANTIS II (Cruise 102) preliminary CTD data from JASIN 1978. W.H.O.I. Technical Report WHOI 79-42.

Spencer, A., A compilation of moored current meter data and associated oceanographic observations, Volume XX (Rise Array, 1974). W.H.O.I. Technical Report WHOI 79-56.

Spencer, A., C. Mills and R. E. Payne, A compilation of moored current meter data and associated oceanographic observations, Volume XIX (Polymode Array 1 data). W.H.O.I. Technical Report WHOI 79-34.

Tarbell, S., M. G. Briscoe and R. A. Weller, A compilation of moored current meter and wind recorder data, Volume XVII (JASIN, 1978: moorings 651-653). W.H.O.I. Technical Report WHOI 79-65.

Tarbell, S. and R. Payne, A compilation of moored current meter data and associated oceanographic observations, Volume XXII (1973 observations). W.H.O.I. Technical Report 79-87.

Tarbell, S., A. Williams, R. Payne and M. Chaffee, The W.H.O.I. moored array program 1963-1978: Data directory and bibliography. W.H.O.I. Technical Report WHOI 79-88.

1980

Ciesluk, A., Final POLYMODE Array 3 mooring recovery. POLYMODE News no. 73, 18 January 1980, W.H.O.I. (unpublished document).

Fu, L.-L., 1980, Observations and models of inertial waves in the deep ocean. Ph.D. Thesis, M.I.T.-W.H.O.I. Joint Program.

Georgi, D. T., J. P. Dean and J. A. Chase, Temperature calibration of expendable bathythermographs. Ocean Engineering, in press.

Joyce, T. M., R. H. Käse and W. Zenk, Aspects of low frequency upper ocean variability during JASIN, Phase II. JASIN News no. 15, Institute of Oceanographic Sciences (unpublished document).

McCullough, J. R., Techniques of measuring currents near the ocean surface. Instruments and Methods in Air-Sea Interaction, A NATO text, in preparation.

Millard, R., J. Toole and M. Swartz, A fast responding temperature measurement system for CTD applications. Ocean Engineering, in press.

Physical Oceanography Publications

Technical Reports

1980 (cont.)

Ou, H. W., J. A. Vermersch, W. S. Brown and R. C. Beardsley, New England Shelf/Slope Experiment (February to August, 1976) data report: The moored array. W.H.O.I. Technical Report WHOI 80-3.

MANDATORY DISTRIBUTION LIST

FOR UNCLASSIFIED TECHNICAL REPORTS, REPRINTS, AND FINAL REPORTS
PUBLISHED BY OCEANOGRAPHIC CONTRACTORS
OF THE OCEAN SCIENCE AND TECHNOLOGY DIVISION
OF THE OFFICE OF NAVAL RESEARCH

(REVISED NOVEMBER 1978)

1 Deputy Under Secretary of Defense
(Research and Advanced Technology)
Military Assistant for Environmental Science
Room 3D129
Washington, D.C. 20301

Office of Naval Research
800 North Quincy Street
Arlington, VA 22217
3 ATTN: Code 483
1 ATTN: Code 460
2 ATTN: 102B

1 CDR J. C. Harlett, (USN)
ONR Representative
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

Commanding Officer
Naval Research Laboratory
Washington, D.C. 20375
6 ATTN: Library, Code 2627

12 Defense Documentation Center
Cameron Station
Alexandria, VA 22314
ATTN: DCA

Commander
Naval Oceanographic Office
NSTL Station
Bay St. Louis, MS 39522
1 ATTN: Code 8100
1 ATTN: Code 6000
1 ATTN: Code 3300

1 NODC/NOAA
Code D781
Wisconsin Avenue, N.W.
Washington, D.C. 20235

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: WHOI-79-88	2. GOVT ACCESSION NO.
3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle): THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY	5. TYPE OF REPORT & PERIOD COVERED: Technical
6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s): S. Tarbell, M. Chaffee, A. Williams and R. Payne	8. CONTRACT OR GRANT NUMBER(s): N00014-76-C-0197; OCE 77-19403
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Woods Hole Oceanographic Institution, Woods Hole, MA 02543	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: NR 083-400
11. CONTROLLING OFFICE NAME AND ADDRESS: NORDA, National Space Technology Laboratory, Bay St. Louis, MS 39529	12. REPORT DATE: August 1980
	13. NUMBER OF PAGES: 168
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report): Unclassified
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

1. Current meter
2. Moored instruments
3. Bibliography

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

General information about mooring locations, durations and data gathered by the Moored Array Project (also known as Buoy Group) between late 1963 and 1978 are listed. Also included is a comprehensive list of scientific and technical publications written by the Buoy Group staff.

Woods Hole Oceanographic Institution
WHOI-79-88

THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY by S. Tarbell, M. Chaffee, A. Williams and R. Payne. August 1980. 168 pages. Prepared for the Office of Naval Research under Contract N00014-76-C-0197; NR 083-400 and for the National Science Foundation under Grant OCE 77-19403.

General information about mooring locations, durations and data gathered by the Moored Array Project (also known as Buoy Group) between late 1963 and 1978 are listed. Also included is a comprehensive list of scientific and technical publications written by the Buoy Group staff.

1. Current meter
2. Moored instruments
3. Bibliography

I. Tarbell, S.
II. Chaffee, M.
III. Williams, A.
IV. Payne, R.
V. N00014-76-C-0197; NR 083-400
VI. OCE 77-19403

This card is UNCLASSIFIED

Woods Hole Oceanographic Institution
WHOI-79-88

THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY by S. Tarbell, M. Chaffee, A. Williams and R. Payne. August 1980. 168 pages. Prepared for the Office of Naval Research under Contract N00014-76-C-0197; NR 083-400 and for the National Science Foundation under Grant OCE 77-19403.

General information about mooring locations, durations and data gathered by the Moored Array Project (also known as Buoy Group) between late 1963 and 1978 are listed. Also included is a comprehensive list of scientific and technical publications written by the Buoy Group staff.

1. Current meter
2. Moored instruments
3. Bibliography

I. Tarbell, S.
II. Chaffee, M.
III. Williams, A.
IV. Payne, R.
V. N00014-76-C-0197; NR 083-400
VI. OCE 77-19403

This card is UNCLASSIFIED

Woods Hole Oceanographic Institution
WHOI-79-88

THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY by S. Tarbell, M. Chaffee, A. Williams and R. Payne. August 1980. 168 pages. Prepared for the Office of Naval Research under Contract N00014-76-C-0197; NR 083-400 and for the National Science Foundation under Grant OCE 77-19403.

General information about mooring locations, durations and data gathered by the Moored Array Project (also known as Buoy Group) between late 1963 and 1978 are listed. Also included is a comprehensive list of scientific and technical publications written by the Buoy Group staff.

1. Current meter
2. Moored instruments
3. Bibliography

I. Tarbell, S.
II. Chaffee, M.
III. Williams, A.
IV. Payne, R.
V. N00014-76-C-0197; NR 083-400
VI. OCE 77-19403

This card is UNCLASSIFIED

Woods Hole Oceanographic Institution
WHOI-79-88

THE WHOI MOORED ARRAY PROJECT 1963-1978: DATA DIRECTORY AND BIBLIOGRAPHY by S. Tarbell, M. Chaffee, A. Williams and R. Payne. August 1980. 168 pages. Prepared for the Office of Naval Research under Contract N00014-76-C-0197; NR 083-400 and for the National Science Foundation under Grant OCE 77-19403.

General information about mooring locations, durations and data gathered by the Moored Array Project (also known as Buoy Group) between late 1963 and 1978 are listed. Also included is a comprehensive list of scientific and technical publications written by the Buoy Group staff.

1. Current meter
2. Moored instruments
3. Bibliography

I. Tarbell, S.
II. Chaffee, M.
III. Williams, A.
IV. Payne, R.
V. N00014-76-C-0197; NR 083-400
VI. OCE 77-19403

This card is UNCLASSIFIED